






Bill Evers Reservoir 0.125 -0.100 -SpeciesFrequency_ha Herbicide (prop. treated/year) 0 0.025 -0.000 -1990 2000 2010 2020 SurveyDate










































































































































































































Ft. Meade Pits 0.4 -0.3 -Herbicide SpeciesFrequency_ha (prop. treated/year) 2.5e-05 2.0e-05 1.5e-05 1.0e-05 5.0e-06 0.0e+00 0.1 -0.0 -1995 2000 2010 1990 2005 SurveyDate
























































































































































































































Little Red Water Lake 7e-04 -6e-04 **-**SpeciesFrequency_ha Herbicide (prop. treated/year) 4e-05 3e-05 2e-05 1e-05 0e+00 4e-04 -1998 2000 2002 2004 2006 SurveyDate











Lochloosa, Lake 1.00 -0.75 -SpeciesFrequency_ha Herbicide (prop. treated/year) 5e-05 4e-05 3e-05 2e-05 1e-05 0e+00 0.25 -0.00 -1990 2000 2010 2020 SurveyDate



































































































































































































































































































































Thomas, Lake 0.4 -0.3 -SpeciesFrequency_ha Herbicide (prop. treated/year) 0.0015 0.0010 0.0005 0.0000 0.1 -0.0 -1990 2000 2010 2020 SurveyDate

