


v_A=0.00222222222222 Annual Annual biomass nnual infected biomas ual susceptible biom 482.25 0.0478 482.25 44000 482.00 482.00 42000 0.0476 481.75 481.75 40000 0.0474 481.50 481.50 38000 481.25 Conidia Litter Perennial adult erennial adult biomas 85.0 2750 25000 2500 82.5 20000 20000 2250 80.0 15000 2000 77.5 10000 10000 1750 75.0 1500 5000 -Z nial adult infected bid al adult susceptible b Perennial first-year ennial first-year biom 85.0 6.8 0.0060 82.5 6.4 0.0055 10000 80.0 0.0050 6.0 0.0045 77.5 5000 5.6 0.0040 75.0 0.0035 -5.2 10 20 30 40 50 10 20 30 40 50 al first-year infected first-year susceptible 6.8 0.0012 6.4 0.0010 6.0 5.6 0.0008


10 20 30 40 50


time


5.2


10 20 30 40 50



























v_F=0.00222222222222 Annual Annual biomass nnual infected biomas ual susceptible biom 500.4 0.0400 -44000 500.25 -500.1 0.0398 500.00 42000 499.8 499.75 0.0396 40000 499.5 499.50 0.0394 Conidia Litter Perennial adult erennial adult biomas 81 2400 15000 20000 78 2000 10000 75 10000 1600 5000 72 Z nial adult infected bid al adult susceptible b Perennial first-year ennial first-year biom 5.6 81 0.006 5.2 10000 78 0.005 4.8 5000 75 0.004 4.4 72 -10 20 30 40 50 10 20 30 40 50 al first-year infected first-year susceptible 5.6 0.0012 5.2 0.0010 4.8 0.0008 4.4 10 20 30 40 50 10 20 30 40 50


time














v_F=0.0088888888888888 Annual Annual biomass nnual infected biomas ual susceptible biom 500.4 0.0400 44000 500.25 500.1 500.00 0.0398 42000 499.8 499.75 40000 0.0396 499.5 499.50 Conidia Litter Perennial adult erennial adult biomas 81 2400 15000 20000 78 2000 10000 75 10000 1600 72 5000 Z nial adult infected bid al adult susceptible b Perennial first-year ennial first-year biom 0.007 1.9 81 0.006 10000 1.8 78 1.7 0.005 5000 75 1.6 0.004 72 -1.5 10 20 30 40 50 10 20 30 40 50 al first-year infected first-year susceptible 1.9 4e-04 1.8 1.7 3e-04 1.6 1.5 10 20 30 40 50 10 20 30 40 50 time







v_P=0.002222222222222 Annual Annual biomass nnual infected bioma ual susceptible biom 500.4 44000 500.25 0.0392 500.1 500.00 42000 499.8 0.0390 499.75 40000 499.5 499.50 0.0388 Conidia Litter Perennial adult erennial adult biomas 20000 2400 75 15000 20000 2000 10000 70 10000 1600 5000 -Z nial adult infected bid al adult susceptible b Perennial first-year ennial first-year biom 0.008 7.5 75 0.007 10000 7.0 0.006 6.5 70 5000 6.0 0.005 -10 20 30 40 50 10 20 30 40 50 al first-year infected first-year susceptible 0.00200 7.5 0.00175 7.0 0.00150 6.5 0.00125 6.0 10 20 30 40 50 10 20 30 40 50 time

