Inclusive Design Practices

1- Cognitive disabilities

2- Readable content

3- Neurodiversity

4- Internationalization

5- Hands-on testing

Let's design inclusively!



SCROLL

Beyond Physical Accessibility

Expanding Our Accessibility Lens

LAST CLASS FOCUS: Physical accessibility
- Vision (blindness, low vision, colorblindness)
- Hearing (deafness, hard of hearing)
- Motor (mobility, dexterity challenges)

TODAY'S FOCUS: Cognitive accessibility
- Learning disabilities (dyslexia, dyscalculia)
- Attention challenges (ADHD, distractibility)
- Processing differences (autism, memory)

THE KEY DIFFERENCE:
Physical disabilities: *How* users access content
Cognitive disabilities: *How* users process and understand content

THE NUMBERS:
- Physical disabilities: ~5-10% of population
- Cognitive/learning disabilities: **15-20% of population**

Plus: 100% of people experience cognitive overload sometimes!

Cognitive accessibility = Better UX for EVERYONE

Cognitive & Learning Disabilities

DYSLEXIA *Difficulty reading, letters/words scramble*
- 5-10% of population
- Affects reading speed and comprehension
- Benefits: Clear fonts, adequate spacing, left-aligned text

ADHD *Attention and focus challenges*
- 4-5% of population
- Easily distracted by motion, clutter, notifications
- Benefits: Clean design, minimal distractions, clear focus

AUTISM SPECTRUM *Different information processing, sensory sensitivities*
- 1-2% of population
- Prefers literal language, predictable patterns
- Benefits: Consistency, no surprises, calm visuals

DYSCALCULIA *Difficulty with numbers and math*
- 3-6% of population
- Struggles with calculations, quantities, time
- Benefits: Visual representations, calculators, clear instructions

MEMORY IMPAIRMENTS *Short-term memory challenges*
- Various causes (age, injury, conditions)
- Difficulty remembering complex processes
- Benefits: Save progress, clear steps, reminders

ANXIETY DISORDERS *Information overwhelm, decision paralysis*
- Very common
- Too many choices = stress
- Benefits: Clear options, no time pressure, forgiving design

PLUS: 100% of us experience cognitive load sometimes!

Statistics

How Many Users Does This Affect?

- **LEARNING DISABILITIES:** 15-20% *Dyslexia, dyscalculia, dysgraphia, processing disorders*
- **ADHD:** 4-5% *Often overlaps with other conditions*
- **AUTISM SPECTRUM:** 1-2% *Growing diagnosis rates*
- **COGNITIVE LOAD:** 100% *Everyone experiences this sometimes!*
- **COMBINED IMPACT:** At least **1 in 5 users** has some form of cognitive or learning challenge

PLUS SITUATIONAL:

- Tired after long day
- Stressed about deadline
- Distracted in noisy café
- Multitasking with kids



If you ignore cognitive accessibility, you're excluding millions of users

Design Strategy: Simplicity

Strategy #1: Simple, Clear Language

```
COMPLEX (High Cognitive Load):
<p>
    Please proceed to initiate the authentication
   sequence by providing your electronic mail
   credentials in the designated input field
   below, whereupon the system will verify
   your identity and grant access.
</p>
```

```
SIMPLE (Low Cognitive Load):
<label for="email">Email address</label>
<input type="email" id="email">
<button>Sign in</button>
```

GUIDELINES:

- Short sentences (15-20 words max)
- Common words (not fancy vocabulary)
- Active voice ("Click submit" not "The form should be submitted")
- One idea per sentence
- Define technical terms

THE PRINCIPLE: Every unnecessary word = extra cognitive effort

Consistency = Less Learning

Strategy #2: Consistency Reduces Cognitive Load

INCONSISTENT = CONFUSING:

- Navigation in header on homepage, sidebar on other pages
- Blue buttons submit forms, but red button on checkout also submits
- "Account" on one page, "Profile" on another (same thing, different names)

CONSISTENT = AUTOMATIC:

- Navigation in same location every page
- Primary action always same color/style
- Same terminology throughout ("Account" everywhere, not "Account" then "Profile")

CONSISTENCY AREAS:

- **Visual:** Button styles, colors, spacing
- **Behavioral:** Same actions produce same results
- **Terminology:** Same words for same concepts
- **Layout:** Elements in expected locations

WHY IT MATTERS: Once users learn a pattern, they don't have to think, it becomes automatic

Don't be creative with UI patterns. Use standard, expected patterns!

Chunk Information

Strategy #3: Break Content into Digestible Chunks

```
OVERWHELMING (Wall of Text):
<p>Lorem ipsum dolor sit amet consectetur
   adipiscing elit sed do eiusmod tempor
   incididunt ut labore et dolore magna aliqua
   ut enim ad minim veniam quis nostrud
   exercitation ullamco laboris nisi ut aliquip
   ex ea commodo consequat duis aute irure...</p>
```

One giant paragraph = Cognitive overload

CHUNKING STRATEGIES:

- Use headings to organize (H2, H3)
- Bullet points for lists
- Short paragraphs (3-4 sentences max)
- Whitespace between sections
- Visual hierarchy (size/weight shows importance)

```
SCANNABLE (Chunked):
<h2>Benefits</h2>
<ul>
  <li>Easy to use</li>
  <li>Fast setup</li>
  <li>Great support</li>
</ul>

<h2>Features</h2>
<ul>
  <li>Real-time collaboration</li>
  <li>Cloud storage</li>
</ul>
```

Organized, scannable, digestible

Users SCAN, they don't read every word. Make scanning easy!

Visual Hierarchy

Strategy #4: Make Important Things OBVIOUS

THE PRINCIPLE: Reduce decision fatigue, make it clear what matters most

HIERARCHY TOOLS:

- **Size** - Bigger = more important
- **Weight** - Bolder = more important
- **Color** - High contrast = more attention
- **Position** - Top/center = higher priority
- **Whitespace** - More space = more emphasis

APPLY TO:

CTAs (Calls-to-Action):

- ONE primary CTA per section (not 5 competing buttons!)
- Make it obvious (size, color, position)

Headings:

- H1 largest (main page title)
- H2 sections
- H3 subsections
- Clear visual difference

Content:

- Most important info first
- Supporting details smaller/lower
- Non-essential info de-emphasized

Users should instantly know: "What's this page about? What should I do?"

Error Prevention

The Prevention Principle Stop problems before they start!

Key Prevention Strategies:

- Use correct input types (email, tel, url, date)
- Show requirements upfront
- Provide input masks and formatting help
- Validate as users type (but don't be annoying!)
- Tell users exactly what's wrong and how to fix it

Smart Input Types with Proper Labels

```
<!-- Always use visible labels -->
<label for="email">
  Email Address
  <span class="required">*</span>
</label>
<input type="email"
       id="email"
       required
       aria-describedby="email-hint">
<span id="email-hint" class="help-text">
  Example: you@example.com
</span>

<label for="phone">Phone Number</label>
<input type="tel"
       id="phone"
       pattern="[0-9]{3}-[0-9]{3}-[0-9]{4}"
       aria-describedby="phone-hint">
<span id="phone-hint" class="help-text">
  Format: 555-123-4567
</span>
```

Users should instantly know: "What's this page about? What should I do?"

Readable Typography

Typography That Works for Everyone

```css
body {
  /* Sans-serif or dyslexia-friendly fonts */
  font-family: 'Open Sans', 'Arial', sans-serif;

  /* MINIMUM 16px - never smaller! */
  font-size: 16px;

  /* Comfortable line height */
  line-height: 1.5; /* 150% */

  /* Readable line length */
  max-width: 70ch; /* 45-75 characters */

  /* Letter spacing helps */
  letter-spacing: 0.05em;

  /* Word spacing */
  word-spacing: 0.16em;
}
```

Why These Values Matter:

Font Size (16px minimum):

- Easier to read at all distances
- Less eye strain
- Better for aging eyes
- Mobile-friendly baseline

Line Height (1.5+):

- Prevents lines from crowding
- Easier to track from line to line
- Reduces "line jumping" for dyslexic users
- More breathing room

Line Length (70ch max):

- Too long = hard to track back to start
- Too short = choppy, interrupted reading
- 45-75 characters per line is ideal
- Use max-width to control this

Letter/Word Spacing:

- Prevents letters from "swimming together"
- Helps dyslexic users distinguish characters
- Improves reading speed for everyone

Typography DON'Ts

Common Typography Errors:

```css
/* Tiny Text (below 16px) */
.small-print {
  font-size: 12px; /* Too small! */
}
```

Problem: Eye strain, inaccessible, hard on mobile

```html
<!-- ALL CAPS FOR LONG TEXT -->
<p>THIS ENTIRE PARAGRAPH IS IN ALL CAPS
AND IT'S MUCH HARDER TO READ BECAUSE
WORDS LOSE THEIR DISTINCTIVE SHAPES...</p>
```

Problem: Harder to read, feels like shouting, slower comprehension

```css
/* Justified Text */
.article {
  text-align: justify; /* Creates "rivers" */
}
```

Problem: Creates uneven spacing gaps ("rivers") that disrupt reading flow

```css
/* Low Contrast */
.text {
  color: #ccc; /* Light gray */
  background: #fff; /* White */
  /* Contrast ratio: 1.6:1 - FAILS! */
}
```

Problem: Hard to read, fails WCAG standards (need 4.5:1 minimum)

Typography DON'Ts

Common Typography Errors:

```css
/* Italics for Long Passages */
.article {
  font-style: italic; /* Hard to read in bulk */
}
```

Problem: Slanted text is harder to process, especially for dyslexic users

```css
/* Insufficient Line Height */
p {
  line-height: 1.0; /* Too cramped! */
}
```

Problem: Lines crowd together, hard to track

```css
/* Fancy Fonts for Body Text */
body {
  font-family: 'Lobster', 'Pacifico', cursive;
}
```

Problem: Decorative fonts reduce readability, save for headings only

```css
/* Super Long Lines */
.article {
  width: 100%; /* On large screens = 200+ characters! */
}
```

Problem: Eyes get lost tracking back to next line

Typography DOs

Typography Best Practices:

```
/* Left-Aligned Text */
.article {
  text-align: left;
  /* Natural reading flow */
}
```

Benefit: Natural reading pattern, even spacing, easier tracking

```
/* Generous Line Height (1.5+) */
p {
  line-height: 1.5;  /* Minimum */
  line-height: 1.6;  /* Even better! */
}

h1, h2, h3 {
  line-height: 1.2;  /* Headings can be tighter */
}
```

Benefit: Lines don't crowd, easier to track, reduces line jumping

```
/* Strong Contrast (4.5:1+) */
/* Good contrast examples */
.text-dark {
  color: #2c3e50;      /* Dark blue-gray */
  background: #ffffff;  /* White */
  /* Contrast: 12.6:1 */
}

.text-light {
  color: #f8f9fa;      /* Off-white */
  background: #1a1a1a; /* Dark gray */
  /* Contrast: 14.8:1 */
}
```

Benefit: Readable for everyone, passes WCAG standards

Typography DOs

Typography Best Practices:

```css
/* Comfortable Line Length (45-75 chars) */
.article {
  max-width: 70ch;  /* About 70 characters */
  margin-left: auto;
  margin-right: auto;
}

/* Or use a pixel-based width */
.content {
  max-width: 650px; /* Roughly 65-75 characters */
}
```

Benefit: Easy to track from line to line, reduces fatigue

```css
/* Adequate Spacing */
p {
  margin-bottom: 1.5em;      /* Space between paragraphs */
  letter-spacing: 0.01em;    /* Slight letter spacing */
}

h2 {
  margin-top: 2em;           /* Clear section breaks */
  margin-bottom: 0.75em;
}

section {
  margin-bottom: 3em;        /* Space between sections */
}
```

Benefit: Content breathes, clear visual hierarchy, less overwhelming

Reduce Visual Clutter

```css
/* Clean and Calm */
.clean-design {
  background: #ffffff;
  padding: 3rem;
  border-radius: 8px;
  box-shadow: 0 2px 8px rgba(0,0,0,0.1);
  color: #2c3e50;
}

/* One subtle animation, if needed */
.clean-design:hover {
  box-shadow: 0 4px 12px rgba(0,0,0,0.15);
  transition: box-shadow 0.3s ease;
}
```

Result: Professional, calming, focused, accessible

Visual Clutter Causes:

- **Cognitive overload:** Brain works harder to process
- **Anxiety:** Too much stimulation
- **Distraction:** Can't focus on content
- **Confusion:** What's important?
- **Fatigue:** Exhausting to use

Especially Problematic For:

- Users with ADHD (can't filter noise)
- Users with autism (sensory overload)
- Users with anxiety disorders
- Users with cognitive disabilities
- Anyone trying to focus!

Whitespace = Breathing Room

Whitespace (or "negative space") isn't wasted space; it's a powerful design tool.

```css
/* Spacious Design */
.spacious {
  padding: 3rem;           /* Generous padding */
  margin-bottom: 4rem;     /* Clear separation */
  line-height: 1.6;        /* Lines breathe */
}

.spacious h2 {
  margin-top: 3rem;        /* Clear section breaks */
  margin-bottom: 1rem;
}

.spacious img {
  margin: 2rem 0;          /* Space around images */
}

.spacious p + p {
  margin-top: 1.5em;       /* Paragraph spacing */
}
```

Why Whitespace Matters:

Reduces Cognitive Load:

- Brain processes grouped elements easier
- Less overwhelming
- Clear relationships between elements

Improves Focus:

- Eye knows where to look
- Less distraction
- Content hierarchy is obvious

Increases Comprehension:

- 20% better reading comprehension (studies show!)
- Easier to scan and find information
- Users retain more

Looks Professional:

- Clean, modern aesthetic
- Shows confidence (not cramming)
- Builds trust

Motion Sensitivity

The Problem: Motion Can Cause Harm
Some users experience:

- **Motion sickness** (vestibular disorders)
- **Nausea and dizziness**
- **Distraction** (ADHD, autism)
- **Triggered seizures** (photosensitive epilepsy)
- **Anxiety and panic**
- **Migraines**

How Users Set This:

- **macOS:** System Preferences → Accessibility → Display → Reduce motion
- **iOS:** Settings → Accessibility → Motion → Reduce Motion
- **Windows:** Settings → Ease of Access → Display → Show animations
- **Android:** Settings → Accessibility → Remove animations

```css
/* ALWAYS Include Motion Query */
/* The essential media query - NEVER skip this! */
@media (prefers-reduced-motion: reduce) {
  *,
  *::before,
  *::after {
    animation-duration: 0.01ms !important;
    animation-iteration-count: 1 !important;
    transition-duration: 0.01ms !important;
    scroll-behavior: auto !important;
  }
}
```

Designing for Neurodiversity


Neurodiversity in Web Design

Neurodivergent users include people with:

- Autism Spectrum Disorder (ASD)
- ADHD (Attention Deficit Hyperactivity Disorder)
- Dyslexia and other learning differences
- Sensory processing differences

Core Design Principles:

- **Predictability** - Consistent patterns reduce cognitive load
- **Clarity** - Direct language over clever wordplay
- **Consistency** - Same elements work the same way
- **Control** - Let users manage their experience
- **Sensory Awareness** - Avoid overwhelming stimuli



Autism-Friendly Interfaces: The Power of Predictability

Predictability Reduces Cognitive Load and Anxiety

1. **Consistent Navigation Placement**
   - Logo always top-left (or top-right for RTL)
   - Main menu in same location across all pages
   - Shopping cart icon always in same corner
   - Footer links match across pages

2. **Literal, Clear Labels**
   - "Sign Out" / "Goodbye!" or "See Ya!"
   - "My Account" / "Your Space" or "Hub"
   - "Delete" / "Say Goodbye" or "Trash It"
   - "Submit Form" / "Let's Go!" or "Send It!"

3. **Obvious Interactive Elements**
   - Buttons should look clickable with clear affordances
   - Links should be underlined or obviously different from text
   - Forms should have visible borders



Autism-Friendly Interfaces: The Power of Predictability

Predictability Reduces Cognitive Load and Anxiety

4. **No Surprise Behaviors**
    - No auto-play videos or audio
    - No unexpected popups or modals
    - No content that appears without user action
    - Confirm before destructive actions

5. **Stable Layouts**
    - Content doesn't shift when page loads
    - No layout shift from lazy-loaded images (use aspect-ratio)
    - Navigation doesn't reorganize based on page
    - Consistent spacing and alignment

Real-World Example: Compare Amazon's checkout (highly predictable, clear steps) vs. a "creative" portfolio site that reinvents navigation on every page.



Sensory Considerations

Designing for Sensory Sensitivities

What Causes Sensory Overload:

- **Bright, saturated colors** - Especially neon or fluorescent hues
- **High contrast combinations** - Pure black on pure white
- **Busy background patterns** - Textures, gradients, repeating images
- **Flashing or blinking elements** - Animations faster than 3 flashes/second
- **Auto-playing media** - Videos, GIFs, background music
- **Parallax scrolling** - Can cause motion sickness
- **Multiple simultaneous animations** - Too much movement at once

```css
/* Low-sensory, calming interface */
.calm-design {
    /* Muted, soft colors */
    background: #f8f9fa;
    color: #2c3e50;

    /* No busy patterns or textures */
    background-image: none;

    /* Smooth, gentle transitions */
    transition: all 0.3s ease;

    /* Comfortable contrast (not extreme) */
    /* WCAG AA: 4.5:1 is enough */
}
```

```css
/* Respecting motion preferences */
@media (prefers-reduced-motion: reduce) {
    * {
        animation-duration: 0.01ms !important;
        animation-iteration-count: 1 !important;
        transition-duration: 0.01ms !important;
    }
}
```

Sensory Considerations

Designing for Sensory Sensitivities

User Control Options:

- Pause/stop animations button
- Mute auto-playing content
- Toggle high-contrast mode
- Reduce motion setting (use `prefers-reduced-motion`)
- Simple/minimal view option

Safe Color Palettes:

- Soft blues and grays (`#4a90e2`, `#7f8c8d`)
- Muted earth tones (`#8b7355`, `#a8c686`)
- Gentle pastels (`#b4d7ed`, `#f4e1d2`)
- Avoid: Neon colors, pure saturated hues, extreme contrast

Real-World Example: Notion's interface uses soft grays and subtle interactions. Compare this to websites with bright animations and busy backgrounds.



ADHD-Friendly Design


Supporting Focus and Attention

ADHD Users Face Specific Challenges:

- **Working memory limitations** - Difficulty holding multiple pieces of information
- **Task initiation difficulty** - Overwhelming tasks feel impossible to start
- **Sustained attention challenges** - Long, complex processes are draining
- **Distractibility** - Competing visual elements pull focus away
- **Hyperfocus management** - Easy to lose progress if interrupted

Real-World Examples:

- **Good:** Typeform (one question at a time, clear progress)
- **Good:** Duolingo (bite-sized lessons, clear completion)
- **Bad:** Complex government forms with 50+ fields on one page




The Power of Plain Language

Write for Clarity, Not Complexity

The Problem with Complex Writing:

- Average American reads at 7th-8th grade level
- Complex language excludes people with cognitive disabilities
- Non-native English speakers struggle with idioms and jargon
- Even educated users prefer simple language (it's faster to process)
- Legal/medical jargon creates barriers to understanding



Why This Matters:

- **Cognitive Load:** Simple words = less mental effort
- **Scan-ability:** Short sentences are easier to skim
- **Comprehension:** More users understand on first read
- **Speed:** Users accomplish tasks faster
- **Inclusion:** Benefits everyone, especially those with cognitive disabilities

The Power of Plain Language

BEFORE (16th grade reading level):


"Utilize the aforementioned functionality to facilitate the procurement of requisite commodities and services via our integrated e-commerce platform, thereby enabling expedited transactional processing."

Flesch-Kincaid Grade Level: 16+ (College graduate)
Time to understand: 8-10 seconds

AFTER (8th grade reading level):

"Use this feature to buy what you need. Checkout is fast and easy."

Flesch-Kincaid Grade Level: 8 (Middle school)
Time to understand: 2 seconds



Designing for Global Users

Internationalization (i18n): The Web is Global

Global Internet Statistics:

- 5.3 billion internet users worldwide (2024)
- Only 25% speak English as first language
- 60+ countries use right-to-left languages
- 7,000+ languages spoken globally

Why i18n Matters: Even if you're building a "local" site, you never know where your users are. A student portfolio might attract recruiters from around the world. A blog post might go viral in another country. A client site might expand internationally.

What is Internationalization (i18n)?

i18n = "Internationalization"
= "i" + 18 letters + "n"

Building flexibility into your design so it can adapt to different:

- Languages
- Cultures
- Date/time formats
- Number formats
- Reading directions
- Cultural norms

Designing for Global Users

Key Considerations:

1. Language Differences
- Text length varies dramatically (German text often 30% longer than English)
- Character sets differ (Latin, Cyrillic, Arabic, Chinese, Japanese, etc.)
- Grammar structures vary (subject-verb-object order isn't universal)

2. Reading Direction
- **LTR (Left-to-Right):** English, Spanish, French, most languages
- **RTL (Right-to-Left):** Arabic, Hebrew, Persian, Urdu
- **Vertical:** Traditional Chinese, Japanese (though often horizontal now)

3. Cultural Context
- Colors mean different things
- Icons have different meanings
- Images may be culturally inappropriate
- Gestures vary by culture
- Humor doesn't translate

4. Technical Formats
- Dates: US (MM/DD/YYYY) vs Europe (DD/MM/YYYY) vs ISO (YYYY-MM-DD)
- Times: 12-hour vs 24-hour clock
- Numbers: 1,000.50 (US) vs 1.000,50 (Europe)
- Currency symbols and placement
- Measurement systems (imperial vs metric)

Cultural Meanings of Icons

Cultural Context Changes Icon Meaning:

Icon	Western Meaning	Problem Regions	Alternative Meaning
✋ Raised hand	Stop, high-five	Greece, West Africa	Insult, highly offensive
👌 OK sign	Approval, okay	Brazil, Turkey, Middle East	Vulgar gesture
👍 Thumbs up	Good, approval	Middle East, parts of Asia	Offensive gesture
🤞 Crossed fingers	Good luck, hope	Vietnam	Offensive (represents female anatomy)
☝ Pointing finger	Direction, attention	Many Asian cultures	Rude, aggressive

Cultural Meanings of Icons

Cultural Context Changes Icon Meaning:

Animal	Western Meaning	Different Meanings
 Owl	Wisdom, intelligence	**Japan/China:** Bad luck, death
 Cat	Cute, companionship	**Islamic cultures:** Unclean (preference for cats varies)
 Dog	Loyalty, friendship	**Some Islamic cultures:** Unclean animal
 Pig	Farm animal	**Jewish/Islamic cultures:** Forbidden, offensive
 Cow	Farm animal	**Hindu cultures:** Sacred, never show as food

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

Red:

Culture	Meaning	Usage
Western	Danger, passion, love, stop	Error messages, warnings, Valentine's Day
China	Luck, prosperity, celebration	Weddings, New Year, success messages
South Africa	Mourning	Funerals
India	Purity, fertility	Weddings, celebrations

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

White:

Culture	Meaning	Usage
Western	Purity, peace, cleanliness	Weddings, hospitals, minimalism
China/East Asia	Death, mourning	Funerals, memorials
India	Mourning (widows)	Funerals
Middle East	Purity	Weddings, religious contexts

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

Black:

Culture	Meaning	Usage
Western	Death, elegance, formality	Funerals, formal events, luxury brands
China	Traditional color	Not necessarily negative
Egypt	Rebirth, resurrection	Positive connotation
Many cultures	Power, sophistication	Business, authority

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

Yellow:

Culture	Meaning	Usage
Western	Caution, happiness, cowardice	Warning signs, cheerful designs
China	Royalty, power, prosperity	Imperial color, high status
Egypt	Mourning	Funerals
Japan	Courage, beauty	Positive associations
Latin America	Death, mourning	Funerals (in some regions)

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

Blue:

Culture	Meaning	Usage
Western	Trust, calm, corporate	Tech brands, healthcare, finance
Middle East	Protection, spirituality	Religious contexts
China	Immortality	Traditional art
Most cultures	Relatively safe choice	Generally positive

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

Green:


Culture	Meaning	Usage
Western	Nature, growth, money, envy	Eco-brands, finance, health
Islamic cultures	Sacred, paradise	Religious significance, positive
China	Infidelity, negative	Avoid green hats
Ireland	National color	St. Patrick's Day, pride

Cultural Meanings of Color

Color is Cultural Context, Not Universal Language:

Purple

Culture	Meaning	Usage
Western	Royalty, luxury, creativity	Premium brands
Thailand	Mourning (widows)	Funerals
Brazil	Death, mourning	Funerals
Catholic Church	Penitence, mourning	Religious contexts


Physical accessibility (WCAG, ARIA)?
Internationalization basics?
Cognitive accessibility?
Testing tools?
Neurodiversity design?
How to design inclusively?
HAVE ANY
QUESTIONS?