### HOMEWORK 4

ALEXANDER ELZENAAR 200878696 aelz176 MATHS 326

### QUESTION ONE

(a). The symmetry group of the bracelet is  $C_6$ .

Cycle type	Count	Fixed colourings
$[1^6]$	1	$2^{6}$
$[2^3]$	1	$2^{3}$
$[3^2]$	2	$2^{2}$
[6]	2	$2^{1}$
	6	

So the number of orbits of  $C_6$  on the colourings is

$$\frac{1 \cdot 2^6 + 1 \cdot 2^3 + 2 \cdot 2^2 + 2 \cdot 2^1}{6} = 14.$$

There are 14 distinct colourings up to rotation.

(b). If we also include reflections, then the symmetry group of the bracelet is  $D_6$  (of order 12).

Cycle type	Count	Fixed colourings
$[1^6]$	1	$2^{6}$
$[2^3]$	1	$2^{3}$
$[3^2]$	2	$2^{2}$
[6]	2	$2^{1}$
$[1^2, 2^2]$	3	$2^{4}$
$[2^3]$	3	$2^{3}$
	12	

So the number of orbits of  $D_6$  on the colourings is

$$\frac{1 \cdot 2^6 + 1 \cdot 2^3 + 2 \cdot 2^2 + 2 \cdot 2^1 + 3 \cdot 2^4 + 3 \cdot 2^3}{12} = 13.$$

There are 13 distinct colourings up to rotation and reflection.

## QUESTION TWO

The cube's symmetry group has order 24.

Date: Due on Thursday 24 May 2018 .

(ID 200878696)

MATHS	326	S1	2018

Homework 3

_/	,	
Cycle type on edges	Count	Fixed colourings
$[1^{12}]$	1	$2^{12}$
$[4^3]$	6	$2^{3}$
$[2^6]$	3	$2^{6}$
$[3^4]$	8	$2^4$
$[1^{2}, 2^{5}]$	6	$2^{7}$
	24	

So the number of orbits of the group on the edge colourings is

$$\frac{1 \cdot 2^{12} + 6 \cdot 2^3 + 3 \cdot 2^6 + 8 \cdot 2^4 + 6 \cdot 2^7}{24} = 218.$$

There are 218 distinct colourings up to rotation.

### QUESTION THRE

(a). Labelling the vertices with the numbers 1 to 5, and writing the edge between vertex 1 and vertex 2 by 12, we have the following:

$$12 \mapsto 12$$

$$13 \mapsto 24 \mapsto 15 \mapsto 23 \mapsto 14 \mapsto 25 \mapsto 13$$

$$34 \mapsto 45 \mapsto 53.$$

(b). The symmetry group of  $K_5$  is  $S_5$ . We have the following:

Cycle type on vertices	Count	Cycle type on edges	Fixed colourings
$[1^5]$	1	$[1^{10}]$	$k^{10}$
$[1^3, 2]$	10	$[1^4, 2^3]$	$k^7$
$[1^2, 3]$	20	$[1,3^3]$	$k^4$
[1,4]	30	$[2,4^2]$	$k^3$
[1, 2, 2]	15	$[1^2, 4^2]$	$k^4$
[2, 3]	20	[1, 3, 6]	$k^3$
[5]	24	$[5^2]$	$k^2$
	120		

Hence the cycle index of the symmetry group is

$$\frac{1}{120}(a_1^{10}+10a_1^2a_2^3+20a_1a_3^3+30a_2a_4^2+15a_1^2a_4^2+20a_1a_3a_6+24a_5^2).$$

(c). Counting the number of non-isomorphic graphs on five vertices is equivalent to counting the number of 2-colourings of  $K^5$ . Hence we need only calculate

$$\frac{1}{120}(2^{10} + 10(2^5) + 20(2^4) + 30(2^3) + 15(2^4) + 20(2^3) + 24(2^2)) = 20.$$

There are 20 distinct graphs on five vertices up to isomorphism.

#### QUESTION FOUR

The symmetry group of the pentagonal prism is  $C_2 \times C_5$ .

Alexander Elzenaar

(ID 200878696)

MATHS	326	S1	2018

Homework 3

Cycle type	Count	Cycle monomial
$[1^7]$	1	$a_1^7$
$[1^2, 5]$	4	$a_1^2 a_5$
$[1^5, 2]$	1	$a_1^{ar{5}}a_2$
[2, 5]	4	$a_{2}a_{5}$
	10	

So the cycle index on the face colourings is

$$\frac{1}{10}(a_1^7 + 4a_1^2a_5 + a_1^5a_2 + 4a_2a_5).$$

Let x, y, and z be the number of green, blue, and red edges respectively; so the generating function for the colorings of a particular edge is f(x, y, z) = x + y + z. Hence, we want the coefficient of  $x^2y^2z^2$  in

$$\frac{1}{10}((x+y+z)^7+4(x+y+z)^2(x^5+y^5+z^5)+(x+y+z)^5(x^2+y^2+z^2)\\+4(x^2+y^2+z^2)(x^5+y^5+z^5)).$$

This coefficient is

$$\frac{1}{10} \left( \frac{7!}{2!2!2!} + 0 + 3 \cdot \frac{5!}{2!2!0!} + 0 \right) = 72.$$

There are 72 distinct colourings such that each colour appears precisely twice, up to rotation.

# QUESTION FIVE

The symmetry group of the dodecahedron has order sixty.

Cycle type	Count	Cycle monomial
$[1^{12}]$	1	$a_1^{12}$
$[1^2, 5^2]$	24	$a_1^2 a_5^2$
$[2^6]$	15	$a_2^6$
$[3^4]$	20	$a_3^{\overline{4}}$
	60	

So the cycle index on the face colourings is

$$\frac{1}{60}(a_1^{12} + 24a_1^2a_5^2 + 15a_2^6 + 20a_3^4).$$

Let x, y, and z be the number of red, green, and white faces respectively; so the generating function for the colorings of a particular face is f(x, y, z) = x + y + z. Hence, we want the coefficient of  $x^3y^3z^6$  in

$$\frac{1}{60} \left( (x+y+z)^{12} + 24(x+y+z)^2 (x^5+y^5+z^5)^2 + 15(x^2+y^2+z^2)^6 + 20(x^3+y^3+z^3)^4 \right).$$

This coefficient is

$$\frac{1}{60} \left( \frac{12!}{3!3!6!} + 0 + 0 + 20 \cdot {4 \choose 1} \cdot {3 \choose 1} \cdot {2 \choose 2} \right) = 312.$$