

IDFC FIRST Bank Edge Delivery Services - Author Guide v2

Date: 2026-04-23

Adobe

Table of Contents

IDFC FIRST Bank Edge Delivery Services – Author Guide v2	3
1. Introduction	3
2. Quick Reference – Key URLs	3
3. Getting Started with the Universal Editor	4
4. Available Blocks	5
5. Sections and Section Metadata	15
6. Page Metadata	18
7. Page Template: Mayura	19
8. Configuration Sheets	19
9. Publishing Workflow	20
10. Common Tasks	21
11. Troubleshooting	22
12. Resources	24

IDFC FIRST Bank Edge Delivery Services – Author Guide v2

Complete authoring guide for content authors and managers working on the IDFC FIRST Bank AEM Edge Delivery Services project using the Universal Editor.

1. Introduction

This project uses **AEM Edge Delivery Services** with the **crosswalk (xwalk)** authoring model. Content is authored in the **Universal Editor**, a WYSIWYG (What You See Is What You Get) interface provided by Adobe Experience Manager (AEM). All content lives in AEM's **JCR (Java Content Repository)** and is served through Edge Delivery Services for ultra-fast performance.

How It Works

- **Authors** create and edit pages using the Universal Editor, which provides a visual, in-context editing experience directly on the rendered page.
- **Content** is stored at `/content/idfc-edge/` in the AEM JCR repository.
- **Assets** (images, videos, documents) are stored in the DAM at `/content/dam/idfc-edge/`.
- **Blocks** are pre-built components that authors configure through property panels – there is no need to write code or work with tables.
- **Preview** and **Live** environments are available to review and publish content.
- The **Sidekick** browser extension is the primary tool for previewing, publishing, and managing content.

Key Concepts

Concept	Description
Block	A reusable content component (e.g., Hero, Cards, Accordion) that authors configure via the property panel.
Section	A container that holds one or more blocks. Sections have their own styling and layout options.
Multi-Section	A grouping mechanism that combines multiple sections into tabs or an accordion.
Fragment	A reference to another AEM page, used to include shared content across multiple pages.
Property Panel	The right-side panel in the Universal Editor where you configure block and section settings.
Sidekick	A browser extension that provides preview, publish, and edit controls for Edge Delivery pages.

2. Quick Reference – Key URLs

Environment	URL
AEM Author	https://author-idfc-stage-65.adobecqms.net

Environment	URL
Preview	https://main-idfc-aemsites.aem.page/
Live	https://main-idfc-aemsites.aem.live/
Block Library	/tools/sidekick/library.html (accessible via the Sidekick)
Content Root Path	/content/idfc-edge/
DAM Root Path	/content/dam/idfc-edge/

Environment Differences

- **Preview** (`aem.page`) – Shows unpublished changes. Use this to review content before it goes live. Updated immediately when you click “Preview” in the Sidekick.
- **Live** (`aem.live`) – The production-ready version of your content. Updated when you click “Publish” in the Sidekick.

3. Getting Started with the Universal Editor

Accessing the Universal Editor

There are two ways to open a page for editing:

1. **From AEM Author:** Navigate to <https://author-idfc-stage-65.adobecqms.net>, find your page in the Sites console under `/content/idfc-edge/`, and click **Edit** to open it in the Universal Editor.
2. **From the Sidekick:** When viewing a page on the Preview or Live site, click the **Edit** button in the Sidekick browser extension. This opens the page directly in the Universal Editor using the `?cmd=open` pattern.

The WYSIWYG Editing Experience

The Universal Editor displays your page exactly as it will appear to visitors. You edit content directly on the page:

- **Text:** Click on any text element to edit it inline. Use the formatting toolbar for bold, italic, links, and other rich text options.
- **Images:** Click on an image to select it, then use the property panel to choose a different image from the DAM or change the alt text.
- **Buttons/Links:** Click on a button or link to edit its text, URL, and style (primary, secondary, or default).
- **Blocks:** Click on any block to select it. The property panel on the right side shows all configurable fields for that block.

The Component Property Panel

When you select a block or section, the **property panel** appears on the right side of the editor. This panel contains:

- **Fields** specific to the selected component (text inputs, image pickers, dropdowns, toggles).
- **Style/Classes** dropdown – used to select visual variants for the block.
- **Tabbed sections** – some components organize their fields into tabs (e.g., “Section Configs” and “Background Properties”).

Adding New Components

To add a new component to the page:

1. Click the "+" button that appears between existing components, or use the component palette.
2. Browse the available components organized into three groups:
 - **Default Content:** Text, Title, Image, Button – basic content elements.
 - **Sections:** Section, Multi Section – containers for organizing content.
 - **Blocks:** All specialized components (Accordion, Cards, Hero, etc.).
3. Click on the desired component to insert it at that position.
4. Configure the component using the property panel.

The Content Tree

The Content Tree panel (accessible from the left sidebar) shows the hierarchical structure of your page:

- **Sections** are the top-level containers.
- **Blocks** are nested within sections.
- **Items** (e.g., Accordion Items, Card Items) are nested within blocks.

Use the Content Tree to: - Navigate to deeply nested components. - Reorder blocks by dragging them within or between sections. - Delete blocks or sections. - See the overall page structure at a glance.

4. Available Blocks

This section documents all available blocks, their purpose, configurable fields, and style variants. Fields are configured in the property panel when a block is selected.

4.1 Accordion

Purpose: Expandable content sections where users click a heading to reveal or hide the body content. Commonly used for FAQs.

Block-Level Fields:

Field	Type	Description
Style	Multiselect	dark-scheme, light-scheme
No LD+JSON schema	Boolean	Disables schema.org microdata on items
CTA location	Number	Number of items before the CTA button appears
CTA URL	Text	URL for the CTA button (use # for show more/less toggle)
CTA Text	Text	Label for the CTA button (e.g., "Show More")
Open item	Number	Item to open by default (0 = none)

Item Fields (each Accordion Item):

Field	Type	Description
Accordion Head	Rich Text	The clickable heading text
Accordion Body	Rich Text	The expandable body content

Usage Notes: Accordion blocks automatically generate FAQ schema (LD+JSON) unless the "No LD+JSON schema" toggle is enabled. Use the CTA location field to show only a subset of items initially, with a "Show More" button to reveal the rest.

4.2 Anchor Nav

Purpose: In-page navigation that provides quick-jump links to different sections on the same page. Displayed as a horizontal bar of links.

Item Fields (each Anchor Nav Link):

Field	Type	Description
Link	AEM Content Picker	The target URL or anchor
Text	Text	Display text for the link
Title	Text	Title/tooltip text
Type	Select	default, primary, secondary

Usage Notes: Each link typically points to a section ID on the same page (e.g., #benefits). Make sure the target sections have an ID set in their section properties.

4.3 Banner

Purpose: Promotional banners with image and text content. Supports both desktop and mobile images.

Item Fields (each Banner Item):

Field	Type	Description
Banner Heading	Rich Text	Main heading content
Bottom Text	Rich Text	Secondary text below the heading
Banner Image (Desktop)	Reference (DAM)	Desktop banner image
Banner Image (Mobile)	Reference (DAM)	Mobile-specific banner image
Banner Image Alt Text	Text	Alt text for accessibility

4.4 Cards

Purpose: Versatile content cards used for product showcases, feature highlights, blog listings, and more. One of the most flexible blocks with 9 style variants and optional modal support.

Block-Level Fields:

Field	Type	Description
Style	Select	See variants table below
Modal Theme	Select	Default, Dark background style, Silver background style
Modal Background Texture	Reference (DAM)	Texture image for themed modals
Modal Page Background	Reference (DAM)	Background image behind the modal
Modal Decoration Image	Reference (DAM)	Corner decoration for modals
Enable Swiper	Boolean	Enable carousel/swipe behavior
Autoplay	Boolean	Auto-advance in carousel mode
Starting Card	Number	Index of the first visible card (default 0)

Style Variants:

Variant Name	Value	Use Case
Standard	<i>(empty)</i>	Default card layout
All About	all-about-card	Product overview cards
Key Benefits	key-benefits	Feature/benefit highlights
Experience Life	experience-life	Lifestyle-themed cards
Reward Points	reward-points	Rewards program display
Blog Posts	blog-posts	Blog article listings
Earn Rewards	earn-rewards	Reward earning opportunities
Joining Perks	joining-perks	Sign-up incentives
Explore Other Cards	explore-other-cards	Related product cards

Item Fields (each Card):

Field	Type	Description
Image	Reference (DAM)	Card image
Alt Text	Text	Image alt text
Divider Image	Reference (DAM)	Optional divider between image and text
Card Tag	Text	Optional tag label (e.g., "New", "Popular")
Background Image Texture	Reference (DAM)	Card background texture
Text	Rich Text	Card body content (heading, description, etc.)
Card Link	AEM Content Picker	Link when card is clicked
Modal Content	Rich Text	Inline modal content (for simple modals)

Usage Notes: For simple modals, author the content directly in the "Modal Content" field. For complex modals, create a separate page under `/content/idfc-edge/modals/` and link to it via the "Card Link" field.

4.5 Cards Icon

Purpose: Icon-based cards with simpler layouts, suitable for feature lists and navigation grids.

Block-Level Fields:

Field	Type	Description
Style	Select	See variants below

Style Variants:

Variant Name	Value	Description
Image on left, no border/bg	image-left	Icon on the left, text on the right
Image on top (square)	image-top	Icon above the text content
Image on left w/ arrow	image-left-arrow	Icon on left with a directional arrow

Item Fields (each Card Icon):

Field	Type	Description
Image	Reference (DAM)	Icon or small image
Alt Text	Text	Image alt text
Text	Rich Text	Card content (heading, description)
Card Link	AEM Content Picker	Optional link

4.6 Cards Testimonial

Purpose: Customer review and testimonial cards with star ratings, person names, and review dates. Supports carousel mode.

Block-Level Fields:

Field	Type	Description
Enable Swiper	Boolean	Enable carousel/swipe behavior
Autoplay	Boolean	Auto-advance in carousel mode
Starting Card	Number	Index of the first visible card (default 0)

Item Fields (each Card Testimonial):

Field	Type	Description
Quote Icon	Select	None or Inverted commas
Text	Rich Text	The testimonial/review text
Person Name	Text	Name of the reviewer
Product Name	Text	Product being reviewed (e.g., credit card name)
Author Rating	Number	Star rating from 1 to 5
Date	Date picker	Review date in YYYY-MM-DD format

Usage Notes: Ratings are displayed as filled stars (1-5). The date field uses a date picker; ensure dates are entered in YYYY-MM-DD format.

4.7 Category Nav

Purpose: A dropdown navigation panel for browsing product categories. Displays cards with colored tags and background gradients. Typically used for credit card category navigation.

Block-Level Fields:

Field	Type	Description
Eyebrow Title	Text	Small title above the navigation cards
Explore Link	Text	URL for the "Explore all" link (top-right)
Explore Link Description	Text	Text for the explore link

Item Fields (each Category Nav Item):

Field	Type	Description
Title	Text	Card title
Link	Text	Target URL
Card Background Color	Select	Default Tan Gradient, Gradient Red, Gradient Blue, Gradient Pewter, Gradient Silver, No Background
Tag 1	Text	First tag label
Tag 1 Background Color	Select	Color options: None, Pale Yellow, Pale Cyan, Pale Lavender, Pale Rose, Pale Pink, Pale Purple, Pale Mint, Pale White
Tag 2	Text	Second tag label
Tag 2 Background Color	Select	Same color options as Tag 1
Tag 3	Text	Third tag label
Tag 3 Background Color	Select	Same color options as Tag 1
Nav Item Image	Reference (DAM)	Optional card image

Usage Notes: Category Nav is typically set up once per product line and referenced across pages using the page metadata Category Nav field (which uses a content picker rooted at /content/idfc-edge/framework).

4.8 CC Hero Slider

Purpose: A hero carousel/slider built with the Swiper library. Ideal for rotating promotional banners at the top of landing pages.

Item Fields (each CC Hero Slider Item):

Field	Type	Description
Select Desktop Background Image	Reference (DAM)	Full-width desktop background image
Select Mobile Background Image	Reference (DAM)	Mobile-optimized background image
Slide Content	Rich Text	Text overlay content (headings, descriptions, CTAs)
Enter pop-up trigger CTA text	Text	Button text that triggers a popup
Add pop-up ID	Text	The popup identifier to open on click

4.9 Columns

Purpose: Multi-column layout block for side-by-side content. Each column can contain text, images, buttons, and titles.

Block-Level Fields:

Field	Type	Description
Style	Multiselect	center, hero-banner, feature-cards
Columns	Number	Number of columns (e.g., 2, 3, 4)
Rows	Number	Number of rows

Column Content: Each column cell supports default content components: Text, Image, Button, and Title.

Style Variants:

Variant	Description
center	Centers content within columns
hero-banner	Hero banner layout with overlapping content
feature-cards	Card-like column styling

4.10 CTA Sticky

Purpose: A sticky call-to-action bar that remains visible as the user scrolls. Shows different content on desktop and mobile.

Fields:

Field	Type	Description
CTA Text	Rich Text	Content shown on desktop
CTA Text (Mobile)	Rich Text	Content shown on mobile
CTA ID	Text	HTML ID for the sticky bar

Usage Notes: The CTA Sticky block typically includes buttons with links (authored as part of the rich text content). The desktop and mobile versions allow you to tailor the messaging for each device.

4.11 Embed

Purpose: Embeds external media content such as YouTube videos, Vimeo videos, or other supported platforms. Uses a placeholder image as a poster frame.

Fields:

Field	Type	Description
Placeholder Image	Reference (DAM)	Poster/thumbnail shown before the video plays
Placeholder Image Alt Text	Text	Alt text for the poster image
URI	Text	The embed URL (e.g., YouTube watch link, Vimeo link)

4.12 Fragment

Purpose: Includes content from another AEM page. This allows you to create reusable content fragments that can be shared across multiple pages.

Fields:

Field	Type	Description
Reference	AEM Content Picker	Path to the source page to include

Usage Notes: Fragments are ideal for shared content like disclaimers, legal notices, promotional banners, or any content that appears on multiple pages. When the source page is updated, all pages referencing it automatically reflect the changes after re-publishing.

4.13 Hero

Purpose: A hero banner block with an image and rich text overlay. Typically placed at the top of a page as the primary visual element.

Fields:

Field	Type	Description
Image	Reference (DAM)	Hero background/foreground image
Alt	Text	Image alt text
Text	Rich Text	Overlay content (headings, body text, CTAs)

4.14 Hero Heritage CC

Purpose: A complex, animated hero block designed specifically for premium credit card landing pages. Features a multi-phase scroll animation with intro text, logo reveals, card imagery, and a banner section.

Fields:

Field	Type	Description
Header CTA Text	Rich Text	CTA content in the header area
Intro Text Top	Rich Text	Opening text displayed during intro animation
Intro Background Image	Reference (DAM)	Full background image for the intro section
Intro Decoration Image (Top Right)	Reference (DAM)	Decorative image positioned at top right
Intro Decoration Image (Bottom Left)	Reference (DAM)	Decorative image positioned at bottom left
Intro Gradient Reveal Color	Text	CSS color for the gradient reveal effect
Intro Logo Hindi	Reference (DAM)	Hindi version of the product logo
Intro Logo English	Reference (DAM)	English version of the product logo
Intro Credit Card Name Text	Rich Text	Credit card product name text
Banner Top Logo	Reference (DAM)	Logo displayed at the top of the banner section
Banner Text	Rich Text	Main banner content text
Banner Image	Reference (DAM)	Card/product image in the banner
Banner CTA Section	Rich Text	CTA buttons and text in the banner area

Usage Notes: This block is specifically designed for the Heritage credit card product line. It requires careful coordination of all 13 fields to produce the intended animated experience. Work with the development team when making significant changes.

4.15 Hotspot

Purpose: An interactive image block with positioned tooltip markers. Users click or hover over hotspot points to reveal additional information about specific areas of the image.

Block-Level Fields:

Field	Type	Description
Image	Reference (DAM)	The base image on which hotspots are placed
ID	Text	HTML ID for the block
Hotspot block Text	Rich Text	Optional text displayed alongside the image

Item Fields (each Hotspot Item):

Field	Type	Description
Tooltip Text	Rich Text	Content shown when the hotspot is activated
X Coordinate	Number	Horizontal position of the hotspot (percentage)
Y Coordinate	Number	Vertical position of the hotspot (percentage)

Usage Notes: X and Y coordinates represent percentage positions on the image (0-100). For example, X=50, Y=50 places the hotspot at the center of the image. Test hotspot positions in Preview to ensure they align correctly with the image content.

4.16 Library Metadata

Purpose: Configuration block used in the Sidekick block library. Associates metadata (description, search terms) with block examples for the library browser.

Fields:

Field	Type	Description
Description	Rich Text	Description of the block variant shown in the library

Usage Notes: This block is typically only used in library example pages, not in regular content pages.

4.17 Link To UPI

Purpose: A UPI (Unified Payments Interface) deep-link block. Provides a quick link to UPI payment functionality with supporting imagery.

Fields:

Field	Type	Description
Title	Text	Block title
Text	Rich Text	Description or instructional text
Image	Reference (DAM)	Accompanying image (e.g., QR code, UPI logo)
Image Alt Text	Text	Alt text for the image

4.18 Overview

Purpose: A simple title + text + image block for introducing a topic or product. Used for overview/summary sections.

Fields:

Field	Type	Description
Title	Rich Text	Section title (supports rich formatting)
Text	Rich Text	Body content
Image	Reference (DAM)	Accompanying image
Alt Text	Text	Image alt text

4.19 Section Title

Purpose: A configurable heading block with fine-grained control over heading level, size, alignment, and optional subtitle. Use this instead of default Title elements when you need more control.

Fields:

Field	Type	Description
Title Text	Text	The heading text
Title Type	Select	Heading level: h1, h2, h3, h4, h5, h6, p
Title Size	Select	Visual size override: Default, XXL, XL, L, M, S, XS, XXS
Alignment	Select	Left (default), Center, Right

Optional Subtitle (expandable):

Field	Type	Description
Subtitle Text	Text	Secondary heading text
Subtitle Type	Select	Heading level: h1 through h6, p
Subtitle Size	Select	Visual size: Default, XXL through XS

Usage Notes: The Title Type controls the semantic HTML heading level (important for SEO and accessibility), while Title Size controls the visual appearance. This allows you to use an h2 tag but display it at XXL size, for example.

4.20 Steps

Purpose: Step-by-step instructional content. Displays sequential items with images and text. Supports both static and animated display modes.

Block-Level Fields:

Field	Type	Description
Title	Text	Block title (e.g., "How to Apply")
Subtitle	Rich Text	Descriptive text below the title
Component ID	Text	HTML ID for the block
Animation	Select	Static (no animation) or Animated (scroll-triggered)
Total Animation Duration	Number	Duration in seconds (default: 3)

Item Fields (each Steps Item):

Field	Type	Description
Image	Reference (DAM)	Step illustration or screenshot
Alt Text	Text	Image alt text
Step Text	Rich Text	Step description

4.21 Table

Purpose: A structured data table with 1 to 5 columns. Supports background images, custom colors, and configurable row widths. The column count is selected at the block level and determines the number of fields available per row.

Block-Level Fields:

Field	Type	Description
Table ID	Text	HTML ID for the table
Columns	Select	1 Column, 2 Columns, 3 Columns, 4 Columns, 5 Columns
Background Color/gradient	Text	CSS color value (hex, rgb, or CSS variable)
Image (Desktop)	Reference (DAM)	Background image for desktop
Image (Mobile)	Reference (DAM)	Background image for mobile
Image Alt Text	Text	Alt text for background image
Table Row Max Width	Text	Maximum width for rows (e.g., 600px)

Item Fields (each Row – fields vary by column count):

- **1 Column:** Column1 (Rich Text)
- **2 Columns:** Column1, Column2 (Rich Text)
- **3 Columns:** Column1, Column2, Column3 (Rich Text)
- **4 Columns:** Column1, Column2, Column3, Column4 (Rich Text)

Usage Notes: When you change the column count at the block level, the system changes which row model is used for new items. Existing rows may need to be re-created if you change the column count after adding content. Each column field supports rich text, so you can include formatted text, links, and inline images.

4.22 Tabs

Purpose: Tabbed content container where each tab has a heading and body content. Supports three visual styles.

Block-Level Fields:

Field	Type	Description
Style	Select	Standard, Silver with dark text, Dark with white text

Item Fields (each Tab):

Field	Type	Description
Tab Name	Text	The label shown on the tab button
Content	Rich Text	Tab body content

4.23 Tabs UPI Link

Purpose: A specialized tab block designed for UPI payment flows. Displays tabs alongside phone device mockups showing video or image content.

Block-Level Fields:

Field	Type	Description
Style	Text	Custom style class
Title	Rich Text	Block title
Image	Reference (DAM)	Phone/device image
Phone Video	Reference (DAM)	MP4 video file shown inside the phone mockup

Item Fields (each Tab UPI Link Item):

Field	Type	Description
Tab Name	Text	Tab label
Content	Rich Text	Tab content with instructions/links
Image	Reference (DAM)	Tab-specific image

4.24 Embed (Video)

The Embed block supports the following platforms: - **YouTube** – Paste the full YouTube watch URL - **Vimeo** – Paste the Vimeo video URL

The placeholder image is displayed as a poster frame. When the user clicks the play button overlay, the video loads and plays.

5. Sections and Section Metadata

Sections are the top-level containers on every page. Every block must live inside a section. Sections are configured through the **property panel** when a section is selected in the Universal Editor.

Section Types

There are two section types:

1. **Section** – A standard container for blocks.
2. **Multi Section** – A section that can be grouped with other Multi Sections to form tabs or an accordion.

Section Property Panel – “Section Configs” Tab

Field	Type	Description
Section Name	Text	Label shown in the Content Tree for identification
ID	Text	HTML ID attribute (used for anchor links)
Style	Multiselect	Visual styles (see table below)
Spacing	Select	Top and bottom padding for the section
Is multi-section	Boolean	Enables multi-section grouping fields

Field	Type	Description
Section group identifier	Text	Shared identifier for grouped sections (shown when multi-section is enabled)
Grouped section type	Select	Tabs horizontal, Tabs vertical, Accordion, none (shown when multi-section is enabled)

Available Section Styles

Style	Value	Description
Center	center	Centers all content within the section
Light scheme	light-scheme	Light background color scheme
Dark scheme	dark-scheme	Dark background color scheme
Hide in mobile	hide-mobile	Section is hidden on mobile devices
Hide in desktop	hide-desktop	Section is hidden on desktop
Entrance Animation	entrance-animation	Fade-in/slide-up animation when section enters viewport
(Tabs) Dark with white text	blue-white-text	Dark blue background with white text (for tabbed sections)
(Tabs) Silver with dark text	silver-blue-text	Silver background with dark text (for tabbed sections)

Multiple styles can be combined using the multiselect field.

Spacing Options

Option	Description
Default	Standard spacing
XXL	Extra-extra-large spacing
XL	Extra-large spacing
L	Large spacing
M	Medium spacing
S	Small spacing
XS	Extra-small spacing
XXS	Extra-extra-small spacing

Section Property Panel – “Optional Layout Properties” (Collapsible)

Field	Type	Description
Grid layout	Select	Number of columns (1-6) for blocks within the section. Example: “3” = three blocks side by side, each 33% wide (for viewports > 600px).
Gap	Select	Space between grid items: Default, XXL through XXS
Container width	Select	Inner section max-width (1-6 scale). 6 = full content width, 3 = half that width.

Section Property Panel – “Background Properties” Tab

Field	Type	Description
Background Color/gradient	Text	CSS color value: hex (#000000), RGB (rgb(0, 0, 0)), or CSS variable (var(--gradient-silver))
Background Image	Reference (DAM)	Desktop background image
Background Image Mobile	Reference (DAM)	Mobile-specific background image
Background Fit	Select	cover, contain, none, fill (default)
Background Image Position	Select	center, top left, top right, bottom left, bottom right
Desktop Height	Text	Minimum height on desktop (e.g., 400px)
Mobile Height	Text	Minimum height on mobile (e.g., 300px)
Background decoration image – top	Reference (DAM)	Decorative image at top-left corner
Background decoration image – bottom	Reference (DAM)	Decorative image at bottom-right corner
Reverse background decoration images	Boolean	Swap decoration positions to top-right and bottom-left

Block-Content Background (Collapsible Sub-section)

Sections also support a separate background for the inner block-content area:

Field	Type	Description
Background Color/gradient	Text	CSS color for the block-content area
Block-content Background Image	Reference (DAM)	Desktop background for block content
Block-content Background Image Mobile	Reference (DAM)	Mobile background for block content
Block-content Background Fit	Select	cover, contain, none, fill
Block-content Background Image Position	Select	Position options

Multi-Section System

Multi-sections allow you to group several sections into a single visual unit displayed as **tabs** or an **accordion**.

How to set up a multi-section group:

1. Add a standard **Section** to your page.
2. In the Section property panel, enable “**This is a multi-section configuration section**”.
3. Set the “**Section group identifier**” to a unique name (e.g., `product-details`).
4. Choose the “**Grouped section type**”: `Tabs horizontal`, `Tabs vertical`, or `Accordion`.
5. Add **Multi Section** components inside or after this configuration section.
6. For each Multi Section, set the same “**Section group identifier**” value.
7. Set the “**Tab/Accordion heading label**” for each Multi Section – this becomes the tab title or accordion heading.

All Multi Sections sharing the same group identifier will be rendered together as the chosen group type.

Multi Section Fields:

Field	Type	Description
Section Name	Text	Label in the Content Tree
Section group identifier	Text	Must match the configuration section's identifier
Tab/Accordion heading label	Text	The label for this tab or accordion panel
ID	Text	HTML ID
Style	Multiselect	Center, Light scheme, Dark scheme, Hide in mobile, Hide in desktop
Grid layout, Gap, Container width	Select	Same layout options as standard sections
Background properties	Various	Same background options as standard sections

6. Page Metadata

Page metadata fields are configured in the page-level property panel. Access these by clicking on the page background (outside any block) or selecting the page node in the Content Tree.

Tab 1: "Page meta + configs"

Field	Type	Description
Show Breadcrumbs	Boolean	Enables the breadcrumbs trail above page content
Remove analytics	Boolean	Placeholder for disabling analytics (future use)
Remove VWO	Boolean	Placeholder for disabling VWO (future use)
GTM ID	Text	Enter a GTM ID to enable custom Google Tag Manager on the page
Breadcrumbs Title	Text	Custom title for the breadcrumb entry (only shown when breadcrumbs are enabled)
Title	Text	Page title (used in browser tab and meta tags)
H1 Tag Title	Text	Hidden H1 title (not visible on page, for SEO purposes)
Page Description	Text	Meta description for SEO
Page image / ogImage	Reference (DAM)	Open Graph image for social sharing
Canonical URL	Text	Canonical URL for SEO
Keywords/Tags	Text	Comma-separated keywords
custom JSON-LD	Text	Custom JSON-LD structured data (must be valid and minified)
Date	Text	Page date in YYYY-MM-DD format
template	Text	Template name added to the body class (e.g., mayura)
theme	Text	Theme name added to the body class
body id	Text	HTML ID attribute for the body element
Category Nav	AEM Content Picker	Category navigation page (root: /content/idfc-edge/framework)
Modal Timer (ms)	Text	Idle-after-scroll delay in milliseconds (default: 5000)

Field	Type	Description
Modal Content	AEM Content Picker	Page to load as an exit-intent modal

Tab 2: "SEO + Search"

Field	Type	Description
Know More Link	Text	URL for the "Know More" action in search results
Apply Now Link	Text	URL for the "Apply Now" action in search results
Download Link	Text	URL for a downloadable resource
Search Image	Reference (DAM)	Featured image shown in search results
Search category	Text	Category label for search (e.g., product)
GTM Category	Text	GTM product category (e.g., Credit Card)
Search priority	Text	Search result priority (e.g., p1)
Is recommended search	Boolean	Marks this page as a recommended search result

7. Page Template: Mayura

The **Mayura** template is a premium page template designed for credit card product pages. It is activated by setting the `template` field in the page metadata to `mayura`.

How to Activate

1. Open your page in the Universal Editor.
2. Click on the page background to access page properties.
3. In the "Page meta + configs" tab, set the **template** field to `mayura`.
4. Preview and publish the page.

Features

The Mayura template applies a distinct visual design language including: - Premium typography and color palette - Custom card modal styles (Dark and Silver themes available in the Cards block) - Special section styling with the `blue-white-text` and `silver-blue-text` tab styles - Support for decoration images and gradient backgrounds in sections - Coordinated design with the Hero Heritage CC block

Design Tokens

The Mayura template uses design tokens defined in the project's Mayura Design configuration sheet. These control colors, gradients, fonts, and spacing specific to the premium credit card experience.

8. Configuration Sheets

Configuration sheets are managed as AEM pages or spreadsheets within the project. They control global settings, redirects, and shared content.

Available Configuration Sheets

Sheet	Purpose
Placeholders	Key-value pairs for reusable text strings (e.g., button labels, error messages, common phrases). Referenced in code as <code>{{placeholder-key}}</code> .
Redirects	URL redirect rules. Maps old URLs to new destinations. Supports 301 (permanent) and 302 (temporary) redirects.
Bulk Metadata	Applies metadata properties to multiple pages at once based on URL patterns. Useful for setting common meta tags across an entire section.
Configuration	Global site configuration settings including header/footer references, locale settings, and feature flags.
Design	Design token definitions – colors, fonts, spacing values, and other CSS custom properties used throughout the site.
Mayura Design	Design tokens specific to the Mayura premium template – colors, gradients, and styling overrides.
Experiment Metadata	Configuration for A/B tests and experiments. Defines test variants and traffic allocation.

Managing Configuration Sheets

Configuration sheets are typically edited by administrators or developers. If you need to update a configuration value:

1. Navigate to the sheet in the AEM Author console.
2. Edit the values using the spreadsheet interface.
3. Preview the changes to verify.
4. Publish the sheet to apply changes to the live site.

9. Publishing Workflow

The Sidekick

The **Sidekick** is a browser extension that provides authoring controls when viewing pages on the Preview or Live environments. Install it from the Chrome Web Store or your organization's extension distribution.

Preview

1. Navigate to your page in the Universal Editor and save your changes.
2. Open the page on the Preview environment (`aem.page`), or use the Sidekick.
3. Click the **Preview** button in the Sidekick to update the preview with your latest changes.
4. Review the page to verify content, layout, and functionality.

Publish to Live

1. Ensure the page has been previewed and reviewed.
2. On the Preview page, click the **Publish** button in the Sidekick.
3. The page is now live on the `aem.live` domain.
4. If your site uses a custom domain (CDN), allow time for cache propagation.

Unpublish

1. On the Preview page, click the **Unpublish** button in the Sidekick.

2. The page is removed from the Live environment.
3. The page remains in AEM Author and on Preview for further editing.

Publishing Dependencies

When publishing a page, also consider publishing: - **Fragments** referenced by the page (they are separate pages). - **Configuration sheets** if any values have changed. - **Navigation pages** if the site menu or category nav has been updated. - **Images/Assets** are served from the DAM and do not need separate publishing.

10. Common Tasks

Task 1: Creating a New Page

1. Log in to AEM Author at <https://author-idfc-stage-65.adobecqms.net>.
2. Navigate to **Sites** > **idfc-edge** and find the appropriate folder.
3. Click **Create** > **Page**.
4. Select the page template if prompted.
5. Enter the page title and name (URL slug).
6. Click **Create** to generate the page.
7. Click **Edit** to open it in the Universal Editor.
8. Add sections and blocks as needed.
9. Configure page metadata (title, description, template, etc.) via the page property panel.
10. Save your work.

Task 2: Adding a Block to a Page

1. Open the page in the Universal Editor.
2. Navigate to the section where you want to add the block.
3. Click the "+" button at the insertion point.
4. Select the desired block from the component palette under the **Blocks** group.
5. The block appears on the page with placeholder content.
6. Click on the block to select it.
7. Configure the block's fields in the property panel on the right.
8. For blocks with items (Cards, Accordion, Steps, etc.), click the "+" inside the block to add items, then configure each item.

Task 3: Configuring Section Styles

1. Click on the section in the Universal Editor (or select it in the Content Tree).
2. Open the property panel on the right.
3. In the **"Section Configs"** tab:
 - Set a descriptive **Section Name** for easy identification.
 - Choose one or more **Style** options from the multiselect.
 - Select the desired **Spacing**.
4. Expand **"Optional layout properties"** if you need grid layout:
 - Set the **Grid** columns (e.g., 3 for a three-column layout).
 - Set the **Gap** between grid items.
 - Adjust the **Container width** if needed.
5. Switch to the **"Background Properties"** tab for visual customization:
 - Set a **Background Color** using hex, RGB, or CSS variable values.
 - Upload **Background Images** for desktop and mobile.

- Configure the image **Fit** and **Position**.
- Add **Decoration images** for visual accents.

Task 4: Setting Up Multi-Section Tabs

1. Add a standard **Section** to the page.
2. In the section property panel, enable **"This is a multi-section configuration section"**.
3. Set **"Section group identifier"** to a unique name (e.g., `card-features`).
4. Set **"Grouped section type"** to **"Tabs horizontal"**.
5. Add **Multi Section** components after this configuration section.
6. For each Multi Section:
 - Set the same **"Section group identifier"** (`card-features`).
 - Set the **"Tab/Accordion heading label"** (this becomes the tab label, e.g., "Benefits", "Fees", "Eligibility").
 - Add blocks and content inside each Multi Section.
7. Preview to verify the tabs render correctly.

Task 5: Setting Up Multi-Section Accordion

Follow the same steps as Task 4, but in step 4, select **"Accordion"** instead of **"Tabs horizontal"**.

Task 6: Inserting a Fragment

1. Create the shared content as a separate AEM page (e.g., under `/content/idfc-edge/fragments/`).
2. Author and preview the fragment page.
3. On the target page, add a **Fragment** block.
4. In the property panel, use the **Reference** content picker to select the fragment page.
5. The fragment content renders inline on the page.

Task 7: Configuring a Category Nav for a Page

1. Ensure a Category Nav page exists under `/content/idfc-edge/framework/`.
2. Open your target page in the Universal Editor.
3. Access the page property panel (click page background).
4. In the **Category Nav** field, use the content picker to select the framework page.
5. Preview the page to verify the category navigation appears above the content.

Task 8: Publishing Content

1. Save all changes in the Universal Editor.
2. Navigate to the page on Preview (`aem.page`).
3. Click **Preview** in the Sidekick to refresh the preview.
4. Verify the content looks correct.
5. Click **Publish** in the Sidekick to push to Live.
6. If the page references fragments, also publish those fragment pages.

11. Troubleshooting

Content not appearing on Preview

- **Cause:** Changes were not saved in the Universal Editor.
- **Fix:** Return to the Universal Editor, save your work, then click "Preview" in the Sidekick again.

Block not rendering correctly

- **Cause:** Required fields are empty or misconfigured.
- **Fix:** Click on the block and check all required fields in the property panel. Ensure images reference valid DAM assets and text fields are not empty.

Section background not showing

- **Cause:** Background image path is incorrect or the image is not published in the DAM.
- **Fix:** Verify the image exists at the referenced path in `/content/dam/idfc-edge/`. Re-select the image using the DAM picker.

Multi-section tabs/accordion not grouping

- **Cause:** Section group identifiers do not match.
- **Fix:** Ensure all Multi Sections that should be grouped share the exact same value in the "Section group identifier" field. Also verify the configuration section has "This is a multi-section configuration section" enabled.

Page shows old content after publishing

- **Cause:** CDN cache has not yet cleared.
- **Fix:** Wait a few minutes for cache propagation, or clear the cache via the Sidekick or Admin API.

Images not loading

- **Cause:** Image path references are broken or the asset was not uploaded to the DAM.
- **Fix:** Re-select the image using the DAM picker in the property panel. Ensure the image exists under `/content/dam/idfc-edge/`.

Category Nav not appearing

- **Cause:** The page metadata "Category Nav" field is empty or points to a non-existent page.
- **Fix:** Open page properties and use the content picker to select a valid page under `/content/idfc-edge/framework/`.

Breadcrumbs not showing

- **Cause:** The "Show Breadcrumbs" toggle is off in page metadata.
- **Fix:** Open page properties, enable "Show Breadcrumbs", and optionally set a custom "Breadcrumbs Title".

Accordion items not showing LD+JSON schema

- **Cause:** The "No LD+JSON schema" toggle is enabled on the Accordion block.
- **Fix:** Click on the Accordion block and disable the "No LD+JSON schema" toggle.

Modal not triggering on exit intent

- **Cause:** The "Modal Content" and/or "Modal Timer" fields are not set in page metadata.
- **Fix:** Open page properties. Set "Modal Content" to a valid modal page path and ensure "Modal Timer" has a value (default is 5000ms).

12. Resources

Official Adobe Documentation

- **AEM Edge Delivery Services:** <https://experienceleague.adobe.com/en/docs/experience-manager-cloud-service/content/edge-delivery/overview>
- **Universal Editor:** <https://experienceleague.adobe.com/en/docs/experience-manager-cloud-service/content/implementing/developing/universal-editor/introduction>
- **Sidekick Extension:** <https://www.aem.live/developer/configuring-aem-sidekick>
- **AEM.live Documentation:** <https://www.aem.live/docs/>

Project-Specific Links

Resource	URL
AEM Author Console	https://author-idfc-stage-65.adobecqms.net
Preview Environment	https://main-idfc-aemsites.aem.page/
Live Environment	https://main-idfc-aemsites.aem.live/
Content Root	/content/idfc-edge/
DAM Root	/content/dam/idfc-edge/
Block Library	/tools/sidekick/library.html
Framework Pages	/content/idfc-edge/framework/
Modal Pages	/content/idfc-edge/modals/

IDFC FIRST Bank Edge Delivery Services – Author Guide v2. Generated 2026-04-23.