



Go

GOROOT



GOPATH



Build Tags & Vendoring



Imports



Dep



Go Modules



Project Structure



> Appearance & Behavior

Keymap

> Editor

Plugins



> Version Control



> Build, Execution, Deployment

> Languages & Frameworks

> Tools

Go > GOROOT

For current project



Go 1.14.4 C:\Lang\Go64



确认GO开发包已设置



OK

Cancel

Apply



Go

GOROOT



GOPATH



Build Tags & Vendoring



Imports



Dep



Go Modules



Project Structure



> Appearance & Behavior

Keymap

> Editor

Plugins



> Version Control



> Build, Execution, Deployment

> Languages & Frameworks

> Tools

Go > GOPATH


For current project

Reset

Global GOPATH


D:\Projects\Go\@GOPATH

设置全局GOPATH或者项目GOPATH，
用于存放下载的依赖包，
建议所有项目共用该目录



Project GOPATH

Nothing to show

☐ Use GOPATH that's defined in system environment☒ Index entire GOPATH ?

Module GOPATH



OK

Cancel

Apply



Go

GOROOT



GOPATH



Build Tags & Vendoring



Imports



Dep



Go Modules



Project Structure



> Appearance & Behavior

Keymap

> Editor

Plugins



> Version Control



> Build, Execution, Deployment

> Languages & Frameworks

> Tools

Go > Go Modules

For current project

Reset


☒ Enable Go modules integration


Environment: GOPROXY=https://goproxy.cn,direct





GOPROXY, GOPRIVATE, etc.


☒ Enable vendoring support automatically ?**设置用于GO Modules的GOPROXY**
















Name: awesomeGoMod

☐ Allow parallel run☐ Store as project file ⚙

Go Build

awesomeGoMod

> Templates

添加运行调试配置

Configuration Logs

Run kind: Directory ▼

Directory: D:\Projects\Go\awesomeGoMod 📁

Output directory: D:\Projects\Go\awesomeGoMod 📁

☐ Run after build☐ Redirect input from: 📁

Working directory: D:\Projects\Go\awesomeGoMod 📁

Environment: goarch=amd64 📄

Go tool arguments: + ↗

☐ Use all custom build tags

Program arguments: + ↗

☐ Run with elevated privileges

Module: awesomeGoMod ▼

▶ Before launch: 1 task



OK

Cancel

Apply

go

FileEditViewNavigateCodeRefactorRunToolsVCSWindowHelp

awesomeGoMod

main.go

awesomeGoMod

main.go

Project

awesomeGoMod D:\Projects\Go\awesomeGoMod.exe

go.mod

main.go

External Libraries

Go Modules <awesomeGoMod>

github.com/MeloQi/service

golang.org/x/sys v0.0.0-202

Go SDK 1.14.4

Scratches and Consoles

Extensions

Scratches

Database

1

2

3

4

5

6

7

8

9

package awesomeGoMod

import "github.com/MeloQi/service"

func main() {

c := service.Config{}

_ = c

}

Run: awesomeGoMod

<3 go setup calls>

Compilation finished with exit code 0

编译成功

Run

Problems

Terminal

TODO

Event Log

9:1

LF

UTF-8

Tab