

• LIVE ANSWER CARD

Three tools. One sharp prompt.

Built in a day. The code was generated through Prompt-Driven Development; ElevenLabs gave it ears; Render gave it a live URL.

• THE IDEA

A question comes in. Three words go up — or nothing.

A prospect asks something technical on a sales call. If we're confident, the answer appears as two or three keywords on a second screen. If we're not, the screen stays blank — a wrong answer is worse than none.

LIVE ANSWER CARD / vantic

• LIVE

SOC 2 — YES

TYPE II

NDA → REPORT

security-overview.md §1.1 • confidence 0.91

● HOW WE BUILT IT — PDD

We spent our effort on the prompt, not the code.

Prompt-Driven Development means the code gets generated — so the real work is turning a rough ask into a prompt precise enough to generate correctly the first time. Every line earns its place by being testable; everything else gets cut before the prompt is written.

ROUGH ASK

"...so the empty screen can be demonstrated."

SHARPENED PROMPT

"...the empty state must be reachable."

• VOICE IN — ELEVENLABS

It listens through ElevenLabs Scribe.

Call audio streams to Scribe's realtime speech-to-text over a WebSocket. Voice-activity detection decides where one utterance ends, so what reaches the app is a clean, committed question — never a half-finished sentence.

A mock mode replays sample utterances with zero network, so a dead microphone never kills the demo.

• SHIPPING IT — RENDER

And it lives at a URL, not just a laptop.

Render hosts the app and rebuilds it automatically on every merge to main. If the presenting laptop dies mid-demo, the product doesn't — anyone in the room can pull it up in a browser instead.

• THE STACK

Three tools. One sharp prompt. One day.

- 01 Prompt-Driven Development
- 02 ElevenLabs Scribe
- 03 Render