






View from Top side (Scale 1:1)



View from Right side (Scale 1:1)



View from Bottom side (Scale 1:1)

- Notes
1. Legend - White
 2. Surface finish may be applied after solder mask per manufacturer preference.
 3. Legend / Silk Screen shall be non-conductive and not fall over component pads

JLC04161H-7628 Stackup

Layer Stack Legend

	Material	Layer	Thickness	Dielectric Material	Type	Gerber
		Top Overlay			Legend	GTO
	Surface Material	Top Solder	0.025mm	SM-001	Solder Mask	GTS
	PbSn	Top Surface Finish	0.020mm		Surface Finish	
	JLC-1/2oz+1/2Plating	Top Layer	0.035mm		Signal	GTL
	Prepreg		0.210mm	PP-017	Dielectric	
	JLC-1/2oz	Int1 (GND)	0.015mm		Signal	G1
	Core		1.065mm	Core-039	Dielectric	
	JLC-1/2oz	Int2 (PWR)	0.015mm		Signal	G2
	Prepreg		0.210mm	PP-017	Dielectric	
	JLC-1/2oz+1/2Plating	Bottom Layer	0.035mm		Signal	GBL
	PbSn	Bottom Surface Finish	0.020mm		Surface Finish	
	Surface Material	Bottom Solder	0.025mm	SM-001	Solder Mask	GBS
		Bottom Overlay			Legend	GBO
Total thickness: 1.677mm						

Transmission Line Structure Table

Impedance Id	Transmission Line	Target Impedance	Calculated Impedance	Trace layer	Wide Trace Width	Narrow Trace Width	Gap	Reference layers	Substack	Clearance	Target Tolerance
1	Edge-Coupled Coated Microstrip	90	88.79	Top Layer	0.25mm	0.25mm	0.15mm	Int1 (GND)	Board Layer Stack	0.13mm	10%
2	Edge-Coupled Coated Microstrip	120	118.33	Top Layer	0.13mm	0.13mm	0.20mm	Int1 (GND)	Board Layer Stack	0.13mm	10%
3	Edge-Coupled Coated Microstrip	90	88.79	Bottom Layer	0.25mm	0.25mm	0.15mm	Int2 (PWR)	Board Layer Stack	0.13mm	10%
4	Edge-Coupled Coated Microstrip	120	118.33	Bottom Layer	0.13mm	0.13mm	0.20mm	Int2 (PWR)	Board Layer Stack	0.13mm	10%

1

1

2

2


3

3

4

4

Drill Drawing View (Scale 1:1)



Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
☆	326	0.40mm	Plated	
⊗	4	0.60mm	Plated	
⊗	2	0.65mm	Non-Plated	
○	5	0.78mm	Plated	
G	16	1.00mm	Plated	
I	1	1.02mm	Non-Plated	
E	68	1.02mm	Plated	
▽	27	1.10mm	Plated	
L	8	1.15mm	Plated	
J	16	1.60mm	Plated	
■	4	1.80mm	Non-Plated	
C	3	3.40mm	Non-Plated	
□	1	3.40mm	Plated	
481 Total				