


90.00mm




View from Top side (Scale 1:1)

85.00mm

1.71mm



View from Right side (Scale 1:1)



View from Bottom side (Scale 1:1)

FABRICATION DRAWING

DMX POWER
REV 1

JLC04162H-7628

Layer Stack Legend

	Material	Layer	Thickness	Dielectric Material	Type	Gerber
		Top Overlay			Legend	GTO
	Surface Material	Top Solder	0.03mm	SM-001	Solder Mask	GTS
	PbSn	Top Surface Finish	0.02mm		Surface Finish	
	CF-004	Top Layer	0.07mm		Signal	GTL
	Prepreg		0.21mm	PP-017	Dielectric	
	CF-004	Int1 (PWR)	0.02mm		Signal	G1
	Core		1.06mm	Core-039	Dielectric	
	CF-004	Int2 (GND)	0.02mm		Signal	G2
	Prepreg		0.21mm	PP-017	Dielectric	
	CF-004	Bottom Layer	0.07mm		Signal	GBL
	PbSn	Bottom Surface Finish	0.02mm		Surface Finish	
	Surface Material	Bottom Solder	0.03mm	SM-001	Solder Mask	GBS
		Bottom Overlay			Legend	GBO
Total thickness: 1.75mm						

FABRICATION DRAWING

DMX POWER
REV 1

1

1

2

2

3


3

4

4

Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
○	1	0.51mm	Plated	
⊕	16	1.00mm	Plated	
□	16	1.60mm	Plated	
✕	32	1.70mm	Plated	
▽	4	1.91mm	Plated	
☆	4	3.40mm	Non-Plated	
	73 Total			



Drill Drawing View (Scale 1:1)

FABRICATION DRAWING

DMX POWER
REV 1