

Lite Edition

twina@localhost

Data Dictionary






















2018-09-16



Table of contents

twina@localhost	4
1. Tables	4
1.1. Table: tbl_cart	4
1.2. Table: tbl_category	4
1.3. Table: tbl_cms	4
1.4. Table: tbl_design_existing	5
1.5. Table: tbl_img_upload	5
1.6. Table: tbl_inventory	5
1.7. Table: tbl_locations	6
1.8. Table: tbl_logs	6
1.9. Table: tbl_orders	6
1.10. Table: tbl_payment_options	7
1.11. Table: tbl_products	7
1.12. Table: tbl_rating	7
1.13. Table: tbl_types	7
1.14. Table: tbl_users	8


Legend

-  Primary key
-  Primary key disabled
-  User-defined primary key
-  Unique key
-  Unique key disabled
-  User-defined unique key
-  Active trigger
-  Disabled trigger
-  Many to one relation
-  User-defined many to one relation
-  One to many relation
-  User-defined one to many relation
-  One to one relation
-  User-defined one to one relation
-  Input
-  Output
-  Input/Output
-  Uses dependency
-  User-defined uses dependency
-  Used by dependency
-  User-defined used by dependency

1. Tables


1.1. Table: tbl_cart

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	user_id	varchar(50)	
	cart_no	varchar(50)	
	product_ref	text	
	product_image	text	
	name	text	
	qty	int(10, 0)	
	color	text	
	price	int(10, 0)	
	status	enum	Default: Pending
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP


1.2. Table: tbl_category

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	title	text	
	description	text	


1.3. Table: tbl_cms

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	contact	text	
	email	text	
	address	text	
	welcome_msg	text	
	mission	text	
	vision	text	
	app_name	text	
	about	text	


1.4. Table: tbl_design_existing

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	prod_id	varchar(250)	
	prod_img	text	
	prod_type	text	
	prod_color	text	
	prod_width	int(10, 0)	
	prod_height	int(10, 0)	
	prod_length	int(10, 0)	
	prod_price_range	int(10, 0)	
	status	text	
	frm	text	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP


1.5. Table: tbl_img_upload

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	img_front	text	
	img_back	text	
	img_top	text	
	img_left	text	
	img_right	text	
	img_inner	text	
	prod_id	varchar(250)	


1.6. Table: tbl_inventory

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	name	text	
	type	text	
	quantity	int(10, 0)	
	price	int(10, 0)	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP


1.7. Table: tbl_locations

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	province	text	
	city	text	
	barangay	text	

1.8. Table: tbl_logs

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	transaction	text	
	created_by	text	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP


1.9. Table: tbl_orders

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	or_no	varchar(50)	
	user_id	varchar(50)	
	product_id	varchar(50)	
	prod_img	text	
	prod_name	text	
	prod_description	text	
	prod_type	text	
	prod_price	int(10, 0)	
	prod_color	text	
	prod_category	text	
	prod_qty	int(10, 0)	
	or_type	enum	
	payment_proof	text	
	rating_status	enum	1 = no rate. 0 = rated Default: 1
	status	enum	
	remarks	text	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP


1.10. Table: tbl_payment_options

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	mode_of_payment	text	
	description	text	
	dtcreated	text	


1.11. Table: tbl_products

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	prod_id	varchar(50)	
	prod_img	text	
	name	text	
	category	text	
	type	text	
	price	int(10, 0)	
	quantity	int(10, 0)	
	description	text	
	featured	enum	1 for no 0 for yes Default: 1
	status	enum	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP


1.12. Table: tbl_rating

Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	prod_id	text	
	rating	text	
	comment	text	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP

1.13. Table: tbl_types




Columns

	Name	Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment

Name		Data type	Description / Attributes
	title	text	
	description	text	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP

1.14. Table: tbl_users

Columns

Name		Data type	Description / Attributes
	id	int(10, 0)	Identity / Auto increment
	profile	text	
	username	varchar(250)	
	password	text	
	role	enum	Default: Client
	firstname	text	
	middlename	text	
	lastname	text	
	email	varchar(250)	
	contact	text	
	gender	enum	
	address	text	
	birthday	date	
	age	text	
	esig	text	
	dtcreated	timestamp	Default: CURRENT_TIMESTAMP
	status	enum	
	is_admin	text	
	is_online	text	
	reg_hash	text	