

Subject Index

A

Acoustic field, 31, 68
Adjoint eigenvalue problem, 53
Adjoint operator, 32
Adjoint wavevectors, 837
Admittance dyadic, 45
Airy integral, 391–97, 413, 424
 functions, 432–36
 incomplete, 427
Alternative representations, 284, 561, 729
 contours, 480
 cylinder, 685–91
 free space Green's functions, 481
 half-plane, 660–73
 radial transmission, 546–47
 spherical regions, 288
 wedge, 660–73
“Angularly matched” surface, 686
Angularly propagating waves, 653
Angular transmission representation,
 635–38
Anisotropic diffraction
 cylinder of arbitrary cross section, 776
Anisotropic media
 anharmonic fields in, 82
 constitutive parameters, 80
 lateral ray on interface between, 148
Anisotropic optical lens, 807
Antennas
 highly directive, 775
 surface wave, 562–71

Aperture excitation, 562
Associated Legendre function, 438
Asymptotic expansions
 for Airy functions, 394–95
 canonical form, 370–77
 complete, 384–86
 for high-frequency electromagnetic
 field, 135
 for integrands with two saddle points,
 416
 isolated first-order saddle point, 382–
 97
 leading term in, 134
Asymptotic representations
 for Bessel functions, 710–18
 field in inhomogeneous slab, 364
 for Legendre functions, 315
 parabolic cylinder function, 364

B

Backward waves, 472, 743, 791
Bessel functions
 large complex argument, 710
 spherical, 226
Black screen, 650
Branch-point
 singularities, 459
 wave contributions, 470–73, 528, 799–
 806

C

"Canonical" integral, 372
 "Canonical" scatterer, 141
 Causality condition (Radiation condition,
 Outgoing wave condition), 8, 49
 Caustic, 502, 584, 806, 808
 evaluation near, 590-92
 location of, 133
 Cavity modes, 217
 Cerenkov coherence condition, 767
 Cerenkov radiation, 496
 Characteristic Green's function (resol-
 vent), 273-328
 alternative representations, 284-88
 spherical regions, 288
 cylindrical geometries, 324
 general form, 280
 Hermitian case, 276
 network equations, 276
 open cross-sections, 296
 rectangular cross sections, 289-306
 resonant condition singularities, 279
 singularities, 276
 spherical, 324
 Characteristics, method of, 127
 Charges in uniform rectilinear motion,
 453-55
 Circular waveguide
 point-source-excitation, 448
 Cold electron plasma, 82
 cylindrical obstacle in, 874
 dispersion relation in, 104
 inhomogeneous, 163
 live source in, 166
 magnetoplasma, 837-70, 860
 uniaxially anisotropic, 102
 Comparison functions, 337-45
 Completeness relations, 35, 52
 in polarization space, 53
 three-dimensional, 51
 Complete orthonormal set, 277-78
 Conducting sphere, 701
 Cone (*see also* Semiinfinite cone)
 conducting semiinfinite, 734, 735
 tip, 89
 wide-angle and narrow-angle, 734
 Conservation-of-energy, 3, 10, 27
 Constant impedance surface, 554-67
 Continuous planar stratification, 594-
 622
 Continuous spectrum, various geome-
 tries, 250, 261, 273, 298, 301,

Continuous spectrum (*cont.*)
 304, 325, 363, 549, 561
 Coordinate scaling transformation, 778
 Creeping ray or wave, 141, 691, 727
 (*see also* Diffracted rays)
 Critical points
 in differential equations, 336
 in integral representations, 97
 Current distributions
 in cylindrical regions, 186
 in spherical regions, 219
 Curved boundary
 reflection from, 169
 refraction at, 170
 Curved scatterer in anisotropic dielectric,
 818
 Cusp
 field near, 811
 focal region, 812
 Cylinder
 impedance modulation, 730
 with periodic surface impedance, 732
 scattering by, 685-98
 Cylindrical sheet source, 168

D

Debye formula for Bessel functions, 418
 Dielectric
 gap, 543
 semiinfinite, 506
 slab, 538-54
 sphere, 231
 Dielectric constant
 negative, 535-38
 tensor, 82
 Diffracted field
 absorbing wedge, 652, 654
 conducting cone, 705-10
 conducting cylinder, 691
 conducting half plane, 665
 conducting wedge, 661
 dielectric interface, 508
 Diffracted rays, 141, 652 (*see also* Dif-
 fracted field)
 Diffracted wavefront, 655
 Diffraction
 cylinder, 685
 half-plane in anisotropic medium, 783,
 869
 small cylinder, 689
 wedge, 650, 660

Diffraction coefficient, 152
 Diffraction integral
 typical example, 407–10
 for wedge problems, 641
 Discrete spectrum
 surface waves, 299, 547, 555–57, 682
 for various configurations, 244, 247, 258, 295
 Dispersion, spatial and temporal, 2, 31
 Dispersion equation
 space- and time-dependent, 126, 154
 in uniaxially anisotropic cold electron plasma, 102
 Dispersion relations
 acoustic field, 37, 39
 electromagnetic field, 43
 one-component plasma, 48
 Dispersion surface
 in isotropic plasma medium, 157, 175
 in magnetoactive medium, 101
 Double Fourier integral representation, 447
 Ducts, 606–13
 Dyadic “admittance” operator, 838

E

Edge condition, 89, 664
 Edge-diffracted rays, 140, 147, 150, 640, 652, 665
 Eiconal equation, 136
 of geometrical optics, 126
 Eigenfunctions (*see also* Continuous spectrum, Discrete spectrum)
 normalization, 281
 Eigenvalue problems, formulation of, 66, 68, 241, 329, 336
 Electromagnetic field
 asymptotic expansion for, 135
 basic equations, 9
 guided waves in, 71
 Epstein profile, 619
 Equivalent configurations, 615
 Equivalent source distributions, 187, 219, 746, 832
 Equivalent surface distributions
 electric and magnetic charges or currents, 86
 Error-function complement, 405
 Exponential integral, 436

F

Fast waves, 493
 Fermat's principle, 132
 Field equations
 acoustic, 4
 adjoint, 5
 Euler, 2
 general linear field (abstract), 31–34
 longitudinal and transverse, 38
 scalar acoustic, 2
 Field of various sources
 impulsive, electric and magnetic, 450–52, 482, 523
 impulsive, in time-dependent medium, 162
 impulsive electric current, 21
 point electric dipole, 16
 point source in anisotropic dielectric, 139
 point source in circular waveguide representation, 448–49
 Field representations
 asymptotic, 124
 First-order differential equation
 solution of, 179
 Foci
 location of, 133
 Focusing phenomena, 812, 859
 Fourier–Bessel or Hankel transformation, 260, 416–18, 447
 Frequency modulated pulse, 178
 Fresnel integral, 427

G

General transmission-line analysis, 836
 Geometrical theory of diffraction, 139–49
 Geometric–optical field, 128–39
 Green's functions, 68
 acoustic, 7, 37
 adjoint, 6, 13
 adjoint problems, 1
 anisotropic medium, 846
 asymptotic form, 175
 construction, 214
 cylindrical regions, 633, 638
 dyadic, 195, 197
 spherical region, 224
 uniaxial medium, 750
 dyadic, for bounded cylindrical regions, 23–25

- dyadic, for unbounded, isotropic elec-
tronplasma, 28–30
 - electromagnetic, 14, 41, 74
 - for electromagnetic field, 11
 - free space (scalar), 8, 9
 - free-space, dyadic, 17
 - functional dependence, 455
 - inhomogeneous medium, 200–202
 - matrix, 52, 53
 - operator, 33
 - operator procedure for, 15
 - oscillatory representation of, 55
 - oscillatory space- and time-dependence,
54
 - plasma, reciprocity properties of, 28
 - problem, 163
 - resistive and conductive, 42
 - singularities, 457
 - spherical mode, 230, 233
 - time harmonic, 92
 - time-reversed, 7
 - transforms of, 37, 45
 - transmission-line, 193–95
 - two-dimensional, 485, 487
 - two-dimensional free-space, 623
 - two-dimensional scalar, 160
 - variable stratification, 581
 - WKB approximation, 584
 - Green's theorems
 - transverse, 188, 266
 - Group velocity
 - in ray directions, 77
 - Guided-mode wavevectors (Eigenwaves),
70, 74
 - Guided waves
 - in anisotropic media, 823–37
 - properties, 681–83
 - solutions, 68
 - trajectories, 112
 - Guided-wave representations
 - completeness relation, 64
 - of electromagnetic-field Green's func-
tions, 74
 - Gyrotropic medium, 172, 837, 862
 - Hermitian products, 53 (*see also* Inner
product)
 - Hertz potentials
 - care in use of, 23
 - E , H -mode, 21
 - electric and magnetic, 24, 25, 222, 444,
486, 573
 - Homogeneous medium
 - radiation in, 476–506
 - trajectory equations for, 99
 - Hypergeometric functions, 315, 619–22
- I
- Image
 - formulation, 557–59
 - method, 779
 - Impedance dyadic, 44
 - Impedance walls
 - in anisotropic medium, 781–83
 - constant, 554–62
 - variable, 674–85
 - Improper Riemann sheet, 472
 - Infinity catastrophe (in radiated power),
753, 769–71
 - Inhomogeneous media
 - ray trajectories in, 112, 130
 - space-time ray curves in, 115
 - wavepackets in, 115
 - Inhomogeneous slab, 364
 - Inner product
 - Hermitean, 51
 - of two wavevectors, 32
 - Integral equations
 - for eigenvalue problem, 330, 333
 - solution by iteration, 331
 - Integration paths
 - $e^{-i\omega t}$ dependence, 466
 - $e^{j\omega t}$ dependence, 465
 - Integration techniques
 - plane-stratified regions, 455–76
 - wedge regions, 639–50
 - Inverse-square profile, 613

H

- Half-plane, 783–87
 - conducting, 721
 - cone-tipped, 736
- Hankel functions, 416–18, 710–19

K

- Kirchhoff procedure, 564
- Kontorovitch–Lebedev transform, 325,
639 (*see* Lebedev–Kontorovitch)

L

- Lateral rays (waves), 141, 508, 513, 528, 537, 799, 801, 858
 - on anisotropic interface, 802
- Leaky waves, 540, 542, 545, 600
- Lebedev-Kontorovitch transform, 325, 705
- Lossless medium, 80

M

- Magnetic currents, 86
- Mapping of complex plane, 463
- Matching at interfaces, 142, 146, 157, 171
- Matrix propagator, 365
- Mehler functions, 706
- Modal representations (*see* Eigenfunctions)
 - anisotropic medium, 831-32
 - unbounded cross sections, 446, 450
- Mode functions (*see* Eigenfunctions)
- Modes in cold plasma
 - extraordinary, 843
 - ordinary, 843
- Moving point charge, 494, 532, 766

N

- Network analysis
 - spherical region, 225-32
 - uniform regions, 202-17
- Network representations
 - impedance boundary, 556
 - incident wave, 204
 - interface, 515
- Network representations of fields
 - acoustic, 38
 - electromagnetic, 43
 - plasma, 46, 47
 - transverse, 217
- Non-reciprocal behavior, 864, 869

O

- Open-branched wavenumber surface, 771, 854
- Open cross-sections, 248, 259, 296
- Operator, admittance, 75, 78

- Operator methods, 15, 18, 20, 31-4
- Orthogonality properties, 51
 - in anisotropic medium, 834
- Oscillatory mode representations
 - general properties, 50-63
 - for time-varying medium, 177

P

- Parabolic cylinder functions, 419, 436, 437
- Paths of integration
 - constant level, 379-82
 - constant phase, 379-82
 - "stationary-phase," 381
 - steepest descent, 381
- Phased line current, 492, 763
- Phased plane sheet source, 167
- Physical optics procedure, 564
- Plane-stratified media, 442 *ff.*
 - arbitrary profiles, 571-94
 - piecewise constant properties, 444-55
 - progress of a ray in, 144
 - ray equation in, 131
- Plane-wave incidence
 - normalization, 486
- Plane-wave representations
 - local, 106, 110
- Plasma (*see also* Cold electron plasma)
 - lossless, inverse-square profile, 595
 - uniaxially anisotropic, 743
- Plasma field, 26-31, 45
 - reduced formulation, 30, 31
- Polarization space
 - completeness relation, 67
- Pole (wave contributions), 470-73
- Potential functions (*see also* Hertz potentials), 192
 - spherical, 223
- Potentials, Hertz (*see* Hertz potentials)
- "Proper" modal solution, 545
- Pulse compression, 178
- Pulsed sources (*see* Field of various sources)

R

- Radial transmission
 - cone, 703
 - cylinder, 689
 - dielectric slab, 546-47

- Radial transmission (*cont.*)
 - sphere, 701
 - wedge, 664, 684
 - Radiated power
 - acoustic source, 40–41
 - electric current source, 44
 - electric current source in plasma, 48
 - steady state electric current, 477
 - Radiated power catastrophe, 771 (*see also* Infinity in)
 - Radiating aperture, 234, 236
 - Radiation condition, 87
 - in anisotropic media, 748
 - Radiation integral
 - evaluation of, 464–70
 - Ray equations, 128
 - for plane-stratified medium, 131
 - Ray method, 124
 - geometrical theory of diffraction, 139
 - Rays
 - in anisotropic media, 144, 145, 784
 - complex, 578
 - diffracted, 140
 - guided, trapped, 592
 - in inhomogeneous media, 112, 130–32
 - in inverse square profile, 606
 - monotonic profile, 584
 - phase change, 577–78
 - in plane-stratified medium, 580
 - reflection and refraction in anisotropic medium, 156
 - reflection at a curved boundary, 169
 - refraction at a curved boundary, 170
 - in slowly varying medium, 575–83
 - space-time, 97, 153–57
 - transverse resonance, 593
 - turning point, 580
 - vector velocity of, 104
 - Ray tracing
 - in anisotropic medium, 512
 - in isotropic medium, 792
 - "Ray-velocity" vector, 104
 - Reciprocity relations, 5, 6, 14, 33–34
 - time-harmonic, 194–98
 - Resonant transmission-line method, 268
 - Riemann sheet, 536 (*see also* Riemann surface)
 - Riemann surface, 458, 463, 480, 517
 - angular transmission, 312
 - four-sheeted, 804
 - two-sheeted, 623
 - Ring current, 236, 617
- S
- Saddle points, 97–98, 109, 371, 377–78
 - graphical method for location of, 103, 113, 469, 851
 - higher-order, 397–99
 - Scalar time-harmonic fields, asymptotic solution for, 128–34
 - Semiinfinite cone, 703–10
 - Semiinfinite dielectric, 506–38
 - Shadow regions, 631
 - Signal propagation in dispersive medium, 119–22
 - Slow waves, 493 (*see also* Surface waves)
 - Space-time ray
 - amplitudes, 153
 - curves in inhomogeneous media, 115
 - Space-time rays (*see* Rays)
 - "Space wave," 473
 - Spectral (proper) sheet, 298
 - Sphere
 - "perfectly absorbing," 229
 - perfectly conducting, 231, 701
 - Spherical waves
 - diffraction by a cone, 703
 - diffraction by an edge, 667
 - diffraction by a sphere, 701
 - excitation by a dipole source, 477
 - network formulation, 225–32
 - reflection and refraction, 508–12
 - Standing wave formulation, 204, 283
 - "Stationary phase," 386–88 (*see also* Saddle points)
 - Stationary points (*see* Saddle points)
 - Sturm–Liouville problem, 241, 273
 - Surface, dispersion, 101
 - Surface currents, induced, 88
 - Surface wave, 510, 537, 540, 542, 543, 545, 622, 679, 782, 867 (*see also* Discrete spectrum)
 - antennas, 683
 - "lossy," 556
- T
- Temporal inhomogeneity, 176
 - Thermodynamic paradox, 867
 - Time-varying medium, oscillatory representations, 177
 - Tip condition, 704
 - Tipped wedge, 630
 - Transformed Green's function, 67
 - Transient fields, power flow, 453

- Transition functions, 591, 646, 805 (*see also* Chapter 4)
 - Transition regions, 98, 666, 681, 853–54
 - Transmission-line equations, 190
 - radial, 323
 - spherical, 218–22
 - uniform, 202–17
 - Transmission-line networks
 - acoustic, 70
 - electromagnetic, 73
 - Transmission lines
 - angular, 306–13
 - average power, 221
 - image representation, 312
 - infinite angular line, 310
 - infinite point source, 206
 - non-conventional, 832–37
 - non-uniform, 328
 - Airy functions, 340, 358
 - Born approximation, 334
 - comparison equation, 336
 - confluent hypergeometric function, 334
 - continuous transition, 350–53
 - Epstein solution, 353–58
 - Weber's parabolic functions, 342
 - one-dimensional eigenvalue problem, 253–54
 - planar stratification, 329
 - radial, 323–28
 - relation non-conventional, 836
 - resonance, 215–17
 - Riemann surface, 312
 - spherical regions, 314–20
 - standing-wave description, 209
 - terminated, 207
 - traveling-wave description, 208
 - WKB approximation, 328, 358
 - Transport equations, 129, 136, 155
 - Transposed problem, 91
 - Transverse field equations
 - anisotropic medium, 841
 - dyadic permittivity, 870
 - spherical, 218–19
 - uniform, 186
 - Transverse resonance (transmission), 216, 538, 545, 557, 607
 - analysis, 268
 - ray, 593
 - Transverse vectors, 191
 - Trapped modes (waves), 294, 297 (*see also* Surface waves)
 - Traveling-wave formulation, 204, 283
- U
- Uniaxial anisotropy, 745
 - Uniaxial medium, 742, 873
 - Uniaxial permittivity, 753
- W
- Watson transformation, 701, 726
 - Wavecoupling, continuous reflection, 349
 - Wavefronts, 157, 482, 532, 655
 - Waveguides
 - circular, 263–65, 448
 - finite angular sector, 257
 - finite rectangular region, 245
 - free-space region, 252
 - half-space region, 249
 - inhomogeneously filled cross sections, 265–73
 - open angular sector, 259–63
 - parallel-plate region, 252
 - quarter-space region, 248
 - semi-infinite rectangular region, 246
 - spherical, 314
 - Wavenumber surfaces
 - anisotropic medium, 743, 845
 - isotropic medium, 105, 113
 - Wavepackets, 97
 - amplitude change within, 100
 - in inhomogeneous medium, 115
 - in weakly inhomogeneous media, 106–108
 - Wave processes
 - diffraction (secondary), 118
 - primary, 118
 - Wavevectors (*see* Guided modes)
 - Wedge, 639, 783–87
 - conducting, 724, 728
 - cylindrically tipped, 730
 - diffraction, 641, 655
 - impulsive Green's function, 648
 - light-shadow boundary, 652
 - perfectly absorbing, 650–60
 - transition effects, 643
 - WKB representations (approximations), 111, 337
 - of Green's function, 584
 - Wronskian determinant, 279
- Z
- Zenneck "surface wave," 511