

# scforest

A visual overview of single cell technology

Curated by Aertslab


Latest version on [github.com/aertslab/scforest](https://github.com/aertslab/scforest)

September 11, 2019



Lab of Computational Biology  
KU Leuven/VIB

Single Cell Technology



## References

- Angermueller, C., S. J. Clark, H. J. Lee, I. C. Macaulay, M. J. Teng, T. X. Hu, F. Krueger, S. A. Smallwood, C. P. Ponting, T. Voet, and et al.  
2016. Parallel single-cell sequencing links transcriptional and epigenetic heterogeneity. *Nature Methods*, 13(3):229–232.
- Bagnoli, J. W., C. Ziegenhain, A. Janjic, L. E. Wange, B. Vieth, S. Parekh, J. Geuder, I. Hellmann, and W. Enard  
2018. Sensitive and powerful single-cell rna sequencing using mscrb-seq. *Nature Communications*, 9(1).
- Biočanin, M., J. Bues, R. Dainese, E. Amstad, and B. Deplancke  
2019. Simplified drop-seq workflow with minimized bead loss using a bead capture and processing microfluidic chip. *Lab on a Chip*, 19(9):1610–1620.
- Buenrostro, J. D., P. G. Giresi, L. C. Zaba, H. Y. Chang, and W. J. Greenleaf  
2013. Transposition of native chromatin for fast and sensitive epigenomic profiling of open chromatin, dna-binding proteins and nucleosome position. *Nature Methods*, 10(12):1213–1218.
- Buenrostro, J. D., B. Wu, U. M. Litzenburger, D. Ruff, M. L. Gonzales, M. P. Snyder, H. Y. Chang, and W. J. Greenleaf  
2015. Single-cell chromatin accessibility reveals principles of regulatory variation. *Nature*, 523(7561):486–490.
- Cao, J., D. A. Cusanovich, V. Ramani, D. Aghamirzaie, H. A. Pliner, A. J. Hill, R. M. Daza, J. L. McFaline-Figueroa, J. S. Packer, L. Christiansen, F. J. Steemers, A. C. Adey, C. Trapnell, and J. Shendure  
2018. Joint profiling of chromatin accessibility and gene expression in thousands of single cells. *Science*, 361(6409):1380–1385.
- Cao, J., J. S. Packer, V. Ramani, D. A. Cusanovich, C. Huynh, R. Daza, X. Qiu, C. Lee, S. N. Furlan, F. J. Steemers, A. Adey, R. H. Waterston, C. Trapnell, and J. Shendure  
2017. Comprehensive single-cell transcriptional profiling of a multicellular organism. *Science*, 357(6352):661–667.
- Chen, K. H., A. N. Boettiger, J. R. Moffitt, S. Wang, and X. Zhuang  
2015. Spatially resolved, highly multiplexed rna profiling in single cells. *Science*, 348(6233).

- Chen, S., B. B. Lake, and K. Zhang  
2019. Linking transcriptome and chromatin accessibility in nanoliter droplets for single-cell sequencing. *bioRxiv*.
- Chen, X., R. J. Miragaia, K. N. Natarajan, and S. A. Teichmann  
2018. A rapid and robust method for single cell chromatin accessibility profiling. *Nature Communications*, 9(1).
- Chen, X., Y. Shen, W. Draper, J. D. Buenrostro, U. Litzenburger, S. W. Cho, A. T. Satpathy, A. C. Carter, R. P. Ghosh, A. East-Seletsky, and et al.  
2016. Atac-seq reveals the accessible genome by transposase-mediated imaging and sequencing. *Nature Methods*, 13(12):1013–1020.
- Corces, M. R., A. E. Trevino, E. G. Hamilton, P. G. Greenside, N. A. Sinnott-Armstrong, S. Vesuna, A. T. Satpathy, A. J. Rubin, K. S. Montine, B. Wu, A. Kathiria, S. W. Cho, M. R. Mumbach, A. C. Carter, M. Kasowski, L. A. Orloff, V. I. Risca, A. Kundaje, P. A. Khavari, T. J. Montine, W. J. Greenleaf, and H. Y. Chang  
2017. An improved atac-seq protocol reduces background and enables interrogation of frozen tissues. *Nature Methods*, 14(10):959–962. Cited By :43.
- Cusanovich, D. A., R. Daza, A. Adey, H. A. Pliner, L. Christiansen, K. L. Gunderson, F. J. Steemers, C. Trapnell, and J. Shendure  
2015. Multiplex single-cell profiling of chromatin accessibility by combinatorial cellular indexing. *Science*, 348(6237):910–914.
- Datlinger, P., A. F. Rendeiro, C. Schmidl, T. Krausgruber, P. Traxler, J. Klughammer, L. C. Schuster, A. Kuchler, D. Alpar, and C. Bock  
2017. Pooled crispr screening with single-cell transcriptome readout. *Nature Methods*, 14(3):297–301.
- Eberwine, J., H. Yeh, K. Miyashiro, Y. Cao, S. Nair, R. Finnell, M. Zettel, and P. Coleman  
1992. Analysis of gene expression in single live neurons. *Proceedings of the National Academy of Sciences of the United States of America*, 89(7):3010–3014.
- Eng, C.-H. L., M. Lawson, Q. Zhu, R. Dries, N. Koulina, Y. Takei, J. Yun, C. Cronin, C. Karp, G.-C. Yuan, and et al.  
2019. Transcriptome-scale super-resolved imaging in tissues by rna seqfish. *Nature*, 568(7751):235–239.
- Erhard, F., M. A. P. Baptista, T. Krammer, T. Hennig, M. Lange, P. Arampatzi,

- C. S. Jürges, F. J. Theis, A.-E. Saliba, L. Dölken, and et al.  
2019. scslam-seq reveals core features of transcription dynamics in single cells. *Nature*, 571(7765):419–423.
- Fan, X., X. Zhang, X. Wu, H. Guo, Y. Hu, F. Tang, and Y. Huang  
2015. Single-cell rna-seq transcriptome analysis of linear and circular rnas in mouse preimplantation embryos. *Genome Biology*, 16(1).
- Gierahn, T. M., M. H. Wadsworth, T. K. Hughes, B. D. Bryson, A. Butler, R. Satija, S. Fortune, J. Christopher Love, and A. K. Shalek  
2017. Seq-well: Portable, low-cost rna sequencing of single cells at high throughput. *Nature Methods*, 14(4):395–398.
- Guo, H., P. Zhu, F. Guo, X. Li, X. Wu, X. Fan, L. Wen, and F. Tang  
2015. Profiling dna methylome landscapes of mammalian cells with single-cell reduced-representation bisulfite sequencing. *Nature Protocols*, 10(5):645–659.
- Gupta, I., P. G. Collier, B. Haase, A. Mahfouz, A. Joglekar, T. Floyd, F. Koopmans, B. Barres, A. B. Smit, S. Sloan, and et al.  
2018. Single-cell isoform rna sequencing (scisor-seq) across thousands of cells reveals isoforms of cerebellar cell types. *Nature Biotechnology*.
- Han, X., R. Wang, Y. Zhou, L. Fei, H. Sun, S. Lai, A. Saadatpour, Z. Zhou, H. Chen, F. Ye, and et al.  
2018. Mapping the mouse cell atlas by microwell-seq. *Cell*, 173(5):1307.
- Hashimshony, T., N. Senderovich, G. Avital, A. Klochender, Y. de Leeuw, L. Anavy, D. Gennert, S. Li, K. J. Livak, O. Rozenblatt-Rosen, Y. Dor, A. Regev, and I. Yanai  
2016. Cel-seq2: Sensitive highly-multiplexed single-cell rna-seq. *Genome biology*, 17(1).
- Hashimshony, T., F. Wagner, N. Sher, and I. Yanai  
2012. Cel-seq: Single-cell rna-seq by multiplexed linear amplification. *Cell Reports*, 2(3):666–673.
- Hochgerner, H., P. Lönnerberg, R. Hodge, J. Mikes, A. Heskol, H. Hubschle, P. Lin, S. Picelli, G. L. Manno, M. Ratz, and et al.  
2017. Strt-seq-2i: dual-index 5’ single cell and nucleus rna-seq on an addressable microwell array. *Scientific Reports*, 7(1).
- Hou, Y., H. Guo, C. Cao, X. Li, B. Hu, P. Zhu, X. Wu, L. Wen, F. Tang, Y. Huang, and J. Peng  
2016. Single-cell triple omics sequencing reveals genetic, epigenetic, and tran-

- scriptomic heterogeneity in hepatocellular carcinomas. *Cell research*, 26(3):304–319.
- Islam, S., U. Kjällquist, A. Moliner, P. Zajac, J.-B. Fan, P. Lönnerberg, and S. Linnarsson  
2011. Characterization of the single-cell transcriptional landscape by highly multiplex rna-seq. *Genome Research*, 21(7):1160–1167.
- Islam, S., U. Kjällquist, A. Moliner, P. Zajac, J.-B. Fan, P. Lönnerberg, and S. Linnarsson  
2012. Highly multiplexed and strand-specific single-cell rna 5’ end sequencing. *Nature Protocols*, 7(5):813–828.
- Jaitin, D. A., E. Kenigsberg, H. Keren-Shaul, N. Elefant, F. Paul, I. Zaretsky, A. Mildner, N. Cohen, S. Jung, A. Tanay, and I. Amit  
2014. Massively parallel single-cell rna-seq for marker-free decomposition of tissues into cell types. *Science*, 343(6172):776–779.
- Jaitin, D. A., A. Weiner, I. Yofe, D. Lara-Astiaso, H. Keren-Shaul, E. David, T. M. Salame, A. Tanay, A. V. Oudenaarden, I. Amit, and et al.  
2016. Dissecting immune circuits by linking crispr-pooled screens with single-cell rna-seq. *Cell*, 167(7).
- Keren-Shaul, H., E. Kenigsberg, D. A. Jaitin, E. David, F. Paul, A. Tanay, and I. Amit  
2019. Mars-seq2.0: an experimental and analytical pipeline for indexed sorting combined with single-cell rna sequencing. *Nature Protocols*, 14(6):1841–1862.
- Kimmerling, R. J., G. Lee Szeto, J. W. Li, A. S. Genshaft, S. W. Kazer, K. R. Payer, J. De Riba Borrajo, P. C. Blainey, D. J. Irvine, A. K. Shalek, and S. R. Manalis  
2016. A microfluidic platform enabling single-cell rna-seq of multigenerational lineages. *Nature Communications*, 7.
- Klein, A. M., L. Mazutis, I. Akartuna, N. Tallapragada, A. Veres, V. Li, L. Peshkin, D. A. Weitz, and M. W. Kirschner  
2015. Droplet barcoding for single-cell transcriptomics applied to embryonic stem cells. *Cell*, 161(5):1187–1201.
- Kurimoto, K., Y. Yabuta, Y. Ohinata, Y. Ono, K. Uno, R. Yamada, H. Ueda, and M. Saitou  
2006. An improved single-cell cdna amplification method for efficient high-density oligonucleotide microarray analysis. *Nucleic Acids Research*, 34(5).

- Kurimoto, K., Y. Yabuta, Y. Ohinata, and M. Saitou  
2007. Global single-cell cDNA amplification to provide a template for representative high-density oligonucleotide microarray analysis. *Nature Protocols*, 2(3):739–752.
- Lan, F., B. Demaree, N. Ahmed, and A. R. Abate  
2017. Single-cell genome sequencing at ultra-high-throughput with microfluidic droplet barcoding. *Nature Biotechnology*, 35(7):640–646.
- Lareau, C. A., F. M. Duarte, J. G. Chew, V. K. Kartha, Z. D. Burkett, A. S. Kohlway, D. Pokholok, M. J. Aryee, F. J. Steemers, R. Lebofsky, and J. D. Buenrostro  
2019. Droplet-based combinatorial indexing for massive scale single-cell epigenomics. *bioRxiv*.
- Liu, L., C. Liu, A. Quintero, L. Wu, Y. Yuan, M. Wang, M. Cheng, L. Leng, L. Xu, G. Dong, and et al.  
2019. Deconvolution of single-cell multi-omics layers reveals regulatory heterogeneity. *Nature Communications*, 10(1).
- Macaulay, I. C., W. Haerty, P. Kumar, Y. I. Li, T. X. Hu, M. J. Teng, M. Goolam, N. Saurat, P. Coupland, L. M. Shirley, and et al.  
2015. G&t-seq: parallel sequencing of single-cell genomes and transcriptomes. *Nature Methods*, 12(6):519–522.
- Macaulay, I. C., M. J. Teng, W. Haerty, P. Kumar, C. P. Ponting, and T. Voet  
2016. Separation and parallel sequencing of the genomes and transcriptomes of single cells using g&t-seq. *Nature Protocols*, 11(11):2081–2103.
- Macosko, E. Z., A. Basu, R. Satija, J. Nemesh, K. Shekhar, M. Goldman, I. Tirosh, A. R. Bialas, N. Kamitaki, E. M. Martersteck, J. J. Trombetta, D. A. Weitz, J. R. Sanes, A. K. Shalek, A. Regev, and S. A. McCarroll  
2015. Highly parallel genome-wide expression profiling of individual cells using nanoliter droplets. *Cell*, 161(5):1202–1214.
- Peterson, V. M., K. X. Zhang, N. Kumar, J. Wong, L. Li, D. C. Wilson, R. Moore, T. K. McClanahan, S. Sadekova, and J. A. Klappenbach  
2017. Multiplexed quantification of proteins and transcripts in single cells. *Nature biotechnology*, 35(10):936–939.
- Picelli, S., Å. K. Björklund, O. R. Faridani, S. Sagasser, G. Winberg, and R. Sandberg  
2013. Smart-seq2 for sensitive full-length transcriptome profiling in single cells. *Nature Methods*, 10(11):1096–1100.

- Picelli, S., O. R. Faridani, Å. K. Björklund, G. Winberg, S. Sagasser, and R. Sandberg  
2014. Full-length rna-seq from single cells using smart-seq2. *Nature Protocols*, 9(1):171–181.
- Pollen, A. A., T. J. Nowakowski, J. Shuga, X. Wang, A. A. Leyrat, J. H. Lui, N. Li, L. Szpankowski, B. Fowler, P. Chen, and et al.  
2014. Low-coverage single-cell mrna sequencing reveals cellular heterogeneity and activated signaling pathways in developing cerebral cortex. *Nature Biotechnology*, 32(10):1053–1058.
- Preissl, S., R. Fang, H. Huang, Y. Zhao, R. Raviram, D. U. Gorkin, Y. Zhang, B. C. Sos, V. Afzal, D. E. Dickel, and et al.  
2018. Single-nucleus analysis of accessible chromatin in developing mouse fore-brain reveals cell-type-specific transcriptional regulation. *Nature Neuroscience*, 21(7):1015–1015.
- Ramsköld, D., S. Luo, Y. . Wang, R. Li, Q. Deng, O. R. Faridani, G. A. Daniels, I. Khrebtukova, J. F. Loring, L. C. Laurent, G. P. Schroth, and R. Sandberg  
2012. Full-length mrna-seq from single-cell levels of rna and individual circulating tumor cells. *Nature biotechnology*, 30(8):777–782.
- Rosenberg, A. B., C. M. Roco, R. A. Muscat, A. Kuchina, P. Sample, Z. Yao, L. T. Graybuck, D. J. Peeler, S. Mukherjee, W. Chen, S. H. Pun, D. L. Sellers, B. Tasic, and G. Seelig  
2018. Single-cell profiling of the developing mouse brain and spinal cord with split-pool barcoding. *Science*, 360(6385):176–182.
- Rotem, A., O. Ram, N. Shores, R. A. Sperling, A. Goren, D. A. Weitz, and B. E. Bernstein  
2015. Single-cell chip-seq reveals cell subpopulations defined by chromatin state. *Nature Biotechnology*, 33(11):1165–1172.
- Sasagawa, Y., H. Danno, H. Takada, M. Ebisawa, K. Tanaka, T. Hayashi, A. Kurisaki, and I. Nikaido  
2018. Quartz-seq2: a high-throughput single-cell rna-sequencing method that effectively uses limited sequence reads. *Genome Biology*, 19(1).
- Sasagawa, Y., I. Nikaido, T. Hayashi, H. Danno, K. D. Uno, T. Imai, and H. R. Ueda  
2013. Quartz-seq: a highly reproducible and sensitive single-cell rna sequencing method, reveals non-genetic gene-expression heterogeneity. *Genome Biology*, 14(4).



- Shah, S., E. Lubeck, W. Zhou, and L. Cai  
2016. In situ transcription profiling of single cells reveals spatial organization of cells in the mouse hippocampus. *Neuron*, 92(2):342–357.
- Singh, M., G. Al-Eryani, S. Carswell, J. M. Ferguson, J. Blackburn, K. Barton, D. Roden, F. Luciani, T. G. Phan, S. Junankar, and et al.  
2019. High-throughput targeted long-read single cell sequencing reveals the clonal and transcriptional landscape of lymphocytes. *Nature Communications*, 10(1).
- Smallwood, S. A., H. J. Lee, C. Angermueller, F. Krueger, H. Saadeh, J. Peat, S. R. Andrews, O. Stegle, W. Reik, and G. Kelsey  
2014. Single-cell genome-wide bisulfite sequencing for assessing epigenetic heterogeneity. *Nature Methods*, 11(8):817–820.
- Soumillon, M., D. Cacchiarelli, S. Semrau, A. V. Oudenaarden, and T. S. Mikkelsen  
2014. Characterization of directed differentiation by high-throughput single-cell rna-seq. *bioRxiv*.
- Stoeckius, M., C. Hafemeister, W. Stephenson, B. Houck-Loomis, P. K. Chattopadhyay, H. Swerdlow, R. Satija, and P. Smibert  
2017. Simultaneous epitope and transcriptome measurement in single cells. *Nature Methods*, 14(9):865–868.
- Streets, A. M., X. Zhang, C. Cao, Y. Pang, X. Wu, L. Xiong, L. Yang, Y. Fu, L. Zhao, F. Tang, and Y. Huang  
2014. Microfluidic single-cell whole-transcriptome sequencing. *Proceedings of the National Academy of Sciences of the United States of America*, 111(19):7048–7053.
- Tang, F., C. Barbacioru, S. Bao, C. Lee, E. Nordman, X. Wang, K. Lao, and M. A. Surani  
2010. Tracing the derivation of embryonic stem cells from the inner cell mass by single-cell rna-seq analysis. *Cell Stem Cell*, 6(5):468–478.
- Tang, F., C. Barbacioru, Y. Wang, E. Nordman, C. Lee, N. Xu, X. Wang, J. Bodeau, B. B. Tuch, A. Siddiqui, K. Lao, and M. A. Surani  
2009. mrna-seq whole-transcriptome analysis of a single cell. *Nature Methods*, 6(5):377–382.
- Wang, G., J. R. Moffitt, and X. Zhuang  
2018a. Multiplexed imaging of high-density libraries of rnas with merfish and expansion microscopy. *Scientific Reports*, 8(1).

- Wang, X., W. E. Allen, M. A. Wright, E. L. Sylwestrak, N. Samusik, S. Vesuna, K. Evans, C. Liu, C. Ramakrishnan, J. Liu, and et al.  
2018b. Three-dimensional intact-tissue sequencing of single-cell transcriptional states. *Science*, 361(6400).
- Xia, C., H. P. Babcock, J. R. Moffitt, and X. Zhuang  
2019. Multiplexed detection of rna using merfish and branched dna amplification. *Scientific Reports*, 9(1).
- Žilionis, R., J. Nainys, A. Veres, V. Savova, D. Zemmour, A. M. Klein, and L. Mazutis  
2017. Single-cell barcoding and sequencing using droplet microfluidics. *Nature Protocols*, 12(1):44–73.