



ARS NEFFY X USC

APRIL 24, 2026 REPORT

Anaphylaxis Care Model

Venus Duran Arevalo, Abigail Salazar, Aayushi Dusad, Brian Camilo

USC'S CURRENT STATE

Awareness Gap



Only ONE allergy awareness event this semester; focused on symptom ID, not emergency response. No anaphylaxis drill equivalent exists on campus.

Bystander Unpreparedness



Most students don't carry their own medication. Bystanders have no structured guidance during an active emergency.

Accessibility Gap



Epinephrine stored 'behind the counter' and DPS is not communicative about sharing allergy response protocols when asked by our team for a statement.

Fragmented Response



DPS protocol defaults to calling 911. Cross-campus communication between dining, DPS, housing, and health centers is uneven.

BUILDING ALLERGY READINESS TOGETHER: BYSTANDERS & DPS

Preparedness should not rely on memory. It should be built into the environment.

For Bystanders

Goal: Remove hesitation by making recognition and response intuitive.

- Campus-wide allergy awareness built into orientation
- QR-coded emergency response guides at high-traffic zones
- Clear visual differentiation for Neffy stations vs. standard first aid
- Publicly labeled high-trigger dining zones
- Step-by-step instructions accessible before panic sets in

For USC / DPS

Goal: Standardise response pathways before the crisis occurs.

- Map and publish all epinephrine access points in MySHR
- Ensure 24/7 Neffy access in multiple high-traffic locations
- Integrate emergency phone systems with allergy protocols
- Host recurring campus allergy awareness and training events
- Establish cross-team escalation protocol: DPS + housing + dining

WHAT STANDS IN OUR WAY?

THE BARRIERS

Adopting a comprehensive care model means confronting friction on both sides of the equation — the trained responders and the untrained public.

Bringing awareness to the allergy space first, whilst **ALONGSIDE Neffy, not the other way around.**

DPS RETRAINING FATIGUE

Extra retraining programs risk feeling tedious and burdensome for DPS officers already managing full workloads.


BYSTANDER APATHY

There's no guarantee bystanders will choose to educate themselves — urgency and awareness must be actively created, not assumed.

AWARENESS GAP

Without sustained outreach — flyers, events, short- and long-term touchpoints — the spark of awareness never ignites. **Making our work unique: a de-centralized marketing focused initiative**

THE IDEAL NEFFY CARE MODEL AT A GLANCE



RECOGNIZE

REACT

RESPOND

Simple enough to remember. Powerful enough to save a life.

Built for **bystanders, alongside DPS, not separate.**

PILOT PROGRAM


THE BYSTANDER CAMPAIGN

Unite bystanders and DPS as a single response unit. Start with small advertisements and make it known to clubs, flyers, and QR codes — to build awareness, gather data, and create urgency around the allergy safety conversation on campus & scale over time.

1. *USC Global Medical Brigades*
2. *Community Health Involvement Club*
3. *USC Global Medical Training*
4. *USC Volunteer Center*
5. *Science Outreach at USC*



EQUITABLE ACCESS

-  **Dining Halls / Food Transition Zones (>20)**
-  **Recreational Spaces (x30)**
-  **Campus Entry Points (x5) & Transit Nodes (x3)**
-  **Libraries (x5)**
-  **Residential (>30)**



NEXT STEPS

Equip - Educate - Engage

NOW

- 1 Launch bystander awareness campaign at USC
- 2 Create Neffy orientation module for MySHR
- 3 Identify 3–5 pilot Neffy station locations on campus

3 MONTHS

- 1 Install QR-coded emergency guides campus-wide
- 2 Establish cross-team escalation protocol (DPS + dining + housing)
- 3 Host first 'Recognize, React, Respond' campus event

1 YEAR

- 1 Measure time-to-Neffy baseline and track improvements
- 2 Partner with USC health clubs and pre-med orgs
- 3 Build national replication playbook for other universities

See a hive?
Swollen eyes?
Hear a wheeze?

Allergies?

Do you Recognise these signs?



See a hive?



Swollen eyes?



Hear a wheeze?



Can't breathe?



Losing strength?
Rapidly?



Tilt. Insert. Press.
get to ease!

*neffy in the nose
is how it goes!*

You must React fast. Use a Neffy.



Not a Jab, 
Just a Spray!



Say it out loud,
So everybody knows!

You've saved the day!
Respond and stay aware. Call DPS.


If symptoms continue after 5–10 min
Use a second dose in the same nostril.



Call 911
DPS - 213-740-4321



USC X NEFFY



TUTOR CAMPUS CENTER
FOOD COURT








FUTURE CAMPAIGN

Apply the campaign to a grander scale through university sponsorships for greater awareness. This standard is also an added benefit as the framework can be transferable to other institutions nationwide.





ARS NEFFY X USC

APRIL 24, 2026 REPORT

Thank You.

Venus Duran Arevalo, Abigail Salazar, Aayushi Dusad, Brian Camilo