
Bio-Inspired Distributed Sensing for Improved Flight Control

*Sergio A. Araujo-Estrada*¹ Shane Windsor²

¹Research Associate

²Lecturer in Aerodynamics/Aeroelasticity
Aerospace Engineering Department
s.araujoestrada@bristol.ac.uk

Overview

Introduction

Motivation

Research Problem

Research at UoB

Previous Research

Current Research

Concluding Remarks

Motivation: Why Bio-Inspired Distributed Sensing?

Amazing Kestrel!!!

Kestrel Hovering and Hunting in Cornwall


Paul Dinning, 2015

<https://www.youtube.com/watch?v=7j60sP7zL6w>


Motivation: Why Bio-Inspired Distributed Sensing?

Insects


Flow Sensors



Force Sensors



Birds



Bats





Figure: Biological sensory systems




Motivation: Why Bio-Inspired Distributed Sensing?

Insects


Flow Sensors



Force Sensors



Birds



Bats






Figure: Biological sensory systems




Motivation: Why Bio-Inspired Distributed Sensing?

Insects


Flow Sensors



Force Sensors



Birds



Bats






Figure: Biological sensory systems




Motivation: Why Bio-Inspired Distributed Sensing?

Insects


Flow Sensors



Force Sensors




Birds



Bats


Hairs



Muscle spindles




Figure: Biological sensory systems




Motivation: Why Bio-Inspired Distributed Sensing?

Insects



Flow Sensors



Force Sensors



Birds



Bats






Figure: Biological sensory systems


Motivation: Why Bio-Inspired Distributed Sensing?

Insects


Flow Sensors



Force Sensors



Birds



Bats






Figure: Biological sensory systems


Motivation: Why Bio-Inspired Distributed Sensing?

Insects


Flow Sensors



Force Sensors



Birds



Bats




Figure: Biological sensory systems

Muscle
spindles



Muscle spindles

Hedenstrom et al. (2015)

Motivation: Why Bio-Inspired Distributed Sensing?

- ❖ Current UAV autopilot technologies

- ❖ Challenges

- ❖ Potential use of force and flow information

Motivation: Why Bio-Inspired Distributed Sensing?

❖ Current UAV autopilot technologies

- Inertial
- Single point air speed
- GPS
- Vision

❖ Challenges

❖ Potential use of force and flow information

Motivation: Why Bio-Inspired Distributed Sensing?

- ❖ Current UAV autopilot technologies

- ❖ Challenges

- ❖ Potential use of force and flow information

Motivation: Why Bio-Inspired Distributed Sensing?

❖ Current UAV autopilot technologies

- Intrinsic nonlinear dynamics
- Classic control strategies limitations
- Limitations of inertial controls

❖ Challenges

❖ Potential use of force and flow information

Motivation: Why Bio-Inspired Distributed Sensing?

- ❖ Current UAV autopilot technologies

- ❖ Challenges

- ❖ Potential use of force and flow information

Motivation: Why Bio-Inspired Distributed Sensing?

❖ Current UAV autopilot technologies

- Availability of aerodynamic variables
 - Improved flight dynamics model
 - Stall detection

❖ Challenges

- Earlier gust detection
 - Gust rejection/alleviation
- Localised information
 - Localised control
 - Load tailoring


❖ Potential use of force and flow information

Research Problem

Use force and flow sensing to improve performance of UAVs flight control systems.

To achieve this we aim to:

- ❖ Develop distributed sensing system for UAV
- ❖ Integrate with conventional flight control system
- ❖ Measure response to gusts/turbulence
- ❖ Develop flight control systems




Research Problem

Use force and flow sensing to improve performance of UAVs flight control systems.

To achieve this we aim to:

- ❖ Develop distributed sensing system for UAV
- ❖ Integrate with conventional flight control system
- ❖ Measure response to gusts/turbulence
- ❖ Develop flight control systems




Research Problem

Use force and flow sensing to improve performance of UAVs flight control systems.

To achieve this we aim to:

- ❖ Develop distributed sensing system for UAV
- ❖ Integrate with conventional flight control system
- ❖ Measure response to gusts/turbulence
- ❖ Develop flight control systems




Research Problem

Use force and flow sensing to improve performance of UAVs flight control systems.

To achieve this we aim to:

- ❖ Develop distributed sensing system for UAV
- ❖ Integrate with conventional flight control system
- ❖ Measure response to gusts/turbulence
- ❖ Develop flight control systems



Research Problem

Use force and flow sensing to improve performance of UAVs flight control systems.

To achieve this we aim to:


- ❖ Develop distributed sensing system for UAV
- ❖ Integrate with conventional flight control system
- ❖ Measure response to gusts/turbulence
- ❖ Develop flight control systems

Research Problem

Use force and flow sensing to improve performance of UAVs flight control systems.

To achieve this we aim to:

- ❖ Develop distributed sensing system for UAV
- ❖ Integrate with conventional flight control system
- ❖ Measure response to gusts/turbulence
- ❖ Develop flight control systems



Previous Research at UoB: Strain sensing




Figure: Strain sensing platform

- ❖ Implement closed loop roll control using strain sensing
- ❖ 12 full-bridge strain gauges and amplifiers distributed along spar of wing
- ❖ Wind tunnel characterisation

Previous Research at UoB: Strain sensing




Figure: Strain sensing platform instrumentation

- ❖ Implement closed loop roll control using strain sensing
- ❖ 12 full-bridge strain gauges and amplifiers distributed along spar of wing
- ❖ Wind tunnel characterisation

Previous Research at UoB: Strain sensing




Figure: Strain wind tunnel characterisation

- ❖ Implement closed loop roll control using strain sensing
- ❖ 12 full-bridge strain gauges and amplifiers distributed along spar of wing
- ❖ Wind tunnel characterisation

Previous Research at UoB: Strain sensing




Figure: Strain wind tunnel characterisation

- ❖ Implement closed loop roll control using strain sensing
- ❖ 12 full-bridge strain gauges and amplifiers distributed along spar of wing
- ❖ Wind tunnel characterisation

Previous Research at UoB: Strain sensing




Figure: Strain wind tunnel characterisation

- ❖ Implement closed loop roll control using strain sensing
- ❖ 12 full-bridge strain gauges and amplifiers distributed along spar of wing
- ❖ Wind tunnel characterisation

Previous Research at UoB: Strain sensing




Figure: Strain sensing platform

- ❖ Response to controlled gusts
- ❖ Open loop free flight
- ❖ Closed loop free flight
- ❖ Outdoor flight testing

Previous Research at UoB: Strain sensing

- ❖ Response to controlled gusts
- ❖ Open loop free flight
- ❖ Closed loop free flight
- ❖ Outdoor flight testing

Previous Research at UoB: Strain sensing




Figure: Strain sensing platform

- ❖ Response to controlled gusts
- ❖ Open loop free flight
- ❖ Closed loop free flight
- ❖ Outdoor flight testing

Previous Research at UoB: Strain sensing





Figure: Strain sensing platform

- ❖ Response to controlled gusts
- ❖ Open loop free flight
- ❖ Closed loop free flight
- ❖ Outdoor flight testing


Previous Research at UoB: Strain sensing



- ⚡ Response to controlled gusts
- ⚡ Open loop free flight
- ⚡ Closed loop free flight
- ⚡ Outdoor flight testing

Figure: Strain response to control inputs


Previous Research at UoB: Strain sensing



- ❖ Response to controlled gusts
- ❖ Open loop free flight
- ❖ Closed loop free flight
- ❖ Outdoor flight testing

Figure: Strain response to control inputs

Previous Research at UoB: Strain sensing



- ❖ Response to controlled gusts
- ❖ Open loop free flight
- ❖ Closed loop free flight
- ❖ Outdoor flight testing

Figure: Strain response to control inputs

Previous Research at UoB: Pressure sensing



Figure: Pressure sensing platform

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Pressure sensing platform

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Pressure sensing platform instrumentation

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Pressure wind tunnel characterisation

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Pressure wind tunnel characterisation

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Pressure wind tunnel characterisation

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Pressure sensing platform

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Outdoors angle-of-attack tracking

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Outdoors angle-of-attack tracking

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB: Pressure sensing




Figure: Outdoors angle-of-attack tracking

- ❖ Implement closed loop pitch control using pressure sensing
- ❖ 3-D printed insert on starboard wing
- ❖ Static-pressure ports distributed along wing-chord
- ❖ Wind tunnel characterisation
- ❖ Closed loop 1DOF WT testing
- ❖ Outdoor flight testing

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show significant changes during movement
- 👉 Strain & pressure signal show significant changes during movement
- 👉 Similar performance to IMU-based control
- 👉 Strain & pressure signal show significant changes during movement
- 👉 Information not available using IMU

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Previous Research at UoB

What did we learn?

- 👉 Strain & pressure signal show
 - Linear response with AoA
 - Stall markers
- 👉 Similar performance to IMU-based control
 - Strain → roll control
 - Pressure → pitch control
- 👉 Information not available using IMU
 - AoA, stall, roll acceleration, non-linear lift

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ☛ Pressure and strain sensing experimental platform
- ☛ Calibration & characterisation experiments
- ☛ Closed loop control algorithms

Divided into two phases:

- ☛ Phase 1: Wind tunnel experiments
- ☛ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Research focuses on:

- ❖ Pressure and strain sensing experimental platform
- ❖ Calibration & characterisation experiments
- ❖ Closed loop control algorithms

Divided into two phases:

- ❖ Phase 1: Wind tunnel experiments
- ❖ Phase 2: Outdoor flights experiments

Current Research at UoB

Wing model instrumentation:

- ☛ Chord-wise array of 30 pressure ports in two sections
 - ☛ Span-wise array with 16 strain gauges
 - ☛ Servo actuated control surfaces
 - ☛ MCU-based data acquisition system using, sampling 100 Hz
 - ☛ 1-DOF pitch motion servo-driven system for automated motion
-

Current Research at UoB

Wing model instrumentation:

- ❖ Chord-wise array of 30 pressure ports in two sections
- ❖ Span-wise array with 16 strain gauges
- ❖ Servo actuated control surfaces
- ❖ MCU-based data acquisition system using, sampling 100 Hz
- ❖ 1-DOF pitch motion servo-driven system for automated motion




Figure: Wing model experimental platform

Current Research at UoB

Wing model instrumentation:

- ❖ Chord-wise array of 30 pressure ports in two sections
- ❖ Span-wise array with 16 strain gauges
- ❖ Servo actuated control surfaces
- ❖ MCU-based data acquisition system using, sampling 100 Hz
- ❖ 1-DOF pitch motion servo-driven system for automated motion




Figure: Wing model experimental platform

Current Research at UoB

Wing model instrumentation:

- ❖ Chord-wise array of 30 pressure ports in two sections
- ❖ Span-wise array with 16 strain gauges
- ❖ Servo actuated control surfaces
- ❖ MCU-based data acquisition system using, sampling 100 Hz
- ❖ 1-DOF pitch motion servo-driven system for automated motion




Figure: Wing model experimental platform

Current Research at UoB

Wing model instrumentation:

- ❖ Chord-wise array of 30 pressure ports in two sections
- ❖ Span-wise array with 16 strain gauges
- ❖ Servo actuated control surfaces
- ❖ MCU-based data acquisition system using, sampling 100 Hz
- ❖ 1-DOF pitch motion servo-driven system for automated motion




Figure: Wing model experimental platform

Current Research at UoB

Wing model instrumentation:

- ❖ Chord-wise array of 30 pressure ports in two sections
- ❖ Span-wise array with 16 strain gauges
- ❖ Servo actuated control surfaces
- ❖ MCU-based data acquisition system using, sampling 100 Hz
- ❖ 1-DOF pitch motion servo-driven system for automated motion




Figure: Wing model experimental platform

Current Research at UoB

Wing model instrumentation:

- ❖ Chord-wise array of 30 pressure ports in two sections
- ❖ Span-wise array with 16 strain gauges
- ❖ Servo actuated control surfaces
- ❖ MCU-based data acquisition system using, sampling 100 Hz
- ❖ 1-DOF pitch motion servo-driven system for automated motion





Figure: Wing model experimental platform



Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Pressure & strain response to dynamic input

Current Research at UoB




Figure: Pressure & strain response to dynamic input

Current Research at UoB




Figure: Pressure & strain response to dynamic input

Current Research at UoB




Figure: Pressure & strain response to dynamic input

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
- ❖ Design and implement closed loop control:

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
 - AoA, airspeed
 - Aerodynamic loads
- ❖ Design and implement closed loop control:
 - Classic control architecture
 - Algorithm using information from distributed array

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
 - AoA, airspeed
 - Aerodynamic loads
- ❖ Design and implement closed loop control:
 - Classic control architecture
 - Algorithm using information from distributed array

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
 - AoA, airspeed
 - Aerodynamic loads
- ❖ Design and implement closed loop control:
 - Classic control architecture
 - Algorithm using information from distributed array

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
 - AoA, airspeed
 - Aerodynamic loads
- ❖ Design and implement closed loop control:
 - Classic control architecture
 - Algorithm using information from distributed array

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
 - AoA, airspeed
 - Aerodynamic loads
- ❖ Design and implement closed loop control:
 - Classic control architecture
 - Algorithm using information from distributed array

Current Research at UoB




Figure: Possible UAV control strategies

Currently working on:

- ❖ Use strain and pressure signals to estimate
 - AoA, airspeed
 - Aerodynamic loads
- ❖ Design and implement closed loop control:
 - Classic control architecture
 - Algorithm using information from distributed array

Concluding Remarks

👉 Lots of information on pressure and strain data

👉 Challenges:

- Sensor placement

- Sensor placement

👉 Questions remain:

- Sensor placement

- Sensor placement

Concluding Remarks

- 👉 Lots of information on pressure and strain data
- 👉 Challenges:
 - Best way to use data?
 - Role of machine learning
- 👉 Questions remain:
 - Sensors location & number
 - Extra potential uses & benefits?

Concluding Remarks

☛ Lots of information on pressure and strain data

☛ Challenges:

- Best way to use data?
- Role of machine learning

☛ Questions remain:

- Sensors location & number
- Extra potential uses & benefits?

Concluding Remarks

👉 Lots of information on pressure and strain data

👉 Challenges:

- Best way to use data?
- Role of machine learning

👉 Questions remain:

- Sensors location & number
- Extra potential uses & benefits?

Concluding Remarks

☛ Lots of information on pressure and strain data

☛ Challenges:

- Best way to use data?
- Role of machine learning

☛ Questions remain:

- Sensors location & number
- Extra potential uses & benefits?

Concluding Remarks

☛ Lots of information on pressure and strain data

☛ Challenges:

- Best way to use data?
- Role of machine learning

☛ Questions remain:

- Sensors location & number
- Extra potential uses & benefits?

Concluding Remarks

☛ Lots of information on pressure and strain data

☛ Challenges:

- Best way to use data?
- Role of machine learning

☛ Questions remain:

- Sensors location & number
- Extra potential uses & benefits?

Concluding Remarks

👉 Lots of information on pressure and strain data

👉 Challenges:

- Best way to use data?
- Role of machine learning

👉 Questions remain:

- Sensors location & number
- Extra potential uses & benefits?

Thank you

We would like to thank Dr Kieran Wood and Dr Tom Richardson for their involvement in the
pressure sensing project.



This project has received funding from the European Research Council (ERC)
under the European Unions Horizon 2020 research and innovation programme
(grant agreement No 679355)



European Research Council
Established by the European Commission

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Strain response for various q values

Current Research at UoB




Figure: Pressure response for various q values

Current Research at UoB




Figure: Pressure response for various q values

Current Research at UoB




Figure: Pressure response for various q values

Current Research at UoB




Figure: Pressure response for various q values

Current Research at UoB




Figure: Pressure response for various q values

Current Research at UoB




Figure: Pressure response for various q values