- ¹ Negative density dependence promotes persistence of a globally rare yet locally
- 2 abundant plant species (Oenothera coloradensis)
- ³ Alice E. Stears^{1*}, Bonnie Heidel², Maria Paniw³, Roberto Salguero-Gómez⁴, Daniel C.
- 4 Laughlin¹
- ¹Botany Department and Program in Ecology, University of Wyoming, Laramie, WY;
- ⁶ Wyoming Natural Diversity Database, University of Wyoming, Laramie, WY;
- ³Estación Biológica de Doñana, Sevilla, Spain;
- ⁸ Department of Zoology, University of Oxford, Oxford, OX2 6LD, United Kingdom
- ⁹ *Corresponding Author: astears@uwyo.edu
- 10 Acknowledgements: Funding for this project was provided by the Wyoming Native Plant
- Society Markow Grant, and the U.S. Fish and Wildlife Service (USFWS) through a grant to the
- 12 Wyoming Natural Diversity Database and the University of Wyoming Botany Department (grant
- ¹³ #14AC00827). Collection of seeds for germination experiments was conducted under USFWS
- Permit #TE085324-2. Data at Soapstone Prairie were collected under permits #1082-2018
- 15 (2018), #1166-2019 (2019), and #4919647-26 (2020). Data collection at F.E. Warren Air Force
- 16 Base was conducted with permission and assistance from Alex Schubert, USFWS Fish and
- 17 Wildlife Biologist.
- ¹⁸ Author Contributions: Alice Stears, Daniel Laughlin, and Bonnie Heidel contributed to study
- conception and design and collected demographic data. Analysis was performed by Alice Stears
- ²⁰ with contributions from Daniel Laughlin, Maria Paniw and Roberto Salguero-Gómez. Alice
- 21 Stears wrote the manuscript with contributions from all authors.
- 22 Data Availability Statement: All data that has not previously been published will be
- 23 available from Zenodo. All code will be available to download from a public GitHub repository
- 24 and archived on Zenodo.

2

25 Conflict of Interest Statement: The authors declare no conflict of interest.