September 12, 2024
Alice Stears
Center for Adaptable Western Landscapes
Northern Arizona University
Flagstaff, Arizona, USA

Dear Editors of *Oikos*,

Please consider our revised manuscript, "Negative density dependence promotes persistence of a globally rare yet locally abundant plant species *(Oenothera coloradensis)*" for publication as a Research Article in *Oikos*. This manuscript is not being considered for publication elsewhere, although it has been posted as a pre-print on BioRxiv (https://doi.org/10.1101/2023.10.25.563615). All authors have approved the manuscript and agree with its submission to this journal. We have addressed editor and reviewer comments throughout the manuscript, and have specifically focused our efforts on expanding our analysis of demographic compensation. This addition made our analysis more statistically rigorous, but did not alter our previous conclusion that demographic compensation is not acting in the populations we studied.

Elucidating the mechanisms that allow small populations of rare species to persist has been a goal of many ecologists since the discipline's inception. Classical theory predicts that species should either become common or go extinct, yet the earth is covered with small populations of naturally rare species. Ecologists have proposed several different demographic mechanisms that allow small populations of rare species to maintain positive population growth rates, the most common of which are vital rate buffering, demographic compensation, negative density dependence, spatial asynchrony, and fine-scale source-sink dynamics. These mechanisms have all been explored individually, but rarely have been tested simultaneously in the same system. In this study, we used integral projection models (IPMs)to evaluate whether any of these five proposed mechanisms of small population persistence have enabled populations of an endemic rare plant species, *Oenothera coloradensis*, to persist over time. We also tested the extent to which explicitly modeling the cryptic seed bank stage alters conclusions about population viability for this species.

Our analyses identified strong evidence for only one persistence mechanism, negative density dependence, in populations of *O. coloradensis*. This suggests that subpopulations increase rapidly in size when abundance is low, allowing this species to sidestep the demographic and genetic challenges of small population size that rare species typically face. These shows that globally rare species can employ many different strategies for persistence, and additionally illustrate that just one of the proposed mechanisms can be sufficient for long-term persistence of a species. We also determined that incorporating the seed bank stage into IPMs for *O. coloradensis* significantly increased the asymptotic population growth rate calculated from these models. This reinforces the notion that seed banks can buffer populations against collapse. Additionally, this demonstrates that failing to explicitly account for cryptic life stages in demographic models, a relatively common practice, can have significant impacts on model outcomes and subsequent management and conservation practices.

Our study integrates multiple proposed mechanisms of rare-species persistence into a synthetic framework that we test with a methodologically rigorous, yet flexible approach. Both the ecological concepts and practical methods we describe are applicable across study systems and even taxonomic groups, so this manuscript will be of interest to a wide constituent of the *Oikos* readership.

We look forward to hearing from you, and thank you for the opportunity to revise this manuscript.

On behalf of all co-authors,

Alice Stears, Ph.D.