

Select a definition

Partner API

Lookout Partner API

1.13.0 OAS 3.0

https://partner.lookout.com/api/partners/assets/swagger.json

Data, order processing, and management API for Lookout partners.

Servers

https://partner.preprod.flexilis.com

Tenants

Tenant Data API

^

GET	/api/partners/v1/tenants	Return the tenants for the commercial partner.	▼
GET	/api/partners/v1/tenants/global_data	Global data summary	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/data_bundle	Return the data bundle of a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/licenses_purchased	Return the total number of licenses purchased by a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/licenses_used	Return the total number of licenses used by a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/admin_logins	Return the total number of admin logins for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/last_admin_login	Return the last admin login date-time for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/open_issues	Return the total number of open issues for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/resolved_issues	Return the total number of resolved issues for a tenant.	▼

GET	/api/partners/v1/tenants/{externalPartnerId}/applications_scanned	Return the total number of applications scanned for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/malicious_sites_blocked	Return the total number of malicious sites blocked for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/phishing_sites_blocked	Return the total number of phishing sites blocked for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/protections	Return the types of Lookout protections enabled for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/global_enrollment_code_url	Return the global enrollement code URL for a tenant.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/subscription	Return the current subscription overview for a tenant. Only tenant subscriptions created through the Lookout Partner API are visible.	▼
GET	/api/partners/v1/tenants/{externalPartnerId}/orders	Return a paginated list of orders for a tenant. Only orders submitted through the Lookout Partner API are visible.	▼

Organizations Organization Data API



GET	/api/partners/v1/orgs	Returns a paginated list of organizations that belong to a commercial partner.	▼
GET	/api/partners/v1/orgs/default	Returns the default organization for a commercial partner.	▼
GET	/api/partners/v1/orgs/{externalOrgId}	Return details about an organization.	▼
GET	/api/partners/v1/orgs/{externalOrgId}/tenants	Return details about an organization's tenants.	▼
PUT	/api/partners/v1/orgs/{externalOrgId}/default	Change the default organization for a commercial partner.	▼

Orders Order processing API for tenants and organizations



POST	/api/partners/v1/orders	Process a create order for a tenant or organization.	^
Parameters			

No parameters

Request body required

application/json

A JSON object containing order creation information for a tenant or an organization. The **transaction_id** and **external_partner_id** format must be alphanumeric and can include dashes and underscores. Append the '-TST' SKU suffix when sending test orders for MES. Append the '-TRL' SKU suffix when sending trial orders for MFS. If your create request contains a SKU that has a 'U1M' or is a 'UC' SKU for 1 Month **autoRenewState** must be set = 'ON'.

Example Value Schema

```
{
  "transactionId": "allow-alphanumeric-dashes_underscores",
  "externalPartnerId": "allow-alphanumeric-dashes_underscores",
  "skus": [
    "MESP-C-U1Y-PD-TST"
  ],
  "termType": "ANNUAL",
  "language": "en",
  "termLength": 1,
  "seatTotal": 100,
  "autoRenewState": "OPEN",
  "overrideCode": "SEIDNET",
  "commercialPartnerName": "string",
  "contactEmail": "linda@bobsburgers.com",
  "contactFirstName": "Linda",
  "contactLastName": "Belcher",
  "companyName": "Bob's burgers",
  "companyDetails": "Flipping burgers at the shore.",
  "streetAddress1": "Seymour's Bay",
  "streetAddress2": "Ocean Avenue",
  "city": "Hoboken",
  "state": "NJ",
  "zip": 3608,
  "country": "US",
  "companyDomain": "hobshurgers.com"
```

Responses

Code	Description	Links
201	Order response. <div><div>Media type<div>application/json</div><div>Controls Accept header.</div></div><div>Example Value Schema</div></div>	No links

Code	Description	Links
	<pre>{ "transactionId": "allow-alphanumeric-dashes_underscores", "externalPartnerId": "allow-alphanumeric-dashes_underscores", "orderDate": "2021-12-30T23:59:60Z", "implementationDate": "2021-12-31T23:59:60Z", "orderType": "CREATE", "orderState": "SUCCESS", "errorMessage": "Error message for orders that failed to get processed", "lookoutEntityGuid": "9c84be13-5d9b-4ab0-a9c0-12d86f86695a"} </pre>	
400	<p>Bad Request.</p> <p>Media type</p> <div>application/json</div> <p>Example Value Schema</p> <pre>{ "message": "string", "traceId": "6c84be13-5d9b-4ab0-a9c0-12d86f86695a", "code": 400 }</pre>	No links
403	<p>Forbidden.</p> <p>Media type</p> <div>application/json</div> <p>Example Value Schema</p> <pre>{ "message": "string", "traceId": "6c84be13-5d9b-4ab0-a9c0-12d86f86695a", "code": 403 }</pre>	No links
POST	/api/partners/v1/orders/modify Process a modify order for a tenant.	▼
POST	/api/partners/v1/orders/renew Process a renew order for a tenant.	▼
POST	/api/partners/v1/orders/cancel Process a cancel order for a tenant.	▼
GET	/api/partners/v1/orders/{transactionId} Find a tenant order by transaction ID.	▼

Management

Management API for tenants and organizations

GET	/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys	Return details about all keys for provided external identifier.	⌵
POST	/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys	Create an application key for the Management API application on provided external identifier	⌵
GET	/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys/{keyGuid}	Return details about matching key guid for provided external identifier.	⌵
DELETE	/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys/{keyGuid}	Delete provided key guid	⌵
GET	/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys	Return details about all keys for provided external identifier.	⌵
POST	/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys	Create an application key for the Management API application on provided external identifier	⌵
GET	/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys/{keyGuid}	Return details about matching key guid for provided external identifier.	⌵
DELETE	/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys/{keyGuid}	Delete provided key guid	⌵

Schemas

Error

NotFoundError

BadRequestError

UnauthorizedError

Admin

AdminModify

LicensesPurchased

LicensesUsed

AdminLogins

LastAdminLogin

OpenIssues

ResolvedIssues

ApplicationsScanned

MaliciousSitesBlocked

PhishingSitesBlocked

Protections

GlobalEnrollmentCodeUrl

Subscription

Org

OrgDetails

TenantDetails

MesRegion

SseRegion

Tenant

SseTenant

ApplicationKey

CreateApplicationKey

ManagedOrder

AutoRenewState

Skus

TermType

ProductType

Language

EntityState

OrderType

OrderState

OrderHeader

OrderBodyRequest

OrgOrderBodyRequest

OrderBodyRequestModify

OrderBodyRequestRenew

OrderBodyRequestCancel

OrderBodyResponse

OrderStatus

Order

MesTenantCreateOrder

MesManagedTenantCreateOrder

MesOrgCreateOrder

SseTenantCreateOrder

PerCountryStat