

Lookout Partner API

Overview

Data, order processing, and management API for Lookout partners.

Tags

Tenants

Tenant Data API

Organizations

Organization Data API

Orders

Order processing API for tenants and organizations

Management

Management API for tenants and organizations

Paths

***POST* /api/partners/v1/orders** Process a create order for a tenant or organization.

Responses

Code	Description	Links
201	Order response. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

***POST* /api/partners/v1/orders/modify** Process a modify order for a tenant.

The modify endpoint allows subscription changes that do not change the term. For term related changes, for example changing the term length, type, or auto-renewal status, please use the renew order endpoint.

Responses

Code	Description	Links
200	Order response. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

***POST* /api/partners/v1/orders/renew** Process a renew order for a tenant.

Responses

Code	Description	Links
200	Order response. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

POST **/api/partners/v1/orders/cancel** Process a cancel order for a tenant.

Responses

Code	Description	Links
200	Order response. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

GET **/api/partners/v1/orders/{transactionId}** Find a tenant order by transaction ID.

Parameters

Type	Name	Description	Schema
path	transactionId <i>required</i>		string

Responses

Code	Description	Links
200	Order response with details. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

Code	Description	Links
404	Not Found. <i>Content</i> application/json	No Links

GET /api/partners/v1/tenants Return the tenants for the commercial partner.

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The number of items to skip before starting to collect the result set.	integer
query	limit <i>optional</i>	The numbers of items to return.	integer

Responses

Code	Description	Links									
200	Paginated list of tenants for the commercial partner. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>tenants <i>optional</i></td><td></td><td>< TenantDetails> array</td></tr> <tr> <td>count <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	tenants <i>optional</i>		< TenantDetails > array	count <i>optional</i>		integer	No Links
Name	Description	Schema									
tenants <i>optional</i>		< TenantDetails > array									
count <i>optional</i>		integer									
400	Bad Request. <i>Content</i> application/json	No Links									
403	Forbidden. <i>Content</i> application/json	No Links									

Code	Description	Links
404	Not Found. <i>Content</i> application/json	No Links

GET /api/partners/v1/tenants/global_data Global data summary

A global summary across all tenants. Updated twice a day.

Responses

Code	Description	Links															
200	<p>Return the total number of: - Apps analyzed - Malicious sites detected - Phishing sites detected</p> <p>Additionally, based on countries registered to the Partner, return the breakdown of: - Malicious sites detected per country - Phishing sites detected per country</p> <p><i>Content</i> application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>appsAnalyzed <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>maliciousSitesDetected <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>phishingSitesDetected <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>countries <i>optional</i></td><td>One or more per country statistic.</td><td>< PerCountryStat > array</td></tr> </table>	Name	Description	Schema	appsAnalyzed <i>optional</i>		integer	maliciousSitesDetected <i>optional</i>		integer	phishingSitesDetected <i>optional</i>		integer	countries <i>optional</i>	One or more per country statistic.	< PerCountryStat > array	No Links
Name	Description	Schema															
appsAnalyzed <i>optional</i>		integer															
maliciousSitesDetected <i>optional</i>		integer															
phishingSitesDetected <i>optional</i>		integer															
countries <i>optional</i>	One or more per country statistic.	< PerCountryStat > array															
400	Bad Request. <i>Content</i> application/json	No Links															

Code	Description	Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/data_bundle

Return the data bundle of a tenant.

Parameters

Type	Name	Description	Schema
query	filter <i>optional</i>		string
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links																																	
200	<p>Aggregated data from the various tenant endpoints.</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>licensesPurchased <i>optional</i></td><td></td><td>Licenses Purchased</td></tr> <tr> <td>licensesUsed <i>optional</i></td><td></td><td>Licenses Used</td></tr> <tr> <td>adminLogins <i>optional</i></td><td></td><td>AdminLogins</td></tr> <tr> <td>lastAdminLogin <i>optional</i></td><td></td><td>LastAdminLogin</td></tr> <tr> <td>openIssues <i>optional</i></td><td></td><td>OpenIssues</td></tr> <tr> <td>resolvedIssues <i>optional</i></td><td></td><td>ResolvedIssues</td></tr> <tr> <td>applicationsScanned <i>optional</i></td><td></td><td>ApplicationsScanned</td></tr> <tr> <td>maliciousSitesBlocked <i>optional</i></td><td></td><td>MaliciousSitesBlocked</td></tr> <tr> <td>phishingSitesBlocked <i>optional</i></td><td></td><td>PhishingSitesBlocked</td></tr> <tr> <td>protections <i>optional</i></td><td></td><td>Protections</td></tr> </table>	Name	Description	Schema	licensesPurchased <i>optional</i>		Licenses Purchased	licensesUsed <i>optional</i>		Licenses Used	adminLogins <i>optional</i>		AdminLogins	lastAdminLogin <i>optional</i>		LastAdminLogin	openIssues <i>optional</i>		OpenIssues	resolvedIssues <i>optional</i>		ResolvedIssues	applicationsScanned <i>optional</i>		ApplicationsScanned	maliciousSitesBlocked <i>optional</i>		MaliciousSitesBlocked	phishingSitesBlocked <i>optional</i>		PhishingSitesBlocked	protections <i>optional</i>		Protections	No Links
Name	Description	Schema																																	
licensesPurchased <i>optional</i>		Licenses Purchased																																	
licensesUsed <i>optional</i>		Licenses Used																																	
adminLogins <i>optional</i>		AdminLogins																																	
lastAdminLogin <i>optional</i>		LastAdminLogin																																	
openIssues <i>optional</i>		OpenIssues																																	
resolvedIssues <i>optional</i>		ResolvedIssues																																	
applicationsScanned <i>optional</i>		ApplicationsScanned																																	
maliciousSitesBlocked <i>optional</i>		MaliciousSitesBlocked																																	
phishingSitesBlocked <i>optional</i>		PhishingSitesBlocked																																	
protections <i>optional</i>		Protections																																	

Code	Description	Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/licenses_purchased Return the total number of licenses purchased by a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of licenses purchased. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

Code	Description	Links
404	Not Found. <i>Content</i> application/json	No Links

GET
/api/partners/v1/tenants/{externalPartnerId}/licenses_used Return the total number of licenses used by a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of licenses used. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/admin_logins Return the total number of admin logins for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of admin logins. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/last_admin_login Return the last admin login date-time for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Last admin login date-time. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/open_issues Return the total number of open issues for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of open issues. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links

Code	Description	Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET
/api/partners/v1/tenants/{externalPartnerId}/resolved_issues Return the total number of resolved issues for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of resolved issues. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/applications_scanned Return the total number of applications scanned for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of applications scanned. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/malicious_sites_blocked Return the total number of malicious sites blocked for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of malicious sites blocked. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/phishing_sites_blocked Return the total number of phishing sites blocked for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Number of phishing sites blocked. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links

Code	Description	Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET
/api/partners/v1/tenants/{externalPartnerId}/protections
s Return the types of Lookout protections enabled for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Types of enabled Lookout protection features. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/global_enrollment_code_url Return the global enrollement code URL for a tenant.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Global enrollment code URL. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/subscription Return the current subscription overview for a tenant. Only tenant subscriptions created through the Lookout Partner API are visible.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Current subscription overview. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/tenants/{externalPartnerId}/orders

Return a paginated list of orders for a tenant. Only orders submitted through the Lookout Partner API are visible.

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The number of items to skip before starting to collect the result set.	integer
path	externalPartnerId <i>required</i>		string
query	limit <i>optional</i>	The numbers of items to return.	integer

Responses

Code	Description	Links						
200	Paginated list of orders. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>orders <i>optional</i></td><td>List of orders</td><td>< Order > array</td></tr> </table>	Name	Description	Schema	orders <i>optional</i>	List of orders	< Order > array	No Links
Name	Description	Schema						
orders <i>optional</i>	List of orders	< Order > array						
400	Bad Request. <i>Content</i> application/json	No Links						
403	Forbidden. <i>Content</i> application/json	No Links						
404	Not Found. <i>Content</i> application/json	No Links						

***GET* /api/partners/v1/orgs** Returns a paginated list of organizations that belong to a commercial partner.

Responses

Code	Description	Links									
200	Paginated list of organizations. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>orgs <i>optional</i></td><td></td><td>< OrgDetails > array</td></tr> <tr> <td>count <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	orgs <i>optional</i>		< OrgDetails > array	count <i>optional</i>		integer	No Links
Name	Description	Schema									
orgs <i>optional</i>		< OrgDetails > array									
count <i>optional</i>		integer									

Code	Description	Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

***GET* /api/partners/v1/orgs/default** Returns the default organization for a commercial partner.

Responses

Code	Description	Links
200	Details about an Organization. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

***GET* /api/partners/v1/orgs/{externalOrgId}** Return details about an organization.

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string

Responses

Code	Description	Links
200	Details about an Organization. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET /api/partners/v1/orgs/{externalOrgId}/tenants

Return details about an organization's tenants.

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string

Responses

Code	Description	Links									
200	<p>Paginated list of tenants for the commercial partner.</p> <p><i>Content</i> application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>tenants <i>optional</i></td><td></td><td>< TenantDetails> array</td></tr> <tr> <td>count <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	tenants <i>optional</i>		< TenantDetails > array	count <i>optional</i>		integer	No Links
Name	Description	Schema									
tenants <i>optional</i>		< TenantDetails > array									
count <i>optional</i>		integer									
400	<p>Bad Request.</p> <p><i>Content</i> application/json</p>	No Links									
403	<p>Forbidden.</p> <p><i>Content</i> application/json</p>	No Links									
404	<p>Not Found.</p> <p><i>Content</i> application/json</p>	No Links									

GET
/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys Return details about all keys for provided external identifier.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	List of Application Keys for a specific external identifier <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

POST

/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys Create an application key for the Management API application on provided external identifier

Key name parameter is optional. If it is not supplied through the request body, a default name of ManagementApi-<timestamp> will be assigned

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string

Responses

Code	Description	Links
200	Information of singular application key. NOTE: The key itself is ONLY provided on creation. <i>Content</i> application/json	No Links

Code	Description	Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys/{keyGuid} Return details about matching key guid for provided external identifier.

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string
path	keyGuid <i>required</i>		string

Responses

Code	Description	Links
200	Information of singular application key. NOTE: The key itself is ONLY provided on creation. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links

Code	Description	Links
404	Not Found. <i>Content</i> application/json	No Links

DELETE

/api/partners/v1/mgmt/tenants/{externalPartnerId}/application_keys/{keyGuid} Delete provided key guid

Parameters

Type	Name	Description	Schema
path	externalPartnerId <i>required</i>		string
path	keyGuid <i>required</i>		string

Responses

Code	Description	Links
200	Information of singular application key. NOTE: The key itself is ONLY provided on creation. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys Return details about all keys for provided external identifier.

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string

Responses

Code	Description	Links
200	List of Application Keys for a specific external identifier <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

POST

/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys Create an application key for the Management API application on provided external identifier

Key name parameter is optional. If it is not supplied through the request body, a default name of ManagementApi-<timestamp> will be assigned

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string

Responses

Code	Description	Links
200	Information of singular application key. NOTE: The key itself is ONLY provided on creation. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

GET

/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys/{keyGuid} Return details about matching key guid for provided external identifier.

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string
path	keyGuid <i>required</i>		string

Responses

Code	Description	Links
200	Information of singular application key. NOTE: The key itself is ONLY provided on creation. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

DELETE

/api/partners/v1/mgmt/orgs/{externalOrgId}/application_keys/{keyGuid} Delete provided key guid

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string
path	keyGuid <i>required</i>		string

Responses

Code	Description	Links
200	Information of singular application key. NOTE: The key itself is ONLY provided on creation. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links

Code	Description	Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

***PUT* /api/partners/v1/orgs/{externalOrgId}/default** Change the default organization for a commercial partner.

Parameters

Type	Name	Description	Schema
path	externalOrgId <i>required</i>		string

Responses

Code	Description	Links
200	Details about an Organization. <i>Content</i> application/json	No Links
400	Bad Request. <i>Content</i> application/json	No Links
403	Forbidden. <i>Content</i> application/json	No Links
404	Not Found. <i>Content</i> application/json	No Links

Components

Schemas

Error

Properties

Name	Description	Schema
message <i>required</i>		string
traceId <i>required</i>		string (uuid)

NotFoundError

BadRequestError

UnauthorizedError

Admin

Properties

Name	Description	Schema
contactEmail <i>required</i>		string (email)
contactFirstName <i>required</i>		string
contactLastName <i>required</i>		string

AdminModify

Properties

Name	Description	Schema
contactEmail <i>optional</i>		string (email)
contactFirstName <i>optional</i>		string
contactLastName <i>optional</i>		string

LicensesPurchased

Properties

Name	Description	Schema

Name	Description	Schema
licensesPurchased <i>optional</i>		integer

LicensesUsed

Properties

Name	Description	Schema
licensesUsed <i>optional</i>		integer

AdminLogins

Properties

Name	Description	Schema
adminLogins <i>optional</i>		integer

LastAdminLogin

Properties

Name	Description	Schema
lastAdminLogin <i>optional</i>		string (date-time)

OpenIssues

Properties

Name	Description			Schema
openIssues <i>optional</i>	<i>Properties</i>			object
	Name	Description	Schema	
	high <i>optional</i>		integer	
	medium <i>optional</i>		integer	
	low <i>optional</i>		integer	

ResolvedIssues

Properties

Name	Description	Schema
resolvedIssues <i>optional</i>	<i>Properties</i>	object
	Name	
	Description	
	Schema	
	high <i>optional</i>	integer
	medium <i>optional</i>	integer
	low <i>optional</i>	integer

ApplicationsScanned

Properties

Name	Description	Schema
applicationsScanned <i>optional</i>		integer

MaliciousSitesBlocked

Properties

Name	Description	Schema
maliciousSitesBlocked <i>optional</i>		integer

PhishingSitesBlocked

Properties

Name	Description	Schema
phishingSitesBlocked <i>optional</i>		integer

Protections

Properties

Name	Description	Schema
protections <i>optional</i>	One or more abbreviated Lookout protection features	< string > array

GlobalEnrollmentCodeUrl

Properties

Name	Description	Schema
globalEnrollmentCodeUrl <i>optional</i>		string

Subscription

Properties

Name	Description	Schema
skus <i>optional</i>		Skus
termType <i>optional</i>		TermType
termLength <i>optional</i>		integer
seatTotal <i>optional</i>		integer
autoRenewState <i>optional</i>		AutoRenewState
implementationDate <i>optional</i>		string (date-time)
renewalDate <i>optional</i>		string (date-time)

Org

Properties

Name	Description	Schema
name <i>required</i>		string
defaultOrganization <i>optional</i>		boolean
region <i>optional</i>		MesRegion

OrgDetails

Properties

Name	Description	Schema
name <i>optional</i>		string
externalOrgId <i>optional</i>		string
seats <i>optional</i>		integer

Name	Description	Schema
defaultOrganization <i>optional</i>		boolean
state <i>optional</i>		EntityState

TenantDetails

Properties

Name	Description	Schema
name <i>optional</i>		string
externalPartnerId <i>optional</i>		string
skus <i>optional</i>		Skus
licenseUsage <i>optional</i>		string
billingDate <i>optional</i>		string
state <i>optional</i>		EntityState
guid <i>optional</i>		string (uuid)

MesRegion

SseRegion

Tenant

Properties

Name	Description	Schema
companyName <i>required</i>		string
companyDetails <i>optional</i>		string
streetAddress1 <i>optional</i>		string
streetAddress2 <i>optional</i>		string
city <i>optional</i>		string
state <i>optional</i>		string
zip <i>optional</i>		integer

Name	Description	Schema
country <i>optional</i>		string
companyDomain <i>optional</i>		string
emailDomain <i>optional</i>		string
companyWebsite <i>optional</i>		string
companyPhone <i>optional</i>		string
region <i>optional</i>		MesRegion

SseTenant

Properties

Name	Description	Schema
companyName <i>required</i>		string
companyDetails <i>optional</i>		string
streetAddress1 <i>optional</i>		string
streetAddress2 <i>optional</i>		string
city <i>optional</i>		string
state <i>optional</i>		string
zip <i>optional</i>		integer
country <i>optional</i>		string
companyDomain <i>optional</i>		string
emailDomain <i>optional</i>		string
companyWebsite <i>optional</i>		string
companyPhone <i>optional</i>		string
region <i>required</i>		SseRegion

ApplicationKey

Properties

Name	Description	Schema
guid <i>optional</i>		string
appl_guid <i>optional</i>		string
key_name <i>optional</i>		string
creator_guid <i>optional</i>		string
created_at <i>optional</i>		string
updated_at <i>optional</i>		string
fingerprint <i>optional</i>		string
fingerprint_algo <i>optional</i>		string
expires_at <i>optional</i>		integer
created_by <i>optional</i>		string
key <i>optional</i>		string

CreateApplicationKey

Properties

Name	Description	Schema
key_name <i>optional</i>		string

ManagedOrder

Properties

Name	Description	Schema
managed <i>required</i>		boolean
externalOrgId <i>required</i>		string

AutoRenewState

Skus

TermType

ProductType

Language

EntityState

OrderType

OrderState

OrderHeader

Properties

Name	Description	Schema
transactionId <i>required</i>		string
externalPartnerId <i>required</i>		string

OrderBodyRequest

Properties

Name	Description	Schema
skus <i>required</i>		Skus
termType <i>optional</i>		TermType
language <i>optional</i>		Language
termLength <i>optional</i>		integer
seatTotal <i>required</i>		integer
autoRenewState <i>optional</i>		AutoRenewState
overrideCode <i>optional</i>		string

Name	Description	Schema
commercialPartnerName <i>optional</i>		string

OrgOrderBodyRequest

Properties

Name	Description	Schema
seatTotal <i>required</i>		integer
defaultOrganization <i>optional</i>		boolean
commercialPartnerName <i>optional</i>		string

OrderBodyRequestModify

Properties

Name	Description	Schema
skus <i>required</i>		Skus
seatTotal <i>optional</i>		integer
termType <i>optional</i>		TermType
termLength <i>optional</i>		integer
autoRenewState <i>optional</i>		AutoRenewState
overrideCode <i>optional</i>		string
productType <i>optional</i>		ProductType
commercialPartnerName <i>optional</i>		string

OrderBodyRequestRenew

Properties

Name	Description	Schema
skus <i>required</i>		Skus
seatTotal <i>optional</i>		integer
termType <i>optional</i>		TermType
termLength <i>optional</i>		integer
autoRenewState <i>optional</i>		AutoRenewState
overrideCode <i>optional</i>		string
productType <i>optional</i>		ProductType
commercialPartnerName <i>optional</i>		string

OrderBodyRequestCancel

Properties

Name	Description	Schema
skus <i>required</i>		Skus
productType <i>optional</i>		ProductType
commercialPartnerName <i>optional</i>		string

OrderBodyResponse

Properties

Name	Description	Schema
skus <i>optional</i>		Skus
termType <i>optional</i>		TermType
termLength <i>optional</i>		integer
orderType <i>optional</i>		OrderType

Name	Description	Schema
seatTotal <i>optional</i>		integer
autoRenewState <i>optional</i>		AutoRenewState
overrideCode <i>optional</i>		string

OrderStatus

Properties

Name	Description	Schema
orderDate <i>optional</i>		string (date-time)
implementationDate <i>optional</i>		string (date-time)
orderType <i>optional</i>		OrderType
orderState <i>optional</i>		OrderState
errorMessage <i>optional</i>		string
lookoutEntityGuid <i>optional</i>		string (uuid)

Order

MesTenantCreateOrder

MesManagedTenantCreateOrder

MesOrgCreateOrder

SseTenantCreateOrder

PerCountryStat

Properties

Name	Description	Schema
countryId <i>optional</i>	Country identifier	string

Name	Description	Schema
maliciousSites Detected <i>optional</i>		integer
phishingSitesD etected <i>optional</i>		integer

Parameters

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	The number of items to skip before starting to collect the result set.	integer
query	limit <i>optional</i>	The numbers of items to return.	integer

Responses

Responses

Code	Description	Links
NotFound	Not Found. <i>Content</i> application/json	No Links
BadRequest	Bad Request. <i>Content</i> application/json	No Links
Unauthorized	Forbidden. <i>Content</i> application/json	No Links
Order	Order response. <i>Content</i> application/json	No Links
OrderFull	Order response with details. <i>Content</i> application/json	No Links

Code	Description	Links									
Paginate dOrderList	Paginated list of orders. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>orders <i>optional</i></td><td>List of orders</td><td>< Order > array</td></tr> </table>	Name	Description	Schema	orders <i>optional</i>	List of orders	< Order > array	No Links			
Name	Description	Schema									
orders <i>optional</i>	List of orders	< Order > array									
Current Subscription	Current subscription overview. <i>Content</i> application/json	No Links									
Paginate dTenantsList	Paginated list of tenants for the commercial partner. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>tenants <i>optional</i></td><td></td><td>< TenantDetails> array</td></tr> <tr> <td>count <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	tenants <i>optional</i>		< TenantDetails > array	count <i>optional</i>		integer	No Links
Name	Description	Schema									
tenants <i>optional</i>		< TenantDetails > array									
count <i>optional</i>		integer									
Licenses Purchased	Number of licenses purchased. <i>Content</i> application/json	No Links									
Licenses Used	Number of licenses used. <i>Content</i> application/json	No Links									
AdminLogins	Number of admin logins. <i>Content</i> application/json	No Links									
LastAdminLogin	Last admin login date-time. <i>Content</i> application/json	No Links									

Code	Description	Links
OpenIssues	Number of open issues. <i>Content</i> application/json	No Links
ResolvedIssues	Number of resolved issues. <i>Content</i> application/json	No Links
ApplicationsScanned	Number of applications scanned. <i>Content</i> application/json	No Links
MaliciousSitesBlocked	Number of malicious sites blocked. <i>Content</i> application/json	No Links
PhishingSitesBlocked	Number of phishing sites blocked. <i>Content</i> application/json	No Links
Protections	Types of enabled Lookout protection features. <i>Content</i> application/json	No Links
GlobalEnrollmentCodeUrl	Global enrollment code URL. <i>Content</i> application/json	No Links

Code	Description	Links															
GlobalData	<p>Return the total number of: - Apps analyzed - Malicious sites detected - Phishing sites detected</p> <p>Additionally, based on countries registered to the Partner, return the breakdown of: - Malicious sites detected per country - Phishing sites detected per country</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>appsAnalyzed <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>maliciousSitesDetected <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>phishingSitesDetected <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>countries <i>optional</i></td><td>One or more per country statistic.</td><td>< PerCountryStat > array</td></tr> </table>	Name	Description	Schema	appsAnalyzed <i>optional</i>		integer	maliciousSitesDetected <i>optional</i>		integer	phishingSitesDetected <i>optional</i>		integer	countries <i>optional</i>	One or more per country statistic.	< PerCountryStat > array	No Links
Name	Description	Schema															
appsAnalyzed <i>optional</i>		integer															
maliciousSitesDetected <i>optional</i>		integer															
phishingSitesDetected <i>optional</i>		integer															
countries <i>optional</i>	One or more per country statistic.	< PerCountryStat > array															
ApplicationKeys	<p>List of Application Keys for a specific external identifier</p> <p><i>Content</i></p> <p>application/json</p>	No Links															
ApplicationKey	<p>Information of singular application key. NOTE: The key itself is ONLY provided on creation.</p> <p><i>Content</i></p> <p>application/json</p>	No Links															
Org	<p>Details about an Organization.</p> <p><i>Content</i></p> <p>application/json</p>	No Links															

Code	Description	Links									
PaginatedOrgsList	<p>Paginated list of organizations.</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>orgs <i>optional</i></td><td></td><td>< OrgDetails > array</td></tr> <tr> <td>count <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	orgs <i>optional</i>		< OrgDetails > array	count <i>optional</i>		integer	No Links
Name	Description	Schema									
orgs <i>optional</i>		< OrgDetails > array									
count <i>optional</i>		integer									

Code	Description	Links																																	
TenantDataBundle	<p>Aggregated data from the various tenant endpoints.</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>licensesPurchased <i>optional</i></td><td></td><td>Licenses Purchased</td></tr> <tr> <td>licensesUsed <i>optional</i></td><td></td><td>Licenses Used</td></tr> <tr> <td>adminLogins <i>optional</i></td><td></td><td>AdminLogins</td></tr> <tr> <td>lastAdminLogin <i>optional</i></td><td></td><td>LastAdminLogin</td></tr> <tr> <td>openIssues <i>optional</i></td><td></td><td>OpenIssues</td></tr> <tr> <td>resolvedIssues <i>optional</i></td><td></td><td>ResolvedIssues</td></tr> <tr> <td>applicationsScanned <i>optional</i></td><td></td><td>ApplicationsScanned</td></tr> <tr> <td>maliciousSitesBlocked <i>optional</i></td><td></td><td>MaliciousSitesBlocked</td></tr> <tr> <td>phishingSitesBlocked <i>optional</i></td><td></td><td>PhishingSitesBlocked</td></tr> <tr> <td>protections <i>optional</i></td><td></td><td>Protections</td></tr> </table>	Name	Description	Schema	licensesPurchased <i>optional</i>		Licenses Purchased	licensesUsed <i>optional</i>		Licenses Used	adminLogins <i>optional</i>		AdminLogins	lastAdminLogin <i>optional</i>		LastAdminLogin	openIssues <i>optional</i>		OpenIssues	resolvedIssues <i>optional</i>		ResolvedIssues	applicationsScanned <i>optional</i>		ApplicationsScanned	maliciousSitesBlocked <i>optional</i>		MaliciousSitesBlocked	phishingSitesBlocked <i>optional</i>		PhishingSitesBlocked	protections <i>optional</i>		Protections	No Links
Name	Description	Schema																																	
licensesPurchased <i>optional</i>		Licenses Purchased																																	
licensesUsed <i>optional</i>		Licenses Used																																	
adminLogins <i>optional</i>		AdminLogins																																	
lastAdminLogin <i>optional</i>		LastAdminLogin																																	
openIssues <i>optional</i>		OpenIssues																																	
resolvedIssues <i>optional</i>		ResolvedIssues																																	
applicationsScanned <i>optional</i>		ApplicationsScanned																																	
maliciousSitesBlocked <i>optional</i>		MaliciousSitesBlocked																																	
phishingSitesBlocked <i>optional</i>		PhishingSitesBlocked																																	
protections <i>optional</i>		Protections																																	