

Tabelle1

aetherise -ignore all dcm/csv/* csv dcm/csv/*/* csv -aggregate list > list.csv

canceled	Visitor	v	Clear
bad	Desk SW	s	f Fog
error	Sign reversed	r	m Mist
outlier	Corrugated paper up	p	h Haze
unusual		c	Clouds
anomaly	possible outlier, something strange	w	Wind
		r	Rain

Gray dT values are manually calculated and added.

date	no	time sidereal	dur	tribut	weather	uncertainty	T	TD	dT	sign	adjust	corr	drift	abs	drift	Bemerkung	comment
1925-03-27	101	18:10	06:26	20	f	0,013	7,05	0,1		+	0		0,79	4,06			Foggy
1925-03-27	102	21:10	09:26	37	f	0,019	5,58	0,3	-0,20	+	3		-0,45	6,32			Weather: Heavy fog. Clearing at 9:00. Using medium wide fringes. Steady and straight.
1925-03-28	103	16:00	04:19	20	v	0,012	13,55	1,8		+	0		1,36	2,57			Weather - heavy fog.
1925-03-28	104	16:35	04:54	17	f	0,014	13,55	1,8		0			-0,93	2,59			Weather foggy. (Increasing length gives negative readings. therefor signs reversed.) Fringes extra steady + straight, medium width.
1925-03-28	105	17:05	05:24	10		0,014				+	0	x	2,79	3,75			Weather clear. Sign correct. Fringes - straight, steady, wide.
1925-03-28	106	17:45	06:04	27		0,014	10,43	1,5		+	2		2,64	4,87			clear
1925-03-30	107	15:34	04:01	36	f	0,006	4,28	0,4		-	3		-1,56	2,62			Weather - Foggy. cold. Found Acetylene water (?) frozen, solid ice.
1925-03-30	108	16:15	04:42	35	f	0,004	4,00	0,4	-0,20	+	2		0,32	1,43			Foggy to start, clear at end. fringes very steady, straight, medium width - field about 14 fringes wide.
1925-03-30	109	23:00	11:28	32		0,016	0,18	0,3	0,02	+	3		1,29	6,13			clear. adjusted all mirrors completely. Fringes very steady. Medium width.
1925-03-31	110	00:38	13:11	15	f	0,009	0,48	0,3	0,15	+	0		2,39	4,94			Foggy. Fringes steady. Medium width.
1925-03-31	111	00:58	13:29	19	f	0,006	0,80	0,6	0,15	+	1		1,95	3,10			Foggy.
1925-04-01	112	12:22	00:59	43	f	0,014	5,50	1,8		+	5		5,51	8,73			Faint fog, partly clear. Optical system carefully centered. (The sign is reversed. See second chart)?
1925-04-02	113	01:52	14:31	25		0,009	0,85	0,7	0,10	+	1		-0,10	3,88			clear. Optical system completely adjusted. Excellent set.
1925-04-02	114	02:52	15:31	15		0,006	1,48	0,5	0,10	0			1,40	2,00			clear. Extra good.
1925-04-02	115	03:10	15:49	13		0,006	1,50	0,5	0,05	0			1,34	1,65	Temperatur fällt ab hier		clear. Extra good.
1925-04-02	116	03:48	16:27	13		0,006	1,35	0,4		0			0,72	1,60			clear. Extra good.
1925-04-02	117	04:12	16:51	12	s	0,007	1,33	0,5	-0,03	0			1,00	1,76			clear. Desk changed from N.W. to S.W. corner + used flash instead of electric light bulb. Extra good.
1925-04-02	118	04:58	17:37	25	s	0,008	1,30	0,5		1			0,38	2,38			clear. Saw sunrise 5:42. Desk at S.W. flashlight. Fringes wide + steady. Extra good.
1925-04-02	119	06:12	18:52	20	s	0,013	1,23	0,9		0			-0,90	3,76			clear. desk at S.W. flashlight. good set.
1925-04-02	120	06:35	19:25	21	s	0,009	1,58	2	0,46	0			0,31	3,07			clear. (?) night. 1151 to 6:35 AM, 8 sets, 189 turns = 10400 feet walking, = 2 miles. Desk S.W.-flash. good set.
1925-04-02	121	09:06	21:44	42	s	0,028	7,71	7,4	0,51	+	5		-1,21	6,83			clear, sunshine and melting snow. desk SW corner flashlight.
1925-04-03	122	15:46	04:29	10	f	0,018	11,25	0,4		0			1,60	4,54	Gruppe ist Ausreißer in Epoche		Foggy. Desk back to NW corner. Small acetylene lamp used. placed near axis of instrument + floating on it. recorder again in North
1925-04-03	123	16:10	04:53	19	f	0,013	11,05	0,4	-0,26	0			2,00	3,87			Foggy. Lamp on instrument. good set. (?) condition seem most favorable. Blast on road obliterates fringes for i see. None during ob
1925-04-03	124	17:16	05:59	14	f	0,014	9,08	0,6		-	0		-0,42	4,89			Foggy. Lamp on instrument. Extra wide fringes (field=8 fringes wide). Steady + throughout. good set.
1925-04-03	125	17:36	06:19	18	f	0,013	8,26	0,8	-0,40	-	1		-1,00	5,63			Foggy. Narrow Fringes (Field=20 fringes wide). Fringes extra steady.
1925-04-03	126	18:00	06:44	8	f	0,024	8,03	0,8		0			1,23	10,09			Foggy. Fringes normal width (field=14 fringes wide). Poor set. Fringes unsteady.
1925-04-08	127	16:03	05:05	25	v	0,022	16,40	1,6		+	1		5,51	7,11			clear. Centered all interferometer mirrors. Light on instrument.
1925-04-08	128	16:35	05:37	17		0,019	16,26	1,6	-0,14	+	1		3,45	4,47			Clear. Light on instrument. Fairly good set.
1925-04-08	129	18:00	07:02	20		0,016	12,93	1,5		+	2		-0,85	5,58			Clear. Outside light. (?) of illumination centered. Fringes wide. Poor set - sundown.
1925-04-08	130	23:53	12:55	16		0,026	8,33	0,6	-0,01	1			0,22	11,00			Clear. Light outside, illuminating apsis(?) centered.
1925-04-09	131	01:00	14:06	17		0,021	8,73	0,9		+	1		-1,36	6,27			Clear. (thin clouds). Light outside.
1925-04-09	132	01:33	14:39	12		0,013	8,85	0,9	0,12	-	2		-1,27	4,95			Clear. Light on instrument.
1925-04-09	133	01:53	14:59	17		0,008	8,96	0,7	-0,02	+	1		0,87	2,61			Clear. Light on instrument. Fringes wide + steady.
1925-04-09	134	14:33	03:39	6		0,026	20,88	2		1			2,28	5,25			Clear. Light on instrument.
1925-04-09	135	15:00	04:06	13		0,025	20,94	2	0,07	2			6,31	10,18			Clear. Light on instrument.
1925-04-10	136	12:07	00:44	27		0,044	23,08	2,8		4			0,92	6,88			Light on instrument. Poor set. (Last set).
1925-07-24	1	17:30	13:37	10		0,028	27,48	1,3		2	x		-12,91	14,75	8 Messungen, von Miller verworfen		Weather: clear. First trial. after finding fringes Temperature very unsteady. 'signs correct' means that lengthening the telescope arm
1925-07-25	2	02:00	22:14	64	v	0,039	16,20	0,4	-0,01	-	3	x	-1,94	5,89			Fairly-Clear. Temperature conditions very unfavorable.
1925-07-25	3	02:37	22:53	18	v	0,044	16,38	0,7		+	1		5,11	6,33			Clear. Temp. very unsteady. Poor.
1925-07-27	4	01:20	21:42	20	v	0,040	20,91	0,3	-0,15	-	2	x	-0,13	5,64			Clear. Ventilating fan put in house on Sunday p.m. July 26.
1925-07-27	5	01:46	22:08	13		0,034	20,03	0,2		-	0	x	-1,44	7,75			Clear.
1925-07-27	6	02:16	22:38	21		0,025	19,68	0,3		+	3	x	-0,27	8,78			clear. Earthquake tremors noted this evening. wide fringes about 12 to field.
1925-07-27	7	02:49	23:11	27		0,032	19,66	0,8	-0,01	+	4	x	4,39	9,14			Clear.
1925-07-27	8	03:29	23:51	32		0,022	19,61	0,8	-0,03	+	2		2,64	5,35			Clear. Signs (?).
1925-07-27	9	04:12	00:35	35		0,029	19,58	0,6		+	7		1,66	6,42			Clear. temp. falling. Signs reversed?
1925-07-27	10	04:54	01:17	28		0,024	18,93	0,3		+	5	x	1,59	7,39			Clear.
1925-07-28	11	23:58	20:24	16		0,028	20,30	0		-	1	x	-1,75	8,22			Clear.
1925-07-28	12	01:25	21:51	26		0,023	19,23	0,4	-0,02	+	3	x	-1,80	6,75			Clear. (Temp. falling very slowly). med wide straight fringes.
1925-07-28	13	02:18	22:44	35		0,023	19,03	0,4	-0,09	+	8	x	-1,84	7,29	Augenscheinlich invertiert		Clear.
1925-07-28	14	03:20	23:56	20		0,024	18,69	0,4	-0,11	-	0	x	-0,37	4,37			Clear. extra good set, wide fringes steady.
1925-07-28	15	04:03	00:30	15		0,020	18,48	0,4	-0,03	-	0	x	-1,34	6,90	mitnehmen aufgrund schlechter Gruppe		Clear. fringes med wide + steady.
1925-07-28	16	04:33	01:00	15		0,021	18,48	0,4	-0,03	-	1	x	-1,75	8,22			Clear.
1925-07-28	17	05:03	01:30	15		0,018	18,38	0,4	-0,05	-	1	x	-2,75	7,30	mitnehmen aufgrund schlechter Gruppe		Clear. wide fringes (10 to field).
1925-07-28	18	05:53	02:20	15		0,018	18,78	0,4		+	4	x	0,38	7,35			Clear. Sun shines on Interferometer.
1925-07-28	19	06:08	02:35	15		0,015	18,78	0,4		+	4	x	-0,58	8,85	Gleiches Signal wie bei 18, ungewöhnlich starke		Clear.
1925-07-29	20	23:47	20:21	45		0,042	20,83	0,3		+	5	x	-2,38	7,50			Clear.
1925-07-30	21	01:35	22:09	20	v	0,032	19,43	0,2		-	2	x	-2,88	8,62	Gruppensignale unterschiedlich zu 12		Clear.
1925-07-30	22	02:32	23:07	15		0,025	19,19	0,6	-0,04	0	x		0,49	7,90	Augenscheinlich invertiert		Clear. fringed med wide + straight, good set.
1925-07-30	23	03:08	23:43	16		0,021	19,19	0,6	-0,04	0	x		0,73	7,30			Clear. Fringes steady! Made no adjustment from previous set; and none for next set! Never before so steady! :
1925-07-30	24	03:50	00:25	20		0,018	18,94	0,5	-0,10	-	1	x	-1,28	7,84	mitnehmen aufgrund schlechter Gruppe		Clear. Good set. 3 sets without stopping interferometer to adjust.

Tabelle1

1925-07-30	25	04:27	01:02	15		0,022	18,71	0,5	-0,08	-	0	x	-0,17	4,00	stark erhöhte Amplitude	Clear. Good set.
1925-07-30	26	04:52	01:27	15		0,020	18,61	0,5	-0,02	+-	2	x	0,24	6,35	mitnehmen aufgrund schlechter Gruppe	Clear. To Echo rock to see sunrise, about 5:10 a.m. Good set.
1925-07-30	27	05:34	02:09	18		0,016	18,65	0,6	0,03		2	x	-0,68	7,55	Ähnlich 28 im Vergleich mit Gruppe	clear. After sunrise.
1925-07-30	28	05:56	02:31	22		0,014	18,94	0,6	0,32		2	x	0,38	6,35	Ungewöhnlich starke Amplitude.	Clear. Sun shines on Interferometer. Fringes becoming unsteady.
1925-08-01	29	11:25	08:09	17	h	0,018	26,80	0,7	0,33	+-	1	x	0,27	3,41	ab hier Zeit aufgebaut	Hazy-Clear. Rain Clouds on north descent. with Canvas Cover over house. Canvas in place July 31.
1925-08-01	30	11:51	08:36	28		0,016	27,35	0,7	0,28	+	4	x	6,98	7,47		Partly-clear.
1925-08-01	31	14:01	10:45	28		0,010	28,48	0,3		+	3	x	7,25	7,25	Ungewöhnliche Gruppe, wie 49. Änderung der Te	Clear.
1925-08-01	32	15:14	11:58	20		0,010	28,36	0,1	-0,01	+	4	x	5,08	5,47		Clear.
1925-08-01	33	15:46	12:30	12		0,008	28,00	0,4	-0,06	+	0	x	1,92	2,26	Passiert hier ein Vorzeichenwechsel? Verschwin	Clear.
1925-08-01	34	16:40	13:25	15		0,008	27,48	0,6	-0,28	-	0	x	0,01	1,65		Clear. Extra steady. wide fringes. Best ever made in daytime.
1925-08-01	35	17:20	14:05	33		0,007	27,01	0,6	-0,15	-	3	x	-1,59	2,79	Vorzeichenwechsel korreliert mit Zeichen +-	Clear.
1925-08-01	36	17:46	14:31	13		0,007	26,70	0,5	-0,25	-	1	x	-1,26	2,65		Clear.
1925-08-01	37	19:54	16:39	18		0,023	23,69	0,3	-0,22	-	2	x	-2,24	6,63		Clear.
1925-08-01	38	20:45	17:30	17		0,026	23,03	0,2	-0,22	+-	4	x	-0,58	7,85		Clear.
1925-08-01	39	21:23	18:10	20		0,023	22,46	0,25	-0,15	-	2	x	-2,35	7,11		Clear.
1925-08-01	40	22:11	18:57	28		0,024	22,09	0,25	-0,14	+-	7	x	-1,27	9,11		Clear.
1925-08-03	41	09:25	06:17	6		0,019	23,04	1,3	0,74		1	x	-0,50	1,50	Clear. Sun shines through cracks.	
1925-08-03	42	09:55	06:41	15		0,017	25,25	1,1	0,62		0	x	0,87	4,30	Vermutlich wie 41	Clear.
1925-08-03	43	10:40	07:32	13		0,020	26,65	1,1	0,35	+	2	x	6,71	7,50	mitnehmen aufgrund schlechter Gruppe	Clear. caulked up cracks which shone directly on interferometer.
1925-08-03	44	11:30	08:22	29		0,030	27,58	0,9	0,30	+	7	x	11,93	11,93		Clear.
1925-08-03	45	15:33	12:25	23		0,007	28,98	1	-0,21		2	x	1,40	2,89	Siehe Gruppe 31 und 49.	Clear. Fringes wide and very steady.
1925-08-03	46	16:24	13:17	19		0,006	28,23	1,4	-0,29	+-	1	x	-0,49	1,53	Vorzeichenwechsel oder Temp.?	Clear. Fringes wide and very steady.
1925-08-03	47	17:00	13:53	19		0,006	27,70	1,2	-0,26	-	2	x	-1,97	2,53		Clear. Fringes very steady extra wide.
1925-08-03	48	17:40	14:33	15		0,008	27,03	1,2	-0,31	-	2	x	-2,35	4,50		Clear. Fringes wide + steady.
1925-08-04	49	13:46	10:45	10	v	0,015	29,88	0,6	0,04	+	1	x	1,29	3,18	Siehe Gruppe 31.	Clear. Drs Epstein + Strömberg present. watch cor. +3m.
1925-08-04	50	15:04	12:04	11		0,010	29,78	0,2	0,15	+	2	x	2,57	3,37		Clear.
1925-08-04	51	15:49	12:49	14		0,008	29,66	0,1	-0,16	+	0	x	0,75	1,17		Clear.
1925-08-04	52	16:30	13:30	15		0,007	29,00	0,2	-0,19	-	1	x	-0,71	1,40		Clear.
1925-08-04	53	17:15	14:15	16		0,008	28,15	0,5	-0,24	-	1	x	-1,67	2,11		Clear. Fringes wide and very steady.
1925-08-04	54	17:56	14:56	19		0,010	27,21	0,7	-0,28	+-	3	x	-3,09	5,65		Clear.
1925-08-04	55	20:08	17:08	37		0,030	23,99	0,4	-0,27	+-	5	x	-2,22	8,95	Clear. Fringes steady straight but whole system constantly shifting. Reading seemingly erratic and nevertheless certain.	
1925-08-04	56	20:55	17:56	14		0,029	23,31	0,5	-0,27	+-	1	x	-1,09	9,25		Clear.
1925-08-04	57	21:32	18:33	26		0,028	22,76	0,4	-0,19	+-	3	x	-4,23	7,90		Clear.
1925-08-04	58	22:18	19:16	14		0,027	22,20	0,3	-0,23	-	1	x	-2,67	9,79		Clear.
1925-08-04	59	22:48	19:49	16		0,025	21,84	0,4	-0,06	+-	4	x	-0,85	7,78		Clear. Fringes straight and wide.
1925-08-05	60	13:10	10:10	17		0,011	26,56	0,3	0,06	+	3	x	5,35	5,72		Clear.
1925-08-05	61	13:45	10:45	15		0,008	26,41	0,3	-0,02	+	1	x	3,63	3,63		Clear.
1925-08-05	62	15:08	12:08	15	v	0,007	26,41	0,6	0,08	+	1	x	2,19	2,65		Clear. Wide fringes steady.
1925-08-05	63	15:48	12:48	13		0,007	26,15	0,8	0,05		0	x	-0,01	1,80		Clear.
1925-08-05	64	19:00	16:01	18		0,020	23,21	0,9	-0,43	+-	5	x	-2,04	8,35		Clear. very wide straight fringes.
1925-08-05	65	19:36	16:37	13		0,025	22,20	0,8	-0,33	+-	2	x	0,84	4,70		Clear.
1925-08-05	66	20:16	17:17	21	s	0,031	21,40	0,4	-0,24	+	6	x	-1,65	7,21		Clear. Observers position moved from NW to SW corner, to end of series.
1925-08-05	67	21:02	18:05	20	s	0,032	20,63	0,4	-0,25	+-	3	x	0,49	6,27		Clear.
1925-08-05	68	22:01	19:03	37	s	0,027	19,78	0,3	-0,18	+-	6	x	-5,85	8,47		Clear.
1925-08-06	69	09:33	06:36	22	s	0,022	21,03	1,2	0,59	-	3	x	-4,93	8,53		Clear. Fringes narrow-medium (22 to field).
1925-08-06	70	10:13	07:16	26	s	0,020	22,33	1,1	0,48	+	3	x	3,11	4,95		Clear.
1925-08-06	71	11:21	08:25	18	s	0,023	24,11	0,7	0,22	+	4	x	6,15	7,11		Clear.
1925-08-06	72	11:46	08:52	16	s	0,021	24,60	0,5	0,36	+	3	x	5,91	6,63		Clear.
1925-08-06	73	12:08	09:12	16	s	0,022	25,04	0,4	0,32	+	3	x	6,32	6,89		Clear.
1925-08-06	74	13:44	10:48	13	s	0,010	25,69	0,2	0,19	+	0	x	0,67	2,50		Clear. Excellent Fringes: straight, wide, and very steady.
1925-08-06	75	14:09	11:13	12	s	0,009	25,80	0,3	0,12		0	x	0,19	3,26		Clear. Fringes wide, straight steady. Excellent.
1925-08-06	76	14:31	11:35	12	s	0,009	26,01	0,6	0,02	+	1	x	2,35	2,89		Clear.
1925-08-06	77	14:54	11:58	14	s	0,009	26,01	0,6	-0,02	+	2	x	2,09	2,33		Clear. Excellent.
1925-08-06	78	18:13	15:16	26	s	0,017	22,76	0,8	-0,30	+-	3	x	0,64	7,07	augenscheinlich unterschiedliche Signale in Grup	Clear.
1925-08-06	79	18:43	15:50	17	s	0,018	22,10	0,4	-0,30	+-	3	x	-0,09	6,63		Clear.
1925-08-07	80	05:05	02:12	20	s	0,013	15,71	0,5	-0,05	+-	1	x	0,35	5,40		Clear.
1925-08-07	81	05:39	02:46	17	s	0,013	15,71	0,5	0,08	+-	3	x	1,27	5,45		Clear.
1925-08-07	82	06:23	03:30	14	s	0,008	15,99	0,6	0,28	+	1	x	1,13	4,05		Clear.
1925-08-07	83	07:09	04:16	16	s	0,008	16,80	1	0,39	-	3	x	-2,73	4,21		Clear.
1925-08-07	84	07:54	05:01	17	s	0,011	17,99	1,2	0,43	+-	2	x	-1,04	3,89		Clear.
1925-08-07	85	08:43	05:50	14	s	0,015	19,54	1,2	0,53	+-	2	x	0,05	3,63		Clear.
1925-08-07	86	12:51	09:59	18	s	0,014	24,52	0,5	0,14	+-	2	x	0,33	3,42		Clear. Fringes wide, straight and steady.
1925-08-07	87	13:22	10:30	12	sv	0,011	24,71	0,5	0,15	+	1	x	0,48	3,67		Clear. Fringes extra wide very straight, very steady.
1925-08-07	88	23:45	20:57	16	s	0,024	16,91	0,4	-0,04	+-	4	x	0,28	7,47		Clear. Very wide fringes.
1925-08-08	89	00:05	21:17	15	s	0,016	16,88	0,5	0,00	+-	2	x	-0,86	7,76		Clear.
1925-08-08	90	00:23	21:35	13	s	0,017	16,86	0,5	-0,02	+	1	x	2,93	6,47		Clear. Very wide straight fringes (9 to field).
1925-08-08	91	05:08	02:19	15	s	0,013	15,71	0,7	-0,11	+	1	x	1,38	6,05		Clear.
1925-08-08	92	05:36	02:47	14	s	0,010	15,58	0,6	0,00	-	1	x	-0,57	4,58		Clear. Fringeswide and steady.
1925-08-08	93	06:18	03:29	15	s	0,010	15,65	0,9	0,17	+-	2	x	-1,37	6,30		Clear. Wide steady fringes (12 to field).
1925-08-08	94	06:57	04:08	18	s	0,010	16,41	0,9	0,38	-	3	x	-2,00	3,25		Clear. Fringe wide.
1925-08-08	95	07:40	04:51	13	s	0,011	17,66	0,9	0,24	-	1	x	-0,77	4,30	Ähnlich 96	Clear. Wide fringes (8 to field).

Tabelle1

1925-08-08	96	07:59	05:10	14	s	0,012	18,14	0,9	0,57	--	1	x	-0,72	4,95	Clear. Extrawide (8 fringes to field). Dismounted mirrors and telescope. Closed up. End of series.
1925-09-10	1	16:27	15:52	14		0,007	23,54	0,3	-0,06	+-	0	x	0,10	2,00	Clear. Fringes med wide, steady, obs in N.W. corner.
1925-09-10	2	17:00	16:25	13		0,005	23,23	0,2	-0,20	+	0	x	0,53	0,70	Nullinie
1925-09-10	3	17:49	17:04	13		0,007	22,38	0,2	-0,26	+-	2	x	-0,26	3,00	Clear.
1925-09-10	4	20:02	19:27	22		0,020	20,01	0,1	-0,15	+-	5	x	-1,34	10,40	starke Drift und fast 0,02 Unsicherheit
1925-09-11	5	23:08	22:38	22		0,035	14,95	0,2	-0,15	+-	3	x	-4,64	8,45	Clear. Very poor set.
1925-09-11	6	23:46	23:16	26		0,035	14,59	0,2	-0,14	+-	5	x	0,16	6,89	Clear.
1925-09-12	7	01:20	00:50	19		0,029	13,69	0,4	-0,04	+-	3	x	-1,11	7,11	Clear.
1925-09-12	8	02:14	01:44	18		0,020	13,31	0,5	-0,05	+-	4	x	-1,97	9,37	Stark unterschiedliche Signale in Gruppe
1925-09-12	9	03:15	02:45	20		0,019	12,86	0,6	-0,11	+-	5	x	-0,16	7,35	Clear. 'minus' at end when sign was obs. reverse.
1925-09-12	10	04:28	03:58	30		0,020	12,41	0,4	-0,07	+-	5	x	0,23	7,50	Clear. Sign incorrect! (reversed from normal)
1925-09-12	11	05:03	04:34	16		0,022	12,26	0,5	-0,07	+-	3	x	0,35	9,33	Clear.
1925-09-12	12	05:37	05:08	18		0,024	12,11	0,8	-0,08		0	x	0,40	6,50	Clear. Fringes steady med wide.
1925-09-12	13	06:16	05:47	17		0,018	11,96	0,5	0,08	+-	3	x	1,99	6,74	Clear. Sun rose towards end of this set. Fringes straight + steady.
1925-09-12	14	13:32	13:04	17	f	0,009	16,99	0,4	0,09	+	2	x	1,50	2,16	Anomale Gruppe (Signalwechsel von 19 auf 20).
1925-09-12	15	14:01	13:33	13	f	0,007	17,13	0,4	0,08	+	1	x	1,67	2,42	Thick Fog. Fringes wide and steady.
1925-09-12	16	14:35	14:08	13	f	0,006	17,13	0,3	0,00		0	x	0,22	0,95	Thick Fog. Fringes extra wide and steady.
1925-09-12	17	15:24	14:56	14	f	0,005	17,05	0,4	0,00	+-	2	x	-0,21	1,72	Änderung der Temperaturänderung
1925-09-12	18	16:05	15:38	13	f	0,006	16,91	0,2	-0,12	-	0	x	-0,57	1,28	Fog. Clearing - sun casts faint shadow. Fringes wide + steady.
1925-09-12	19	16:40	16:13	13	f	0,005	16,34	0,2	-0,18	+-	1	x	-0,23	2,05	Fog. faint shadow. Fringes wide + steady.
1925-09-12	20	17:21	16:54	15	f	0,007	15,86	0,2	-0,23	+-	3	x	-0,64	3,47	Nach Vergleich mit anderen Gruppen (und Modells)
1925-09-12	21	17:53	17:26	18		0,013	15,26	0,2	-0,31	+-	5	x	-3,54	4,89	slight fog overhead sun low. Fr. wide (6 fringes to field).
1925-09-12	22	15:18	14:54	16	v	0,013	23,58	0,3		+-	2	x	-1,29	3,00	stark abweichendes Signal
1925-09-13	23	16:37	16:14	14		0,007	22,99	0,3	-0,43	-	0	x	-0,45	1,20	Clear.
1925-09-13	24	17:12	16:49	13		0,006	22,19	0,2	-0,27	-	1	x	-0,24	1,95	Clear. Airplane overhead completely obliterated fringes before set began.
1925-09-13	25	17:42	17:19	17		0,008	21,45	0,2	-0,38	-	2	x	-1,93	2,60	Clear.
1925-09-14	26	13:49	13:29	19		0,019	25,93	1	0,23	+-	5	x	2,55	5,94	Clear.
1925-09-14	27	14:29	14:09	17		0,013	26,20	1	0,04	+	3	x	3,40	3,78	Clear.
1925-09-14	28	15:10	14:50	14		0,009	26,01	0,7	-0,12	+	1	x	1,52	2,67	Clear.
1925-09-14	29	19:25	19:06	22		0,034	19,44	0,4	-0,16	+-	5	x	0,90	6,83	Clear.
1925-09-14	30	20:04	19:45	15	v	0,034	19,06	0,3	-0,21	-	1	x	-0,98	5,79	Clear.
1925-09-14	31	20:46	20:27	20		0,030	18,53	0,3	-0,16	+-	5	x	-2,35	8,35	Clear.
1925-09-14	32	21:35	21:16	25		0,028	18,00	0,2	-0,13	+-	6	x	-3,57	8,56	Clear.
1925-09-14	33	22:18	22:09	23		0,027	17,59	0,3	-0,14	-	6	x	-2,79	6,72	Clear.
1925-09-14	34	22:42	22:23	16		0,020	17,40	0,3	-0,11	+-	6	x	-1,37	8,11	Clear.
1925-09-16	35	01:22	01:08	18		0,025	13,76	0,3	-0,09	+-	2	x	-1,60	6,21	Clear.
1925-09-16	36	01:54	01:40	18		0,019	13,59	0,3	-0,08	-	2	x	-3,31	6,75	Clear.
1925-09-16	37	02:39	02:24	15		0,030	13,35	0,5	-0,03	+-	1	x	0,94	4,69	Clear.
1925-09-16	38	03:16	03:01	16		0,020	13,05	0,5	-0,04	-	1	x	-1,91	4,85	stark abweichendes Signal
1925-09-16	39	04:08	03:54	17		0,018	12,68	0,4	-0,12	-	1	x	-2,07	7,83	Clear.
1925-09-16	40	04:34	04:20	17	p	0,017	12,54	0,5	-0,07	+-	3	x	-1,94	4,32	Clear. corrugated paper over windows (air path covered).
1925-09-16	41	04:54	04:40	16		0,018	12,40	0,5	-0,12	-	2	x	-1,30	6,42	Clear. Corrugated paper removed.
1925-09-16	42	05:34	05:20	16		0,020	12,03	0,4	-0,13	+-	4	x	-1,73	7,05	Clear. Sun rose as this set ended.
1925-09-16	43	06:16	06:03	15		0,018	11,83	0,5	0,13	-	2	x	-1,33	6,21	T steigend
1925-09-16	44	06:50	06:37	13		0,017	12,08	0,5	0,10	-	2	x	-1,48	6,50	Signal mit Störung, keine Doppelperiode
1925-09-17	45	09:26	09:16	17		0,025	15,21	1,6	0,57	+-	2	x	-0,80	3,94	Clear.
1925-09-17	46	10:15	10:05	17		0,029	16,93	1,6	0,49	+	2	x	2,43	5,37	Clear.
1925-09-17	47	11:00	10:51	19		0,030	18,14	1,5	0,39	+	5	x	7,27	7,70	Clear.
1925-09-17	48	11:47	11:39	20		0,032	18,94	1,2	0,33	+	8	x	8,34	9,15	Clear. Clouds began forming just after this set, and in an hour covered the sky.
1925-09-17	49	19:30	19:23	21	c	0,008	15,87	0,3	-0,04	+-	2	x	-0,71	4,84	Cloudy. Thermometers within .02 °C of 15.9
1925-09-17	50	20:07	20:00	16	c	0,008	15,68	0,38	-0,06	+	2	x	1,01	3,60	Cloudy. Fringes wide, straight steady (6 to field).
1925-09-17	51	20:49	20:42	25	c	0,008	15,49	0,4	-0,02	+-	3	x	0,00	4,11	Cloudy. (6 fr to field) straight + steady.
1925-09-17	52	21:43	21:36	24	c	0,008	15,36	0,45	-0,03	+-	5	x	-1,11	4,37	Cloudy. (10 fr in field).
1925-09-17	53	22:20	22:13	14	c	0,007	15,26	0,4	-0,01	-	2	x	-0,55	4,89	Cloudy. (8 fr in field) steady.
1925-09-17	54	22:53	22:46	14	c	0,009	15,14	0,5	0,01	+-	2	x	-1,01	5,26	Cloudy.
1925-09-17	55	23:25	23:18	14	c	0,008	15,08	0,5	-0,04	+-	2	x	0,86	5,25	verringerte runde Amplitude
1925-09-17	56	23:47	23:40	16	c	0,008	14,99	0,5	-0,09	+-	7	x	0,20	6,79	Cloudy.
1925-09-18	57	09:05	09:00	15	c	0,013	11,93	0,3	0,35		0	x	0,09	5,42	Cloudy. 8 fr to field.
1925-09-18	58	09:43	09:38	22	c	0,010	12,75	0,5	0,39	-	1	x	-0,29	2,30	längere Messung
1925-09-18	59	10:18	10:13	15	c	0,009	13,58	0,5	0,44		0	x	0,73	2,75	Cloudy.
1925-09-18	60	10:55	10:50	16	c	0,012	14,54	0,4	0,48	+-	1	x	0,37	2,70	Cloudy.
1925-09-18	61	11:36	11:31	19	c	0,012	15,40	0,5	0,36	+	4	x	2,62	3,11	längere Messung
1925-09-18	62	11:59	11:54	14	c	0,013	15,96	0,5	0,34	+	0	x	0,37	2,63	Cloudy.
1925-09-18	63	17:09	17:05	18		0,006	16,05	0,7	-0,41	+	1	x	1,58	2,06	Gruppe nur aus Rauschen
1925-09-18	64	17:43	17:39	16		0,010	15,16	0,3	-0,54	+-	4	x	2,20	4,37	Clear.
1925-09-18	65	18:22	18:18	18		0,021	14,15	0,2	-0,36	+-	3	x	0,78	8,05	Clear. fringes very wide + very steady.
1925-09-19	66	06:41	06:40	16		0,009	8,85	0,8	0,19	+-	1	x	0,38	2,80	starker Temperaturanstieg und Amplitude in Gru
1925-09-19	67	07:23	07:22	17		0,011	9,84	1,4	0,48	-	4	x	-1,07	3,84	Clear.
1925-09-19	68	07:52	07:51	14		0,016	10,69	1,5	0,60	-	1	x	-0,92	2,68	Clear. Fringes extra wide - (6 to field).
1925-09-19	69	08:15	08:14	13		0,017	11,76	1,5	0,67	+-	5	x	-0,85	4,75	Clear. fringes (8 to field).
1925-09-21	70	18:57	19:06	19		0,023	16,35	0,3	-0,15	+	3	x	1,75	5,84	Clear. Fringes wide.

Tabelle1

1925-09-21	71	19:35	19:44	15		0,022	15,79	0,3	-0,15	-	0	x	-1,20	7,00	stark abweichendes Signal	Clear. Very wide fringes (8 to field).	
1925-09-21	72	20:23	20:32	16		0,023	15,26	0,3	-0,19	++	3	x	-2,12	4,95		Clear. med wide fringes.	
1925-09-21	73	21:00	21:09	16		0,027	14,91	0,4	-0,06	-	4	x	-3,54	6,23		Clear. Fringes (6 to field).	
1925-09-21	74	21:39	21:48	17		0,024	14,74	0,2	-0,02	++	5	x	-2,73	7,32		Clear. Wide fringes (6 in field).	
1925-09-23	75	00:10	00:23	21		0,022	14,75	0,6	-0,09	-	3	x	-3,85	8,47	Anomale Gruppe. Starke Amplitude, sieht aus wie	Clear. med wide fringes.	
1925-09-23	76	01:09	01:22	15		0,020	14,33	0,4	0,09	++	4	x	-2,41	6,75		Clear.	
1925-09-23	77	01:56	02:09	19		0,024	14,14	0,4	-0,05	++	3	x	0,48	5,47	verringerte Amplitude	Clear.	
1925-09-23	78	02:23	02:36	17		0,016	14,08	0,3	-0,03	-	2	x	-1,97	5,65		Clear. Wide fringes (8 to field).	
1925-09-23	79	03:09	03:22	14		0,013	14,00	0,3	-0,07	-	3	x	-2,64	5,55		Clear. Fringes extra wide (6 to field).	
1925-09-23	80	04:04	04:18	15		0,013	13,85	0,3	0,04	-	3	x	-1,46	5,53		Clear. 6 fringes to field.	
1925-09-23	81	05:01	05:15	17		0,012	13,76	0,3	-0,06	-	3	x	-2,57	6,78		Clear. Fringes extra wide (6 to field).	
1925-09-23	82	05:28	05:42	16		0,009	13,68	0,3	-0,05	-	2	x	-0,72	6,00		Clear. Fringes very wide (8 to field).	
1925-09-23	83	05:52	06:06	15		0,011	13,64	0,3	0,02	+-	6	x	-0,15	6,11		Clear. Sun rose during readings. Fringes wide (8 to field).	
1926-02-03	1	20:10	05:10	20	fw	0,021	3,90	1	-0,13	-	3	x	1,53	8,60	Von Miller verworfen	Some fog. rising wind. fringes med. width, steady+straight. Bicycle lamps on center of (?). Cancel 'very poor' (?)	
1926-02-03	2	20:38	05:38	16	m	0,017	3,73	0,7	-0,03	++	3	x	-0,57	5,95	Signal scheint gestört, passt nicht zu Gruppe 21	Mist. fringes steady, med. wide.	
1926-02-03	3	21:04	06:05	16	m	0,018	3,64	0,6	-0,08	+	1	x	-0,69	5,80	Signal scheint gestört	Mist. sign has remained correct all evening. screws not touched since beginning (1). fringes med,steady. good fringes all evening.	
1926-02-04	4	14:23	23:27	22		0,027	14,08	2,14	0,13	+	3	x	1,91	3,88		fairly clear. weak sun. fringes wide straight steady.	
1926-02-04	5	14:48	23:52	15		0,022	14,16	2,7	-0,11	+	2	x	3,53	7,70		fairly clear, sun shaded. fringes wide + steady.	
1926-02-04	6	15:17	00:21	16	c	0,019	14,18	1,5	-0,19	+	4	x	1,56	7,20		slightly cloudy. fringes wide + steady.	
1926-02-04	7	15:50	00:54	15	c	0,015	13,44	1,4	-0,33	+	1	x	1,21	3,16		slightly cloudy. fringes wide + very steady.	
1926-02-04	8	16:30	01:34	19	cw	0,010	11,94	1,25	-0,35	+	2	x	2,23	2,89		slightly cloudy. rising north wind.	
1926-02-04	9	16:58	02:02	15	cw	0,012	11,28	1,2	-0,42	+	1	x	-1,30	3,05		slightly cloudy. some(?) wind. fringes wide + steady.	
1926-02-04	10	17:25	02:29	16	cw	0,015	10,33	0,75	-0,60	+	4	x	-0,52	4,68		sl. cloudy. some wind. fringes very wide + steady.	
1926-02-04	11	17:51	02:55	17	cw	0,020	9,41	0,85	-0,60	+	5	x	1,41	8,94		slightly cloudy. very windy. signs are certainly correct for sets 4-11 incl. fringes very wide.	
1926-02-05	12	11:48	20:55	20		0,028	14,31	2,4	0,17	+	4		4,60	9,06	ab hier Zelt aufgebaut	clear. fringes wide + steady. canvas put over house at 10:30 AM.	
1926-02-05	13	13:53	23:01	17	c	0,013	14,82	1,4	0,13	+	3		-2,12	3,95		fleeing clouds. fringes very wide + steady.	
1926-02-05	14	14:43	23:51	19	c	0,011	15,13	1,25	0,14	+	2		0,93	3,35		fleeing clouds.	
1926-02-05	15	15:07	00:15	12	c	0,010	15,25	0,5	-0,05	-	1		0,38	3,15		fleeing clouds. (extra fast). Extra rapid rotation, 1-turn in 35 sec. (less than (?) fringes in field) extra wide, very steady.	
1926-02-05	16	15:38	00:46	29	c	0,015	15,16	0,4	-0,05	-	5		3,89	5,05		fleeing clouds. Extra slow rotation, 1 turn in 70 sec. (10 fringes to field) very steady, extra slow.	
1926-02-05	17	16:10	01:18	25	c	0,010	14,43	0,2	-0,27	-	1		1,76	3,35		fleeing clouds. Reversed rotation. Reversed rotation!! fringes med wide.	
1926-02-05	18	16:57	02:05	16	c	0,007	13,80	0,45	-0,29	+	0		0,26	1,58		fleeing clouds. usual direction again, fringes wide + very steady.	
1926-02-05	19	17:25	02:33	15	c	0,008	13,35	0,35	-0,20	+	1		-0,97	2,80		fleeing clouds. fringes wide + steady.	
1926-02-05	20	17:53	03:01	14	c	0,009	12,78	0,6	-0,22	+	1		0,49	4,15		fleeing clouds. med fringes very steady.	
1926-02-05	21	19:32	04:40	16		0,019	11,09	0,6	-0,14	+	3		1,09	6,22	Unruhige Gruppe. Starker Temperaturunterschied	clear. fringes wide + moderately steady.	
1926-02-05	22	20:06	05:14	16		0,021	10,74	0,3	-0,12	+	2		0,29	6,84		clear. fringes wide + pretty steady.	
1926-02-05	23	20:42	05:50	16		0,022	10,36	0,35	-0,08	+	3		-1,69	7,35		clear. fringes wide + steady.	
1926-02-05	24	21:11	06:19	14		0,024	10,19	0,2	-0,03	-	1		-0,41	5,68		clear. fringes wide + steady.	
1926-02-05	25	21:41	06:49	15	h	0,017	9,96	0,25	-0,04	+	2		-1,08	5,72	passt zu 48	haze. Temp. dif. 1/20°. fringes wide (8 to field) + steady.	
1926-02-05	26	22:17	07:25	16	h	0,017	9,81	0,05	-0,21	-	3		-1,77	4,82	passt nicht zu 48	slight haze. Temp. dif. 1/20°. Mr. Hoge called at 10:30. fringes extra wide (5 in field) very steady.	
1926-02-06	27	09:58	19:09	20		0,027	11,84	1,45	0,65	+	5		-5,57	6,83		clear. sun shining in door. fringes med wide + steady.	
1926-02-06	28	10:52	20:03	13		0,026	13,45	1,6	0,62	+	0		1,39	5,45		clear. fringes med + steady (covered cracks + put cloth over door).	
1926-02-06	29	11:22	20:33	14		0,030	14,36	3,45	-0,17	+	0		0,29	3,35		clear. fringes wide steady.	
1926-02-06	30	11:56	21:07	18	p	0,024	14,84	1,65	0,29	+	3		4,07	4,74		clear. corrugated paper on. corrugated paper put over glass, fringes wide + very steady.	
1926-02-06	31	12:19	21:30	17	p	0,017	15,19	1,1	0,29	+	5		2,27	4,63	mitnehmen aufgrund schlechter Gruppe	clear. corrugated paper up. (corrugated paper up) fringes wide + very steady.	
1926-02-06	32	19:01	04:13	18	p	0,022	11,18	0,6	-0,21	+	4		-0,33	6,45		clear. corrugated paper up. fringes wide + unsteady.	
1926-02-06	33	19:28	04:40	16	p	0,022	10,76	0,3	-0,21	+	3		1,81	8,50		clear. corrugated paper up.	
1926-02-06	34	20:22	05:34	23	p	0,023	10,43	0,5	-0,20	+-	6		3,79	6,44		clear. corrugated paper up. Sinclair Smith + friend called. fringes very wide.	
1926-02-06	35	21:03	06:16	18	p	0,027	10,04	0,35	-0,04	+	3		1,85	6,00		clear. corrugated paper up. fringes wide + very steady.	
1926-02-06	36	21:35	06:48	24	p	0,018	9,84	0,45	-0,07	+-	6		1,81	6,70	mitnehmen aufgrund schlechter Gruppe	clear. corrugated paper up. fringes wide (6 to field).	
1926-02-07	37	09:48	19:03	20	p	c	0,016	12,10	2,15	0,58	+	3		0,10	6,00		thin clouds. corrugated paper up. wide fringes + steady.
1926-02-07	38	10:16	19:31	15	p	c	0,023	12,91	2,15	0,43	+	2		-1,32	5,00		thin clouds. corrugated paper up.
1926-02-07	39	10:57	20:12	16	p	c	0,025	14,09	1,25	0,51	+	2		-1,74	4,67		thin clouds. corrugated paper up. fringes wide+steady (8 to field).
1926-02-07	40	11:39	20:54	16	c	0,042	14,99	1,2	0,16	+	2		1,88	6,17		thin clouds. Took corrugated paper down. ((?)(?) 30-39 inclusive). fringes wide + steady.	
1926-02-07	41	12:05	21:20	16	c	0,037	15,33	1,2	0,32	+	2		3,23	5,39		thin clouds. fringes wide + steady.	
1926-02-07	42	12:40	21:56	17	c	0,026	15,82	0,9	0,17	+	4		3,38	4,95		thin clouds. fringes wide + steady.	
1926-02-07	43	17:27	02:43	17	c	0,007	13,93	0,3	-0,18	+	4		-4,07	4,90		cloudy. Dr. Reynolds called at 4:30pm. fringes wide + steady.	
1926-02-07	44	17:53	03:09	16	c	0,009	13,60	0,3	-0,20	+	2		-2,31	3,75		cloudy. fringes wide + very steady.	
1926-02-07	45	18:20	03:36	15	c	0,009	13,18	0,2	-0,22	+	2		-0,72	3,85		cloudy. fringes wide + extra steady.	
1926-02-07	46	18:41	03:57	16	c	0,010	12,90	0,2	-0,20	-	2		-2,07	5,95		cloudy. fringes wide + very steady.	
1926-02-07	47	21:36	06:52	14		0,017	10,94	0,1	0,12	+	0		0,62	3,11	Ausreißer	clear. Temps. difference 1/20°C. fringes wide (7 in field) very steady.	
1926-02-07	48	22:12	07:28	18		0,015	10,94	0,1	0,05	+	5		-2,63	7,50		clear. fringes extra wide (5 or 6 in field) very steady.	
1926-02-07	49	22:49	08:05	15		0,014	10,87	0,1	-0,07	+-	3		0,63	5,80		clear. no temperature difference. fringes extra wide (5 to field) + steady.	
1926-02-07	50	23:30	08:47	20		0,015	10,80	0,18	0,00	+	2		-0,70	5,90		clear. fringes extra wide (5) + steady.	
1926-02-08	51	00:00	09:17	16		0,011	10,73	0,12	0,00	+	4		-0,74	5,21		clear. extra (5) wide fringes very straight + steady.	
1926-02-08	52	00:31	09:48	16		0,010	10,66	0,14	-0,01	+	4		-2,63	5,30		Clear. Fringes extra (5) wide + steady.	
1926-02-09	53	04:48	14:10	16		0,012	9,32	0,4	0,03	+	3		-2,94	5,70		Clear.	
1926-02-09	54	05:17	14:39	20		0,009	9,43	0,32	0,06	+	2		0,77	3,85		Clear. Fringes extra wide (5+) + steady.	
1926-02-09	55	06:01	15:23	15		0,007	9,52	0,42	-0,03	+	3		1,30	2,84		Clear. Fringes wide + steady.	
1926-02-09	56	06:29	15:51	19		0,005	9,50	0,4	-0,01	+	0		0,64	1,37		Clear. Fringes wide + steady.	
1926-02-09	57	06:50	16:12	13		0,005	9,52	0,32	0,01	+	0		0,43	1,50		Clear. Sun rose clear during set. Fringes wide + steady.	
1926-02-09	58	07:20	16:42	13		0,005	9,69	0,53	0,16	+	0		0,59	1,85		Clear. Fringes wide (6) very steady.	

Tabelle1

1926-02-09	59	07:50	17:12	15		0,010	10,26	1,39	0,48	+	3	-1,19	3,22	Clear. Fringes extra wide (5) + steady.	
1926-02-09	60	08:14	17:36	15		0,015	10,98	1,85	0,43	+	4	-2,12	4,47	Clear. Sun light through cracks near door. (covered after set). Fringes extra wide (5) + steady.	
1926-02-09	61	08:44	18:06	14		0,012	11,86	3,05	0,29	+	0	0,56	3,25	Clear. Fringes wide (6) medium steady.	
1926-02-09	62	09:09	18:32	16		0,014	12,57	2,4	0,56	+	2	0,30	4,58	Clear. Fringes (8 in field) + steady.	
1926-02-09	63	09:32	18:55	14		0,016	13,25	2,4	0,48	+	0	0,97	2,50	Clear. Fringes wide + med steady.	
1926-02-09	64	19:25	04:49	15		0,029	12,18	0,39	-0,22	+	0	0,50	7,70	Clear. Fringes med. width. Poorest set of the series!	
1926-02-09	65	19:47	05:11	14		0,025	11,86	0,3	-0,21	+-	3	-1,84	5,83	Clear.	
1926-02-09	66	22:35	08:00	20		0,029	9,66	0,37	-0,08		4	-1,25	8,47	Clear. Fringes wide unsteady.	
1926-02-09	67	23:03	08:28	10		0,028	9,38	0,26	-0,13		1	1,11	5,07	Clear. Fringes wide + unsteady.	
1926-02-09	68	23:38	09:03	21		0,027	9,10	0,3	-0,08	+	5	-2,20	9,16	Clear. fringes wide + unsteady.	
1926-02-10	69	07:00	16:26	15	c	0,007	8,39	0,3	0,06	+	1	0,44	2,75	Cloudy. sun rose at 6:40 sky covered with clouds. Temps mild. Excellent conditions. Fringes wide (7) very steady.	
1926-02-10	70	07:24	16:50	16	c	0,006	8,47	0,32	0,06	+	2	1,01	2,15	Cloudy. 8 fringes to field, very steady.	
1926-02-10	71	07:51	17:07	15	c	0,006	8,70	0,45	0,27	+	1	0,35	2,00	Cloudy. fringes wide (6) very steady.	
1926-02-10	72	08:19	17:45	16	c	0,008	9,19	0,64	0,23	+	0	0,10	2,90 anders als 69-71	Cloudy. widest fringes ever used. fringes extra wide (4+) very steady.	
1926-02-10	73	08:50	18:16	17	c	0,007	9,54	0,7	0,16	+	1	0,89	2,75	Cloudy. Fringes extra wide (5) very steady.	
1926-02-10	74	09:25	18:51	17	s	c	0,008	10,06	0,8	0,18	+	2	-0,10	2,10	Cloudy. Recording stand moved to South-West corner. (continued here till end of series). Fringes wide and steady.
1926-02-10	75	10:01	19:28	16	s	c	0,010	10,44	0,8	0,15	+	1	0,39	2,20	Cloudy. desk in SW corner. wide (6) fringes very steady.
1926-02-10	76	10:28	19:55	15	s	c	0,011	10,84	0,95	0,43	+	1	-0,95	2,50 Ausreißer	Cloudy. desk in SW. wide fringes steady.
1926-02-10	77	12:56	22:23	19	s	c	0,013	13,12	1	0,26	+	3	-3,15	4,05	Cloudy. desk in SW. fringes med wide, very steady.
1926-02-10	78	13:21	22:48	17	s	c	0,013	13,51	1	0,26	+	1	-1,79	2,40	Cloudy. desk in SW. med fringes(8) steady.
1926-02-10	79	13:42	23:09	15	s	c	0,012	13,72	0,85	0,01	+	1	0,12	2,45	Cloudy. desk in SW. Fringes wide + very steady.
1926-02-11	80	00:42	10:11	17	s	w	0,025	6,39	0,6	-0,16	+	4	-1,65	5,95 Ganze Gruppe mit mittlerem Nordwind und Böen	Clear. Mod. north wind. gusty. Fringes wide (6) + med steady.
1926-02-11	81	01:08	10:37	18	s	w	0,022	6,29	0,6	0,01	+	5	0,16	8,20	clear. fringes very wide(5) med steady.
1926-02-11	82	01:36	11:05	16	s	w	0,022	6,20	0,6	-0,11	+	1	-0,43	5,55 Phasenverschoben	Clear. (9 fr) steady.
1926-02-11	83	02:07	11:36	15	s	w	0,020	6,04	0,7	-0,06	+	4	-1,57	5,68 Phasenverschoben	Clear.
1926-02-11	84	02:42	12:11	17	s	w	0,025	5,95	0,7	-0,02		1	-2,69	6,20	Clear. Fringes wide (5).
1926-02-11	85	03:12	12:41	17	s	w	0,016	5,85	0,7	-0,08	+	2	-0,99	4,79	Clear. desk in SW all night. (6 fr) steady.
1926-02-11	86	03:41	13:10	17	s	w	0,014	5,68	0,7	-0,10	+	4	-1,27	6,20	Clear. wide fringes (5)
1926-02-11	87	04:13	13:42	18	s	w	0,015	5,53	0,6	-0,05	+	4	-1,36	5,74	Clear. Fringes wide (5) steady.
1926-02-11	88	04:50	14:19	17	s	w	0,019	5,41	0,5	-0,05	+	3	-1,22	7,44	Clear. desk in SW. 8 fr in field.
1926-02-11	89	05:19	14:49	16	s	w	0,016	5,33	0,4	-0,03	+	3	0,17	5,85	Clear. 8 fr in field.
1926-02-11	90	05:39	15:09	13	s	w	0,012	5,28	0,5	-0,03	+	1	-1,42	5,30	Clear. 8 fr to field, steady.
1926-02-11	91	06:30	16:00	15	s	w	0,015	5,23	0,5	-0,02	+	2	-1,66	6,35 verringerte Amplitude	Clear. All night: moderate north wind, cool, and gusty. Sun rise about 6:40, 'sea of fog'. Fringes med width(8) steady.
1926-02-11	92	15:42	01:14	14	sv	fw	0,007	7,22	0,3	-0,11	+	1	-0,32	3,15	Heavy fog, on the ground. Moderate south wind. cool. Fringes wide (6) very steady.
1926-02-11	93	16:02	01:34	14	s	f	0,007	7,19	0,25	-0,01	+	1	0,48	3,05	Fog. desk in SW. Fringes med(7) very steady.
1926-02-11	94	16:22	01:54	15	s	f	0,007	7,13	0,25	-0,09	+	4	0,73	4,85	Heavy Fog on ground, desk in SW. Fringes med wide (8).
1926-02-12	95	01:08	10:41	18	s	fcw	0,014	3,81	0,4	-0,01		4	-1,10	5,89 Gruppe im Sturm gemessen!	Rain, wind, fog. desk in SW. Fringes very wide (5) + steady.
1926-02-12	96	01:33	11:04	14	s	crw	0,016	3,77	0,15	-0,05	+	1	-1,09	7,06 Kleine Störung	Rainstorm, desk in SW. Fringes wide (6) steady.
1926-02-12	97	02:02	11:35	15	s	crw	0,013	3,74	0,12	0,02	+	3	-1,45	7,00	Rainstorm. desk in SW. Fringes med wide (7) steady.
1926-02-12	98	02:21	11:54	16	s	crw	0,013	3,77	0,2	0,04	+	5	-0,47	7,40	Rainstorm. desk in SW. fringes wide (6).
1926-02-12	99	02:50	12:33	17	s	crw	0,011	3,68	0,15	-0,05	+	2	-1,31	4,17	Rainstorm. desk in SW. Fringes wide(7) very steady.
1926-02-12	100	03:19	12:52	20	s	w	0,012	3,58	0,28	-0,03	+	6	0,31	6,63 Amplitude	Storm. desk in SW. Fringes wide(6) steady.
1926-02-12	101	03:40	13:13	14	s	w	0,008	3,57	0,28	0,01	+	3	-0,53	4,85	Storm. desk in SW. End of Series. Dismounted optical Parts. Fringes wide (6) steady.