

aetherise -ignore all dcm/csv/*.csv dcm/csv/*/*.csv -aggregate list > list.csv

canceled	Visitor	v	Clear
bad	Desk SW	s	Fog
error	Sign reversed	r	Mist
outlier	Corrugated paper up	p	Haze
unusual		c	Clouds
anomaly	d day	w	Wind
	n night	r	Rain
	s sunrise/sunset		

Gray dT values are manually calculated and added.

date	no	time	sidereal	f	day	duraturns	durati	attrib	weather	uncertain	T	TD	dT	correct	adju	sign	drift	abs	drym	remarks	notes	
1925-03-27	101	18:10	6:26	s	20	17	1.18		f	0.013	7.05	0.1		0	+	0.65	3.94			Foggy		
1925-03-27	102	21:10	9:26	n	37	29	1.16		f	0.019	5.58	0.3	-0.20	3	-+	-0.93	6.17			Interruption	Weather: Heavy fog. Clearing up at 9:00. Using medium wide fringes steady and straight.	
1925-03-28	103	16:00	4:19	d	20	23	0.87	v	f	0.012	13.55	1.8		0	+	1.09	2.74			Weather - heavy fog.		
1925-03-28	104	16:35	4:54	d	17	17	1.00		f	0.014	13.55	1.8		0		1.82	3.00			Weather foggy. (Increasing length gives negative readings. Therefor signs reversed.) Fringes extra steady + straight		
1925-03-28	105	17:05	5:24	d	10	13	0.77			0.014				x	0	+	2.92	3.54			Weather Clear. Sign correct. Fringes - straight, steady, wide.	
1925-03-28	106	17:45	6:04	s	27	25	1.00			0.014	10.43	1.5		2	+	3.40	5.16			clear		
1925-03-30	107	15:34	4:01	d	36	27	1.20		f	0.006	4.28	0.4		3	-	-1.20	1.60			Weather - Foggy. Cold. Found Acetylene water (?) frozen, solid ice.		
1925-03-30	108	16:17	4:44	d	35	50	0.67		f	0.004	4.00	0.4	-0.20	2	+	0.28	1.44			Foggy to start, clear at end. fringes very steady, straight, medium width - field about 14 fringes wide.		
1925-03-30	109	23:00	11:28	n	32	30	0.94			0.016	0.18	0.3	0.02	4	-+	1.48	5.80			Interruption	clear. adjusted all mirrors completely. Fringes very steady. Medium width.	
1925-03-31	110	0:38	13:11	n	15	16	0.94		f	0.009	0.48	0.3	0.15	0	+	2.31	4.94			Foggy. Fringes steady. Medium width.		
1925-03-31	111	0:58	13:29	n	19	30	0.61		f	0.006	0.80	0.6	0.15	1	+	1.87	3.07			Foggy.		
1925-04-01	112	12:22	0:59	d	43	33	1.13		f	0.014	5.50	1.8		5	+	6.00	8.73			Faint fog, partly clear. Optical system carefully centered. (The sign is reversed. See second chart)?		
1925-04-02	113	1:52	14:31	n	25	25	0.93			0.009	0.85	0.7	0.10	2	-+	1.48	3.88			Clear. Optical system accurately adjusted. Excellent set.		
1925-04-02	114	2:52	15:31	n	15	20	0.75			0.006	1.48	0.5	0.10	0		1.60	2.00			clear. Extra good.		
1925-04-02	115	3:10	15:49	n	13	20	0.65			0.006	1.50	0.5	0.05	0		1.35	1.65			Temperature drops	clear. Extra good.	
1925-04-02	116	3:48	16:27	n	13	20	0.65			0.006	1.35	0.4		0		0.80	1.60			clear. Extra good.		
1925-04-02	117	4:12	16:51	n	12	20	0.60	s		0.007	1.33	0.5	-0.03	0		0.90	1.90			clear. Desk changed from N.W. to S.W. corner + used flash instead of electric light bulb. Extra good.		
1925-04-02	118	4:58	17:37	n	25	30	0.81	s		0.008	1.30	0.5		1	-	0.63	2.37			clear. Saw sunrise 5:42. Desk at S.W. flashlight. Fringes wide + steady. Extra good.		
1925-04-02	119	6:12	18:52	s	20	24	0.83	s		0.013	1.23	0.9		0		-1.33	3.83			clear. desk at S.W. flashlight. good set.		
1925-04-02	120	6:35	19:25	s	21	30	0.70	s		0.009	1.58	2	0.46	0		0.00	3.07			clear. Desk S.W.-flash. good set. (?) night, 1:52 to 6:35 AM, 8 sets, 189 turns = 10400 feet walking, = 2 miles.		
1925-04-02	121	9:06	21:44	d	42	30	1.20	s		0.028	7.71	7.4	0.51	5	-+	-1.97	6.83			clear, sunshine and melting snow. desk SW corner flashlight.		
1925-04-03	122	15:46	4:29	d	10	13	0.77		f	0.018	11.25	0.4		0		1.46	4.54			Group is outlier in epoch		
1925-04-03	123	16:05	4:48	d	19	23	0.79		f	0.013	11.05	0.4	-0.26	1		2.48	3.87			Foggy. Lamp on instrument. good set. (?) condition seem most favorable. Blast on road obliterates fringes for 1 sec		
1925-04-03	124	17:16	5:59	s	14	20	0.70		f	0.014	9.08	0.6		0	-	-1.05	4.65			Foggy. Lamp on instrument. Extra wide fringes (field=8 fringes wide). Steady + throughout. good set.		
1925-04-03	125	17:36	6:19	s	18	24	0.72		f	0.013	8.26	0.8	-0.40	1	-	-0.80	5.40			Interruption	Foggy. Narrow Fringes (Field=20 fringes wide). Fringes extra steady.	
1925-04-03	126	18:00	6:44	s	8	13	0.62		f	0.024	8.03	0.8		0		1.92	9.46			Foggy. Fringes normal width (field=14 fringes wide). Poor set. Fringes unsteady.		
1925-04-08	127	16:03	5:05	d	25	21	1.04	v		0.021	16.40	1.6		3	+	5.95	7.25			clear. Centered all interferometer mirrors. Light on instrument.		
1925-04-08	128	16:35	5:37	d	17	20	0.81			0.019	16.26	1.6	-0.14	1	+	3.95	4.55			Clear. Light on instrument. Fairly good set.		
1925-04-08	129	18:00	7:02	s	20	20	0.91			0.016	12.93	1.5		2	-+	-1.65	5.55			Clear. Outside light. (?) of illumination centered. Fringes wide. Poor set - sundown.		
1925-04-08	130	23:53	12:55	n	16	20	0.76			0.026	8.33	0.6	-0.01	1	-	0.44	11.00			Clear. Light outside, illuminating (?) centered.		
1925-04-09	131	1:00	14:06	n	17	20	0.77			0.021	8.73	0.9		2	-+	-1.12	6.41			Clear. (thin clouds). Light outside.		
1925-04-09	132	1:33	14:39	n	12	20	0.55			0.013	8.85	0.9	0.12	2	-	-2.05	4.95			Clear. Light on instrument.		
1925-04-09	133	1:53	14:59	n	17	20	0.81			0.008	8.96	0.7	-0.02	1	-+	1.55	2.85			Clear. Light on instrument. Fringes wide + steady.		
1925-04-09	134	14:33	3:39	d	6	8	0.67			0.026	20.88	2		1	+	3.25	5.25			Clear. Light on instrument.		
1925-04-09	135	15:00	4:06	d	13	17	0.68			0.025	20.94	2	0.07	2	+	7.24	10.18			Clear. Light on instrument.		
1925-04-10	136	12:07	0:44	d	27	21	1.04			0.044	23.08	2.8		5	+	1.29	7.65			Light on instrument. Poor set. (Last set).		
1925-07-24	1	17:30	13:37	d	10	8	1.00			0.028	27.48	1.3		x	2	-	-14.75	14.75			Canceled by Miller	
1925-07-25	2	2:00	22:14	n	64	21	2.56	v		0.039	16.20	0.4	-0.01	x	4	-	-3.22	5.89			Interruption	Weather: Clear. First trial, after finding fringes Temperature very unsteady. 'signs correct' means that lengthening t
1925-07-25	3	2:37	22:53	n	18	7	1.80	v		0.044	16.18	0.4		3	+	6.00	6.33			Interruption	Fairly-Clear. Temperature conditions very unfavorable. Extended over 1h14m! Five interruptions in all. Interrupted	
1925-07-27	4	1:20	21:42	n	20	20	0.91	v		0.040	20.91	0.3	-0.15	x	2	-	-1.53	5.80			Chaotic group	Clear. Ventilating fan put in house on Sunday p.m. July 26.
1925-07-27	5	1:46	22:08	n	13	16	0.81			0.034	20.03	0.2		x	0	-	-2.31	8.00			Clear.	
1925-07-27	6	2:16	22:38	n	21	20	0.91			0.025	19.68	0.3		x	3	+	1.80	9.30			Clear. Earthquake tremors noted this evening. wide fringes about 12 to field.	
1925-07-27	7	2:49	23:11	n	27	20	1.13			0.032	19.66	0.8	-0.01	x	4	+	4.27	8.80			Clear.	
1925-07-27	8	3:29	23:51	n	32	20	1.45			0.022	19.61	0.8	-0.03	2	+	3.70	5.50			Clear. Signs (?).		
1925-07-27	9	4:12	0:35	n	35	20	1.30			0.029	19.58	0.6		7	+	2.25	6.42			Clear. temp. falling. Signs reversed?		
1925-07-27	10	4:54	1:17	n	28	20	1.12			0.024	18.93	0.3		x	5	-+	2.40	8.40			Clear.	
1925-07-28	11	23:58	20:24	n	16	20	0.76			0.028	20.30	0		x	1	-	-2.30	8.60			Clear.	
1925-07-28	12	1:25	21:51	n	26	25	0.93			0.023	19.23	0.4	-0.02	x	3	-+	-2.25	6.75			Clear. (Temp. falling very slowly). med wide straight fringes.	
1925-07-28	13	2:18	22:44	n	35	25	1.06			0.023	19.03	0.4	-0.09	x	8	-+	-3.92	7.36			Apparently inverted	Clear.
1925-07-28	14	3:20	23:56	n	20	25	0.80			0.024	18.69	0.4	-0.11	x	0	-	-1.30	4.20			Clear. extra good set, wide fringes steady.	
1925-07-28	15	4:03	0:30	n	15	20	0.75			0.020	18.48	0.4	-0.03	x	0	-	-1.25	6.85			Clear. fringes med wide + steady.	
1925-07-28	16	4:33	1:00	n	15	21	0.68			0.021	18.48	0.4	-0.03	x	1	-	-1.45	7.45			Clear. med fringes.	
1925-07-28	17	5:03	1:30	s	15	20	0.71			0.018	18.38	0.4	-0.05	x	1	-	-3.30	7.30			Included because of bad group	Clear. wide fringes (10 to field).
1925-07-28	18	5:53	2:20	s	15	20	0.63			0.018	18.78	0.4		x	4	+	0.75	7.35			Clear. Sun shines on Interferometer.	
1925-07-28	19	6:08	2:35	d	15	20	0.63			0.015	18.78	0.4		x	4	-+	-1.15	8.85			Similar signal like 18, unusual high amplitude	Clear.
1925-07-29	20	23:47	20:21	n	45	20	1.80			0.042	20.83	0.3		x	5	-+	-5.50	7.50			Interruption	Clear.
1925-07-30	21	1:35	22:09	n	20	22	0.83	v		0.032	19.43	0.2		x	2	-	-4.45	8.36			Group different to 12	Clear.
1925-07-30	22	2:32	23:07	n	15	20	0.75			0.025	19.19	0.6	-0.04	x	0		-0.60	7.90			Apparently inverted	Clear. fringed med wide + straight, good set.

Data Sheets - Mount Wilson 1925-1926

1925-07-30	23	3:08	23:43	n	16	20	0,80	0,021	19,19	0,6	-0,04	x	0	0,00	7,30	Clear. Fringes steady! Made no adjustment from previous set; none during this set; and none for next set! Never b	
1925-07-30	24	3:50	0:25	n	20	20	0,95	0,018	18,94	0,5	-0,10	x	1	-	-1,25	7,45 Included because of bad group	Clear. Good set. 3 sets without stopping interferometer to adjust.
1925-07-30	25	4:27	1:02	n	15	20	0,75	0,022	18,71	0,5	-0,08	x	0	-	-0,95	3,85 Unusual high amplitude	Clear. Good set.
1925-07-30	26	4:52	1:27	n	15	20	0,68	0,020	18,61	0,5	-0,02	x	2	+	1,95	6,35	Clear. To Echo rock to see sunrise, about 5:10 a.m. Good set.
1925-07-30	27	5:34	2:09	s	18	20	0,78	0,016	18,65	0,6	0,03	x	3	+	-1,35	7,55 Similar to 28	clear. After sunrise.
1925-07-30	28	5:56	2:31	s	22	20	0,96	0,013	18,94	0,6	0,32	x	3	+	0,85	6,45 Unusual high amplitude	Clear. Sun shines on Interferometer. Fringes becomming unsteady.
1925-08-01	29	11:25	8:09	d	17	20	0,81	h 0,018	26,80	0,7	0,33	x	1	+	0,15	3,45 Canvas	Hazy-Clear. Rain Clouds on north descent. With Canvas Cover over house. Canvas in place July 31.
1925-08-01	30	11:51	8:36	d	28	20	1,12	0,016	27,35	0,7	0,28	x	5	+	7,80	8,00	Partly-clear.
1925-08-01	31	14:01	10:45	d	28	20	1,22	0,010	28,48	0,3		x	3	+	7,25	7,25 Chaotic group, change of temperature change	Clear.
1925-08-01	32	15:14	11:58	d	20	20	0,83	0,010	28,36	0,1	-0,01	x	4	+	5,35	5,55	Clear.
1925-08-01	33	15:46	12:30	d	12	20	0,60	0,008	28,30	0,1	-0,06	x	0	+	1,75	2,35	Clear.
1925-08-01	34	16:40	13:25	d	15	20	0,75	0,008	27,48	0,6	-0,28	x	0	-	-0,15	1,65 Drift changes	Clear. Extra steady. wide fringes. Best ever made in daytime.
1925-08-01	35	17:20	14:05	d	33	20	1,38	0,007	27,01	0,6	-0,15	x	4	-	-1,95	2,75 Interruption	Clear.
1925-08-01	36	17:46	14:31	d	13	20	0,62	0,007	26,70	0,5	-0,25	x	1	-	-1,45	2,65	Clear.
1925-08-01	37	19:54	16:39	n	18	20	0,82	0,023	23,69	0,3	-0,22	x	2	-	-2,15	6,75	Clear.
1925-08-01	38	20:45	17:30	n	17	20	0,71	0,026	23,03	0,2	-0,22	x	4	+	-3,35	7,85	Clear.
1925-08-01	39	21:23	18:10	n	20	20	0,91	0,023	22,46	0,25	-0,15	x	2	-	-3,60	7,20	Clear.
1925-08-01	40	22:11	18:57	n	28	20	1,04	0,024	22,09	0,25	-0,14	x	7	+	-1,80	8,80	Clear.
1925-08-03	41	9:25	6:17	d	6	6	0,86	0,019	23,04	1,3	0,74	x	1	-	-0,50	1,50	Clear. Sun shines through cracks.
1925-08-03	42	9:55	6:41	d	15	20	0,75	0,017	25,25	1,1	0,62	x	0		1,30	4,30 Similar to 41	Clear.
1925-08-03	43	10:40	7:32	d	13	12	0,93	0,020	26,65	1,1	0,35	x	2	+	7,17	7,50	Clear. caulked up cracks which shone directly on interferometer.
1925-08-03	44	11:30	8:22	d	29	17	1,21	0,030	27,58	0,9	0,30	x	7	+	12,12	12,12	Clear.
1925-08-03	45	15:33	12:25	d	23	20	1,05	0,007	28,98	1	-0,21	x	2	+	1,50	2,90 Included because of general high gradient	Clear. Fringes wide and very steady.
1925-08-03	46	16:24	13:17	d	19	20	0,90	0,006	28,23	1,4	-0,29	x	1	+	-0,75	1,65	Clear. Fringes wide and very steady.
1925-08-03	47	17:00	13:53	d	19	20	0,86	0,006	27,70	1,2	-0,26	x	2	-	-2,55	2,85	Clear. Fringes very steady extra wide.
1925-08-03	48	17:40	14:33	d	15	20	0,68	0,008	27,03	1,2	-0,31	x	2	-	-2,90	4,50	Clear. Fringes wide + steady.
1925-08-04	49	13:46	10:45	d	10	20	0,48	v 0,015	29,88	0,6	0,04	x	1	+	1,70	3,00 See group 31	Clear. Watch cor. +3m.
1925-08-04	50	15:04	12:04	d	11	20	0,50	0,010	29,78	0,2	0,15	x	2	+	2,40	3,50	Clear.
1925-08-04	51	15:49	12:49	d	14	20	0,70	0,008	29,66	0,1	-0,16	x	0	+	0,80	1,20	Clear.
1925-08-04	52	16:30	13:30	d	15	20	0,71	0,007	29,00	0,2	-0,19	x	1	-	-1,00	1,40	Clear.
1925-08-04	53	17:15	14:15	d	16	20	0,76	0,008	28,15	0,5	-0,24	x	1	-	-2,10	2,30	Clear. Fringes wide and very steady.
1925-08-04	54	17:56	14:56	s	19	20	0,83	0,010	27,21	0,7	-0,28	x	3	+	-3,35	5,65	Clear.
1925-08-04	55	20:08	17:08	n	37	24	1,28	0,030	23,99	0,4	-0,27	x	5	+	-2,65	8,95 Interruption	Clear. Fringes steady straight but whole system constantly shifting. Readings seemingly erratic and nevertheless c
1925-08-04	56	20:55	17:56	n	14	20	0,67	0,029	23,31	0,5	-0,27	x	1	+	-1,25	9,25	Clear.
1925-08-04	57	21:32	18:33	n	26	20	1,13	0,028	22,76	0,4	-0,19	x	3	+	-5,25	7,95	Clear.
1925-08-04	58	22:15	19:16	n	14	20	0,67	0,027	22,20	0,3	-0,23	x	1	-	-4,05	9,75	Clear.
1925-08-04	59	22:48	19:49	n	16	20	0,67	0,025	21,84	0,4	-0,06	x	4	+	-2,50	7,80	Clear. Fringes straight and wide.
1925-08-05	60	13:10	10:10	d	17	20	0,74	0,011	26,56	0,3	0,06	x	3	+	5,65	5,75	Clear.
1925-08-05	61	13:45	10:45	d	15	20	0,71	0,008	26,41	0,3	-0,02	x	1	+	3,70	3,70	Clear.
1925-08-05	62	15:08	12:08	d	15	20	0,71	v 0,007	26,41	0,6	0,08	x	1	+	2,25	2,65	Clear. Wide fringes steady.
1925-08-05	63	15:48	12:48	d	13	20	0,65	0,007	26,15	0,8	0,05	x	0	-	-0,20	1,80	Clear.
1925-08-05	64	19:00	16:01	n	18	20	0,72	0,020	23,21	0,9	-0,43	x	5	+	-5,95	8,35	Clear. very wide straight fringes.
1925-08-05	65	19:36	16:37	n	13	20	0,59	0,025	22,20	0,8	-0,33	x	2	+	1,20	4,70	Clear.
1925-08-05	66	20:16	17:17	n	21	20	0,84	s 0,031	21,40	0,4	-0,24	x	5	+	-2,00	6,90	Clear. Observers position moved from NW to SW corner, to end of series.
1925-08-05	67	21:03	18:05	n	20	20	0,87	s 0,032	20,63	0,4	-0,25	x	3	+	-0,12	5,76	Clear.
1925-08-05	68	22:01	19:03	n	37	20	1,42	s 0,027	19,78	0,3	-0,18	x	6	+	-6,20	8,30	Clear.
1925-08-06	69	9:33	6:36	d	22	20	0,96	s 0,022	21,03	1,2	0,59	x	3	-	-5,95	9,45	Clear. Fringes narrow-medium (22 to field).
1925-08-06	70	10:13	7:16	d	26	20	1,13	s 0,020	22,33	1,1	0,48	x	3	+	3,25	4,95	Clear. Fringes med-wide.
1925-08-06	71	11:21	8:25	d	18	20	0,75	s 0,024	24,11	0,7	0,22	x	4	+	6,60	6,90	Clear.
1925-08-06	72	11:46	8:52	d	16	20	0,70	s 0,021	24,60	0,5	0,36	x	3	+	5,95	6,65	Clear.
1925-08-06	73	12:08	9:12	d	16	20	0,70	s 0,022	25,04	0,4	0,32	x	3	+	6,65	7,05	Clear.
1925-08-06	74	13:44	10:48	d	13	20	0,65	s 0,010	25,69	0,2	0,19	x	0	+	0,75	2,55	Clear. Excellent Fringes: straight, wide, and very steady.
1925-08-06	75	14:09	11:13	d	12	20	0,60	s 0,009	25,80	0,3	0,12	x	0	+	0,70	3,60	Clear. Fringes wide, straight steady. Excellent.
1925-08-06	76	14:31	11:35	d	12	20	0,57	s 0,009	26,01	0,6	0,02	x	1	+	2,55	2,95	Clear. Excellent.
1925-08-06	77	14:54	11:58	d	14	20	0,64	s 0,009	26,01	0,6	-0,02	x	2	+	2,20	2,40	Clear. Excellent.
1925-08-06	78	18:13	15:16	s	26	20	1,13	s 0,017	22,76	0,8	-0,30	x	3	+	0,59	6,35 Interruption	Clear.
1925-08-06	79	18:43	15:50	s	17	20	0,74	s 0,019	22,10	0,4	-0,30	x	3	+	-0,20	6,60	Clear.
1925-08-07	80	5:05	2:12	s	20	20	0,95	s 0,013	15,71	0,5	-0,05	x	1	+	0,70	5,40	Clear.
1925-08-07	81	5:39	2:46	s	17	20	0,74	s 0,013	15,71	0,5	0,08	x	3	+	1,50	5,50	Clear.
1925-08-07	82	6:23	3:30	d	14	20	0,67	s 0,008	15,99	0,6	0,28	x	1	+	1,05	4,05	Clear.
1925-08-07	83	7:09	4:16	d	16	20	0,70	s 0,008	16,80	1	0,39	x	3	-	-3,40	4,10	Clear.
1925-08-07	84	7:54	5:01	d	17	20	0,77	s 0,011	17,99	1,2	0,43	x	2	+	-1,45	3,75	Clear.
1925-08-07	85	8:43	5:50	d	14	20	0,64	s 0,015	19,54	1,2	0,53	x	2	+	-2,05	3,55	Clear.
1925-08-07	86	12:51	9:59	d	18	20	0,82	s 0,014	24,51	0,5	0,14	x	2	+	0,45	3,25	Clear. Fringes wide, straight and steady.
1925-08-07	87	13:22	10:30	d	12	20	0,57	sv 0,011	24,71	0,5	0,15	x	1	+	1,30	4,10	Clear. Fringes extra wide very straight, very steady.
1925-08-07	88	23:45	20:57	n	16	20	0,67	s 0,024	16,91	0,4	-0,04	x	4	+	-0,08	4,25	Clear. Very wide fringes.
1925-08-08	89	0:05	21:17	n	15	20	0,68	s 0,016	16,88	0,5	0,00	x	2	+	-0,75	8,25	Clear.
1925-08-08	90	0:23	21:35	n	13	20	0,62	s 0,017	16,86	0,5	-0,02	x	1	+	1,90	6,90	Clear. Very wide straight fringes (9 to field).
1925-08-08	91	5:08	2:19	s	15	20	0,71	s 0,013	15,71	0,7	-0,11	x	1	+	2,15	6,05	Clear.
1925-08-08	92	5:36	2:47	s	14	20	0,67	s 0,010	15,58	0,6	0,00	x	1	-	-0,75	4,45	Clear. Fringes wide and steady.
1925-08-08	93	6:18	3:29	d	15	20	0,68	s 0,010	15,65	0,9	0,17	x	2	+	-2,10	6,30	Clear. Wide steady fringes (12 to field).

Data Sheets - Mount Wilson 1925–1926

1925-08-08	94	6:57	4:08	d	18	20	0.78	s	0.010	16.41	0.9	0.38	x	3	-	-2.76	3.59	Clear. Fringe wide.
1925-08-08	95	7:40	4:51	d	13	20	0.62	s	0.011	17.66	0.9	0.24	x	1	-	-1.10	4.30 Similar to 96	Clear. Wide fringes (8 to field).
1925-08-08	96	7:59	5:10	d	14	20	0.67	s	0.012	18.14	0.9	0.57	x	1	+	-0.90	4.90	Clear. Extrawide (8 fringes to field). Dismounted mirrors and telescope. Closed up. End of series.
1925-09-10	1	16:27	15:52	d	14	20	0.70		0.007	23.54	0.3	-0.06	x	0	+	0.00	2.00	Clear. Fringes med wide, steady, obs in N.W. corner.
1925-09-10	2	17:00	16:25	s	13	20	0.65		0.005	23.23	0.2	-0.20	x	0	+	0.55	0.75 Zero line	Clear.
1925-09-10	3	17:49	17:04	s	13	20	0.59		0.007	22.38	0.2	-0.26	x	2	+	-0.65	2.85	Clear.
1925-09-10	4	20:02	19:27	n	22	20	0.88		0.020	20.01	0.1	-0.15	x	5	+	-0.60	10.40	Clear.
1925-09-11	5	23:08	22:38	n	22	20	0.85		0.035	14.95	0.2	-0.15	x	6	+	-5.05	8.45	Clear. Very poor set.
1925-09-11	6	23:46	23:16	n	26	20	1.04		0.035	14.59	0.2	-0.14	x	5	+	-1.70	7.50	Clear.
1925-09-12	7	1:20	0:50	n	19	20	0.83		0.029	13.69	0.4	-0.04	x	3	+	2.25	6.85 Chaotic group	Clear.
1925-09-12	8	2:14	1:44	n	18	20	0.75		0.020	13.31	0.5	-0.05	x	4	+	-3.60	9.00	Clear. 'minus' at end when sign was obs. reverse.
1925-09-12	9	3:15	2:45	n	20	20	0.80		0.019	12.86	0.6	-0.11	x	5	+	-6.15	7.35	Clear. Sign incorrect! (reversed from normal). Reverse 1-9 and 20.
1925-09-12	10	4:28	3:58	n	30	20	1.20		0.020	12.41	0.4	-0.07	x	5	+	-1.80	7.50	Clear.
1925-09-12	11	5:03	4:34	n	16	20	0.70		0.022	12.26	0.5	-0.07	x	3	+	3.40	9.20	Clear. Fringes steady med wide.
1925-09-12	12	5:37	5:08	s	18	20	0.90		0.024	12.11	0.8	-0.08	x	0		-0.50	6.50	Clear. Sun rose towards end of this set. Fringes straight + steady.
1925-09-12	13	6:16	5:47	s	17	20	0.74		0.018	11.96	0.5	0.08	x	3	+	1.80	6.70	Clear.
1925-09-12	14	13:32	13:04	d	17	20	0.77	f	0.009	16.99	0.4	0.09	x	2	+	1.35	2.15 Anomalous group, signal changes from 19 to 20	Thick Fog. Fringes wide and steady.
1925-09-12	15	14:01	13:33	d	13	20	0.62	f	0.007	17.13	0.4	0.08	x	1	+	1.55	2.35	Thick Fog. Fringes extra wide and steady.
1925-09-12	16	14:35	14:07	d	13	20	0.65	f	0.006	17.13	0.3	0.00	x	0		0.05	0.95	Thick Fog. Fringes wide and steady.
1925-09-12	17	15:24	14:56	d	14	20	0.64	f	0.005	17.05	0.4	0.00	x	2	+	-0.80	1.80 Change of temperature change	Fog. Clearing - sun casts faint shadow. Fringes wide + steady.
1925-09-12	18	16:05	15:38	d	13	20	0.65	f	0.006	16.91	0.2	-0.12	x	0	-	-0.80	1.30	Fog. faint shadow. Fringes wide + steady.
1925-09-12	19	16:40	16:13	d	13	20	0.62	f	0.005	16.34	0.2	-0.18	x	1	+	-0.45	2.05	Fog no shadow clearing toward end.
1925-09-12	20	17:14	16:47	s	15	20	0.65	f	0.007	15.86	0.2	-0.23	x	3	+	-0.95	3.55	slight fog overhead. sun low. Fr. wide (6 fringes to field).
1925-09-12	21	17:53	17:26	s	18	20	0.72		0.013	15.26	0.2	-0.31	x	5	+	-3.80	4.90	Clear. sun run low. (no heating effect).
1925-09-13	22	15:18	14:54	d	16	20	0.73	v	0.013	23.58	0.3		x	2	+	-1.75	3.35 Strongly deviant signal	Clear.
1925-09-13	23	16:37	16:14	d	14	20	0.70		0.007	22.99	0.3	-0.43	x	0	-	-0.90	1.20	Clear. Airplane overhead completely obliterated fringes before set began.
1925-09-13	24	17:12	16:49	s	13	20	0.62		0.006	22.19	0.2	-0.27	x	1	-	-0.35	1.85	Clear.
1925-09-13	25	17:42	17:19	s	17	20	0.77		0.008	21.45	0.2	-0.38	x	2	-	-2.30	2.60	Clear.
1925-09-14	26	13:49	13:29	d	19	20	0.76		0.019	25.93	1	0.23	x	5	+	3.15	5.35	Clear.
1925-09-14	27	14:29	14:09	d	17	20	0.74		0.013	26.20	1	0.04	x	3	+	3.30	3.80	Clear.
1925-09-14	28	15:10	14:50	d	14	20	0.67		0.009	26.01	0.7	-0.12	x	1	+	0.90	3.00	Clear.
1925-09-14	29	19:25	19:06	n	22	20	0.88		0.034	19.44	0.4	-0.16	x	5	+	-1.50	7.90	Clear.
1925-09-14	30	20:04	19:45	n	15	20	0.71	v	0.034	19.06	0.3	-0.21	x	1	-	-1.70	6.20	Clear.
1925-09-14	31	20:46	20:27	n	20	20	0.80		0.030	18.53	0.3	-0.16	x	5	+	-3.20	8.50	Clear.
1925-09-14	32	21:35	21:16	n	25	20	0.96		0.028	17.98	0.2	-0.13	x	6	+	-4.35	8.85	Clear.
1925-09-14	33	22:18	22:09	n	23	20	0.88		0.027	17.59	0.3	-0.14	x	6	-	-6.25	7.95	Clear.
1925-09-14	34	22:42	22:23	n	16	20	0.62		0.020	17.40	0.3	-0.11	x	6	+	-2.00	8.70	Clear.
1925-09-16	35	1:22	1:08	n	18	20	0.82		0.025	13.76	0.3	-0.09	x	2	+	-2.00	6.00	Clear.
1925-09-16	36	1:54	1:40	n	18	20	0.82		0.019	13.59	0.3	-0.08	x	2	-	-3.25	6.75	Clear.
1925-09-16	37	2:39	2:24	n	15	20	0.71		0.030	13.35	0.5	-0.03	x	1	+	0.08	4.69	Clear.
1925-09-16	38	3:16	3:01	n	16	20	0.76		0.020	13.05	0.5	-0.04	x	1	-	-2.85	4.85 Strongly deviant signal	Clear.
1925-09-16	39	4:08	3:54	n	17	20	0.81		0.018	12.68	0.4	-0.12	x	1	-	-2.45	7.55	Clear.
1925-09-16	40	4:34	4:20	n	17	20	0.74	p	0.017	12.54	0.5	-0.07	x	3	+	-2.40	4.30	Clear. corrugated paper over windows (air path covered).
1925-09-16	41	4:54	4:40	n	16	20	0.73		0.018	12.40	0.5	-0.12	x	2	-	-2.95	6.25	Clear. Corrugated paper removed.
1925-09-16	42	5:34	5:20	n	16	20	0.67		0.020	12.03	0.4	-0.13	x	4	+	-2.05	7.05	Clear. Sun rose as this set ended.
1925-09-16	43	6:16	6:03	s	15	20	0.68		0.018	11.83	0.5	0.13	x	2	-	-2.10	6.40 Temperature rising	Clear.
1925-09-16	44	6:50	6:37	d	13	20	0.59		0.017	12.08	0.5	0.10	x	2	-	-2.30	6.50 Distorted signal	Clear.
1925-09-17	45	9:26	9:16	d	17	20	0.77		0.025	15.21	1.6	0.57	x	2	+	-1.30	3.80	Clear.
1925-09-17	46	10:15	10:05	d	17	20	0.77		0.029	16.93	1.6	0.49	x	2	+	2.20	5.10	Clear.
1925-09-17	47	11:00	10:51	d	19	20	0.73		0.030	18.14	1.5	0.39	x	6	+	7.60	7.70	Clear.
1925-09-17	48	11:47	11:39	d	20	20	0.71		0.031	18.94	1.2	0.33	x	8	+	8.70	9.40	Clear. Clouds began forming just after this set, and in an hour covered the sky.
1925-09-17	49	19:30	19:23	n	21	20	0.95	c	0.008	15.87	0.3	-0.04	x	2	+	-1.30	4.90 Interruption	Cloudy. Thermometers within .02 °C of 15.9
1925-09-17	50	20:07	20:00	n	16	20	0.73	c	0.008	15.68	0.38	-0.06	x	2	+	1.30	3.60	Cloudy. Fringes wide, straight, steady (6 to field).
1925-09-17	51	20:49	20:42	n	25	20	1.09	c	0.008	15.49	0.4	-0.02	x	3	+	0.05	4.35 Interruption	Cloudy. (6 fr to field) straight + steady.
1925-09-17	52	21:43	21:36	n	24	20	0.96	c	0.008	15.36	0.45	-0.03	x	5	+	-3.95	4.85 Interruption	Cloudy. (10 fr in field).
1925-09-17	53	22:20	22:13	n	14	19	0.67	c	0.007	15.26	0.4	-0.01	x	2	-	-0.56	4.89	Cloudy. (8 fr in field) steady.
1925-09-17	54	22:53	22:46	n	14	20	0.64	c	0.009	15.14	0.5	0.01	x	2	+	-3.45	5.05	Cloudy.
1925-09-17	55	23:25	23:18	n	14	20	0.64	c	0.008	15.08	0.5	-0.04	x	2	+	0.15	5.25 Decreased round amplitude	Cloudy.
1925-09-17	56	23:47	23:40	n	16	19	0.62	c	0.008	14.99	0.5	-0.09	x	7	+	0.05	6.79	Cloudy. 8 fr to field.
1925-09-18	57	9:05	9:00	d	15	20	0.75	c	0.013	11.93	0.3	0.35	x	0		-0.15	5.65	Cloudy. Fringes wide + steady.
1925-09-18	58	9:43	9:38	d	22	20	1.05	c	0.010	12.75	0.5	0.39	x	1	-	-0.80	2.30 Longer duration/turn	Cloudy.
1925-09-18	59	10:18	10:13	d	15	20	0.75	c	0.009	13.58	0.5	0.44	x	0		0.35	2.75	Cloudy.
1925-09-18	60	10:55	10:50	d	16	20	0.76	c	0.012	14.54	0.4	0.48	x	1	+	0.20	2.70	Cloudy.
1925-09-18	61	11:36	11:31	d	19	20	0.79	c	0.012	15.40	0.5	0.36	x	4	+	3.35	3.65	Cloudy.
1925-09-18	62	11:59	11:54	d	14	20	0.70	c	0.013	15.96	0.5	0.34	x	0	+	0.40	2.60	Cloudy.
1925-09-18	63	17:09	17:05	s	18	20	0.86		0.006	16.05	0.7	-0.41	x	1	+	1.80	2.20 Group of noise	Clear. fringes wide + very steady.
1925-09-18	64	17:43	17:39	s	16	20	0.67		0.010	15.16	0.3	-0.54	x	4	+	0.76	3.59	Clear. Fringes wide + very steady.
1925-09-18	65	18:22	18:18	n	18	20	0.78		0.021	14.15	0.2	-0.36	x	3	+	-2.35	8.05	Clear. fringes very wide + very steady.
1925-09-19	66	6:41	6:40	d	16	20	0.76		0.009	8.85	0.8	0.19	x	1	+	0.20	2.80 Strong increase of gradient and amplitude	Clear.
1925-09-19	67	7:23	7:22	d	17	20	0.71		0.010	9.84	1.4	0.48	x	4	-	-1.60	3.80	Clear.
1925-09-19	68	7:52	7:51	d	14	20	0.67		0.016	10.69	1.5	0.60	x	1	-	-1.60	2.80	Clear. Fringes extra wide - (6 to field).

Data Sheets - Mount Wilson 1925–1926

1925-09-19	69	8:15	8:14	d	13	20	0.52		0.017	11.76	1.5	0.67	x	5	-	-0.75	4.75	Clear. fringes (8 to field).
1925-09-21	70	18:57	19:06	n	19	20	0.83		0.023	16.35	0.3	-0.15	x	3	+	2.25	5.75	Clear. Fringes wide.
1925-09-21	71	19:35	19:44	n	15	20	0.75		0.022	15.79	0.3	-0.15	x	0	-	-0.30	7.00	Strongly deviant signal
1925-09-21	72	20:23	20:32	n	16	20	0.70		0.023	15.26	0.3	-0.19	x	3	+	-2.75	4.95	Clear. med wide fringes.
1925-09-21	73	21:00	21:09	n	16	20	0.67		0.027	14.91	0.4	-0.06	x	4	-	-4.73	6.33	Clear. Fringes (6 to field).
1925-09-21	74	21:39	21:48	n	17	20	0.68		0.024	14.74	0.2	-0.02	x	5	+	-5.30	7.00	Clear. Wide fringes (6 in field).
1925-09-23	75	0:10	0:23	n	21	20	0.91		0.022	14.75	0.6	-0.09	x	3	-	-4.55	8.25	Group seems anomalous. Stronger amplitude than
1925-09-23	76	1:09	1:22	n	15	20	0.63		0.020	14.33	0.4	0.09	x	4	+	-1.80	6.20	Clear. Wide fringes.
1925-09-23	77	1:56	2:09	n	19	20	0.83		0.024	14.14	0.4	-0.05	x	3	+	-0.13	5.47	Decreased amplitude
1925-09-23	78	2:23	2:36	n	17	20	0.77		0.016	14.08	0.3	-0.03	x	2	-	-2.25	5.65	Clear. Fringes med wide.
1925-09-23	79	3:09	3:22	n	14	20	0.61		0.013	14.00	0.3	-0.07	x	3	-	-3.05	5.55	Clear. Wide fringes (8 to field).
1925-09-23	80	4:04	4:18	n	15	20	0.65		0.013	13.85	0.3	0.04	x	3	-	-2.50	5.50	Clear. Fringes extra wide (6 to field).
1925-09-23	81	5:01	5:15	n	17	20	0.74		0.012	13.76	0.3	-0.06	x	3	-	-3.80	7.30	Clear. 6 fringes to field.
1925-09-23	82	5:28	5:42	n	22	23	0.85		0.009	13.68	0.3	-0.05	x	3	-	-1.70	5.80	Clear. Fringes extra wide (6 to field).
1925-09-23	83	5:52	6:06	s	15	20	0.58		0.011	13.64	0.3	0.02	x	6	+	-1.25	5.85	Clear. Fringes very wide (8 to field).
1926-02-03	1	20:10	5:10	n	20	20	0.87	fw	0.021	3.90	1	-0.13	x	3	+	2.20	8.60	Canceled by Miller
1926-02-03	2	20:38	5:38	n	16	20	0.70	m	0.017	3.73	0.7	-0.03	x	3	+	-2.25	5.95	Signal seems distorted
1926-02-03	3	21:04	6:05	n	16	20	0.76	m	0.018	3.64	0.6	-0.08	x	1	+	-0.80	5.80	Signal seems distorted
1926-02-04	4	14:23	23:27	d	22	20	0.96		0.027	14.08	2.15	0.13	x	3	+	3.75	5.25	Some fog. rising wind. fringes med. width, steady+straight. Bicycle lamps on center of interf. + sign before readings
1926-02-04	5	14:48	23:52	d	15	20	0.68		0.022	14.16	2.7	-0.11	x	2	+	3.20	7.70	Mist. Fringes steady, med. wide.
1926-02-04	6	15:17	0:21	d	16	20	0.67	c	0.019	14.18	1.5	-0.19	x	4	+	2.40	7.20	Mist. Sign has remained correct all evening, screws not touched since beginning (1). Fringes med, steady. good fri
1926-02-04	7	15:50	0:54	d	15	20	0.71	c	0.015	13.44	1.4	-0.33	x	1	+	1.35	3.15	fairly clear. weak sun. Fringes wide straight steady.
1926-02-04	8	16:30	1:34	s	19	20	0.86	cw	0.011	11.94	1.25	-0.35	x	2	+	2.60	3.00	fairly clear, sun shaded. Fringes wide + steady.
1926-02-04	9	16:58	2:02	s	15	20	0.71	cw	0.012	11.25	1.2	-0.42	x	1	+	-1.70	2.90	slightly cloudy. Fringes wide + steady.
1926-02-04	10	17:25	2:29	s	16	20	0.67	cw	0.015	10.33	0.75	-0.60	x	4	+	-0.45	4.75	slightly cloudy. rising north wind. Frings wide + steady.
1926-02-04	11	17:51	2:55	n	17	20	0.68	cw	0.020	9.41	0.85	-0.60	x	5	+	2.15	9.75	slightly cloudy. some wind. Fringes wide + steady.
1926-02-05	12	11:48	20:55	d	20	20	0.83		0.028	14.31	2.4	0.17		4	+	5.00	8.50	sl. cloudy. some wind. Fringes very wide + steady.
1926-02-05	13	13:53	23:01	d	17	20	0.74	c	0.012	14.82	1.4	0.13		3	+	-4.15	4.65	slightly cloudy. very windy. signs are certainly correct for sets 4-11 incl. Fringes very wide.
1926-02-05	14	14:43	23:51	d	19	20	0.86	c	0.011	15.13	1.25	0.14		2	+	0.85	3.35	clear. Fringes wide + steady. Canvas put over house at 10:30 AM.
1926-02-05	15	15:07	0:15	d	12	20	0.57	c	0.010	15.25	0.5	-0.05		1	+	0.45	3.15	fleeing clouds. Fringes very wide + steady.
1926-02-05	16	15:38	0:46	d	29	20	1.16	c	0.015	15.16	0.4	-0.05		5	+	4.35	5.05	fleeing clouds. Fringes wide + steady.
1926-02-05	17	16:10	1:18	d	25	20	1.19	c	0.010	14.76	0.4	-0.27		1	+	1.85	3.35	fleeing clouds. Fringes wide + steady.
1926-02-05	18	16:57	2:05	s	16	20	0.80	c	0.007	13.80	0.45	-0.29		0	+	0.25	1.65	fleeing clouds. (extra fast). Extra rapid rotation, 1-turn in 35 sec. (less than (?) fringes in field) extra wide, very stea
1926-02-05	19	17:25	2:33	s	15	20	0.71	c	0.007	13.35	0.35	-0.20		1	+	-0.90	2.80	fleeing clouds. Extra slow rotation, 1 turn in 70 sec. (10 fringes to field) very steady, extra slow.
1926-02-05	20	17:53	3:01	n	14	20	0.67	c	0.009	12.78	0.6	-0.22		1	+	0.15	4.15	fleeing clouds. Reversed rotation. Reversed rotation! fringes med wide.
1926-02-05	21	19:32	4:40	n	16	20	0.70		0.019	11.09	0.6	-0.14		3	+	-0.80	6.50	fleeing clouds. usual direction again, fringes wide + very steady.
1926-02-05	22	20:06	5:14	n	16	20	0.73		0.021	10.74	0.3	-0.12		2	+	0.45	6.75	fleeing clouds. fringes wide + steady.
1926-02-05	23	20:42	5:50	n	16	20	0.70		0.022	10.36	0.35	-0.08		3	+	-2.65	7.35	fleeing clouds. med fringes very steady.
1926-02-05	24	21:11	6:19	n	14	20	0.67		0.024	10.19	0.2	-0.03		1	+	-1.05	5.95	clear. Fringes wide + moderately steady.
1926-02-05	25	21:41	6:49	n	15	20	0.68	h	0.017	9.96	0.25	-0.04		2	+	-2.17	5.72	clear. Fringes wide + pretty steady.
1926-02-05	26	22:17	7:25	n	16	20	0.70	h	0.017	9.81	0.05	-0.21		3	+	-2.00	4.56	clear. Fringes wide + steady.
1926-02-06	27	9:58	19:09	d	20	20	0.80		0.027	11.84	1.45	0.65		5	+	-6.30	7.20	haze. Temp. dif. 1/20°. Fringes wide (8 to field) + steady.
1926-02-06	28	10:52	20:03	d	13	20	0.65		0.026	13.45	1.6	0.62		0	+	1.15	5.45	slight haze. Temp. dif. 1/20°. Fringes extra wide (5 in field) very steady.
1926-02-06	29	11:22	20:33	d	14	20	0.70		0.030	14.36	3.45	-0.17		0	+	0.25	3.35	clear. sun shining in door. Fringes med wide + steady.
1926-02-06	30	11:56	21:07	d	18	20	0.78	p	0.024	14.78	1.15	0.29		3	+	3.70	4.50	clear. Fringes med + steady (covered cracks + put cloth over door).
1926-02-06	31	12:19	21:30	d	17	20	0.68	p	0.017	15.19	1.1	0.29		5	+	2.50	4.60	clear. Fringes wide steady.
1926-02-06	32	19:01	4:13	n	18	20	0.75	p	0.022	11.18	0.6	-0.21		4	+	-0.65	6.45	clear. Corrugated paper on. Corrugated paper put over glass, Fringes wide + very steady.
1926-02-06	33	19:28	4:40	n	16	20	0.70	p	0.022	10.76	0.3	-0.21		3	+	1.10	8.20	clear. Corrugated paper up. (corrugated paper up) fringes wide + very steady.
1926-02-06	34	20:22	5:34	n	23	20	0.88	p	0.023	10.43	0.5	-0.20		6	+	1.19	6.44	clear. corrugated paper up. Fringes wide + unsteady.
1926-02-06	35	21:03	6:16	n	18	20	0.78	p	0.027	10.04	0.35	-0.04		3	+	2.14	6.43	clear. corrugated paper up. Fringes extra wide.
1926-02-06	36	21:35	6:48	n	24	20	0.92	p	0.018	9.79	0.45	-0.07		6	+	1.60	6.70	clear. corrugated paper up. Fringes very wide.
1926-02-07	37	9:48	19:03	d	20	20	0.87	p	0.016	12.10	2.15	0.58		3	+	-0.35	5.95	clear. corrugated paper up. Fringes wide + very steady.
1926-02-07	38	10:16	19:31	d	15	20	0.68	p	0.023	12.91	2.15	0.43		2	+	-1.80	4.80	clear. corrugated paper up. fringes wide (6 to field).
1926-02-07	39	10:57	20:12	d	16	20	0.73	p	0.025	14.09	1.25	0.51		2	+	-2.35	6.05	thin clouds. corrugated paper up. wide fringes + steady.
1926-02-07	40	11:39	20:54	d	16	20	0.73	c	0.042	15.02	1	0.16		2	+	2.65	6.05	thin clouds. corrugated paper up. Fringes wide+steady (8 to field).
1926-02-07	41	12:05	21:20	d	16	20	0.73	c	0.037	15.33	1.2	0.32		2	+	2.85	5.65	thin clouds. Took corrugated paper down. (up for Nos 30-39 inclusive). Fringes wide + steady.
1926-02-07	42	12:40	21:56	d	17	20	0.71	c	0.026	15.82	0.9	0.17		4	+	3.70	4.70	thin clouds. Fringes wide + steady.
1926-02-07	43	17:27	2:43	s	17	20	0.71	c	0.007	13.93	0.3	-0.18		4	+	-4.70	4.90	thin clouds. fringes wide + steady.
1926-02-07	44	17:53	3:09	n	16	20	0.73	c	0.009	13.60	0.3	-0.20		2	+	-2.75	3.75	cloudy. Fringes wide + very steady.
1926-02-07	45	18:20	3:36	n	15	20	0.68	c	0.009	13.18	0.2	-0.22		2	+	-1.05	3.85	cloudy. Fringes wide + very steady.
1926-02-07	46	18:41	3:57	n	16	20	0.73	c	0.010	12.90	0.2	-0.20		2	+	-1.95	5.75	cloudy. Fringes wide + extra steady.
1926-02-07	47	21:36	6:52	n	14	20	0.70		0.017	10.92	0.2	0.12		0	+	0.70	2.90	Distorted signal
1926-02-07	48	22:12	7:28	n	18	20	0.72		0.015	10.94	0.1	0.05		5	+	-3.00	7.50	clear. Temp. difference 1/20°C. Fringes wide (7 in field) very steady.
1926-02-07	49	22:49	8:05	n	15	20	0.65		0.014	10.87	0.1	-0.07		3	+	0.10	5.80	clear. Fringes extra wide (5 or 6 in field) very steady.
1926-02-07	50	23:30	8:47	n	20	20	0.91		0.015	10.75	0.18	0.00		2	+	-2.87	5.40	clear. no temperature difference. Fringes extra wide (5 to field) + steady.
1926-02-08	51	0:00	9:17	n	16	20	0.67		0.011	10.73	0.12	0.00		4	+	-1.35	5.15	clear. Fringes extra wide (5) + steady.
1926-02-08	52	0:31	9:48	n	16	20	0.67		0.010	10.66	0.14	-0.01		4	+	-2.60	5.30	clear. extra (5) wide fringes very straight + steady.
1926-02-09	53	4:48	14:10	n	16	20	0.70		0.012	9.32	0.4	0.03		3	+	-3.60	5.70	Clear. Fringes extra (5) wide + steady.
1926-02-09	54	5:17	14:39	n	20	20	0.91		0.009	9.43	0.32	0.06		2	+	1.25	3.75	Clear. Fringes wide (6) + steady.
1926-02-09	55	6:01	15:23	n	15	20	0.65		0.007	9.52	0.42	-0.03		3	+	1.40	2.90	Clear. Fringes extra wide (5+) + steady.
1926-02-09	56	6:29	15:51	n	19	20	0.95		0.005	9.50	0.4	-0.01		0	+	0.75	1.45	Clear. Fringes wide + steady.

Data Sheets - Mount Wilson 1925–1926

1926-02-09	57	6:50	16:12	s	13	20	0.65		0,005	9,52	0,32	0,01	0	+	0,40	1,50	Clear. Sun rose clear during set. Fringes wide + steady.
1926-02-09	58	7:20	16:42	s	13	20	0.65		0,005	9,69	0,53	0,16	0	+	0,25	1,85	Clear. Fringes wide (6) very steady.
1926-02-09	59	7:50	17:12	d	15	20	0.65		0,008	10,26	1,39	0,48	3	+	-2,10	3,50	Clear. Fringes extra wide (5) + steady.
1926-02-09	60	8:14	17:36	d	15	20	0.63		0,015	10,98	1,85	0,43	4	+	-1,70	4,40	Clear. Sun light through cracks near door. (covered after set). Fringes extra wide (5) + steady.
1926-02-09	61	8:44	18:06	d	14	20	0.70		0,012	11,86	3,05	0,29	0	+	0,15	3,25	Clear. Fringes wide (6) medium steady.
1926-02-09	62	9:09	18:32	d	16	20	0.73		0,014	12,57	2,4	0,56	2	+	1,20	4,50	Clear. Fringes (8 in field) + steady.
1926-02-09	63	9:32	18:55	d	14	20	0.70		0,016	13,25	2,4	0,48	0	+	0,15	2,85	Clear. Fringes wide + med steady.
1926-02-09	64	19:25	4:49	n	15	20	0.75		0,029	12,18	0,39	-0,22	0	+	1,00	7,70	Clear. Fringes med. width. Poorest set of the series!
1926-02-09	65	19:47	5:11	n	14	20	0.61		0,025	11,86	0,3	-0,21	3	+	-3,25	7,15	Clear. Fringes med wide (8).
1926-02-09	66	22:35	8:00	n	20	20	0.83		0,029	9,68	0,3	-0,08	4	+	-3,35	8,25	Clear. Fringes wide unsteady.
1926-02-09	67	23:03	8:28	n	10	20	0.48		0,028	9,38	0,26	-0,13	1	+	0,63	4,88	Clear. Fringes wide + unsteady.
1926-02-09	68	23:38	9:03	n	21	20	0.84		0,027	9,10	0,3	-0,08	5	+	-6,55	8,75	Clear. fringes wide + unsteady.
1926-02-10	69	7:00	16:26	s	15	20	0.71	c	0,007	8,39	0,3	0,06	1	+	0,05	2,75	Cloudy. sun rose at 6:40 sky covered with clouds. Temp mild. Excellent conditions. Fringes wide (7) very steady.
1926-02-10	70	7:24	16:50	s	16	20	0.73	c	0,006	8,47	0,32	0,06	2	+	1,15	2,15	Cloudy. 8 fringes to field, very steady.
1926-02-10	71	7:51	17:17	d	15	20	0.71	c	0,006	8,70	0,45	0,27	1	+	0,20	1,90	Cloudy. Fringes wide (6) very steady.
1926-02-10	72	8:19	17:45	d	16	20	0.80	c	0,008	9,19	0,64	0,23	0	+	-0,10	2,90	Cloudy. widest fringes ever used. Fringes extra wide (4+) very steady.
1926-02-10	73	8:50	18:16	d	17	20	0.81	c	0,007	9,54	0,7	0,16	1	+	0,95	2,75	Cloudy. Fringes extra wide (5) very steady.
1926-02-10	74	9:25	18:51	d	17	20	0.77	s c	0,008	10,06	0,8	0,18	2	+	-0,20	2,10	Cloudy. Recording stand moved to South-West corner. (continued here till end of series). Fringes wide and steady.
1926-02-10	75	10:01	19:28	d	16	20	0.76	s c	0,010	10,44	0,8	0,15	1	+	-0,10	2,20	Cloudy. desk in SW corner. wide (6) fringes very steady.
1926-02-10	76	10:28	19:55	d	15	20	0.71	s c	0,011	10,84	0,95	0,43	1	+	-1,40	2,50	Phase shifted Cloudy. desk in SW. wide fringes steady.
1926-02-10	77	12:56	22:23	d	19	20	0.83	s c	0,013	13,12	1	0,26	3	+	-3,05	4,05	Cloudy. desk in SW. Fringes med wide, very steady.
1926-02-10	78	13:21	22:48	d	17	20	0.81	s c	0,013	13,51	1	0,26	1	+	-1,90	2,40	Cloudy. desk in SW. med fringes(8) steady.
1926-02-10	79	13:42	23:09	d	15	20	0.71	s c	0,012	13,72	0,85	0,01	1	+	-0,25	2,45	Cloudy. desk in SW. Fringes wide + very steady.
1926-02-11	80	0:42	10:11	n	17	20	0.71	s w	0,025	6,39	0,6	-0,16	4	+	-3,25	6,65	Whole group with north wind and gust
1926-02-11	81	1:08	10:37	n	18	20	0.72	s w	0,022	6,29	0,6	0,01	5	+	-0,50	8,20	Clear. Mod. north wind. gusty. Fringes wide (6) + med steady.
1926-02-11	82	1:36	11:05	n	16	20	0.76	s w	0,022	6,20	0,6	-0,11	1	+	-0,85	5,55	clear. Fringes very wide(5) med steady.
1926-02-11	83	2:07	11:36	n	15	20	0.63	s w	0,020	6,04	0,7	-0,06	4	+	-3,30	6,00	Phase shifted Clear. (9 fr) steady.
1926-02-11	84	2:42	12:11	n	17	20	0.81	s w	0,025	5,95	0,7	-0,02	1	+	-2,07	5,79	Clear. wide fringes (6).
1926-02-11	85	3:12	12:41	n	17	20	0.77	s w	0,016	5,85	0,7	-0,08	2	+	-1,10	5,10	Clear. Fringes wide (5).
1926-02-11	86	3:41	13:10	n	17	20	0.71	s w	0,014	5,68	0,7	-0,10	4	+	-1,30	6,20	Clear. desk in SW all night. (6 fr) steady.
1926-02-11	87	4:13	13:42	n	18	20	0.75	s w	0,015	5,53	0,6	-0,05	4	+	-1,10	5,50	Clear. wide fringes (5).
1926-02-11	88	4:50	14:19	n	17	20	0.74	s w	0,019	5,41	0,5	-0,05	3	+	-1,50	8,30	Clear. Fringes wide (5) steady.
1926-02-11	89	5:19	14:49	n	16	20	0.70	s w	0,016	5,33	0,4	-0,03	3	+	-0,25	5,85	Clear. desk in SW. 8 fr in field.
1926-02-11	90	5:39	15:09	n	13	20	0.62	s w	0,012	5,28	0,5	-0,03	1	+	-2,30	5,30	Clear. 8 fr in field.
1926-02-11	91	6:30	16:00	n	15	20	0.68	s w	0,015	5,23	0,5	-0,02	2	+	-2,05	6,35	Clear. 8 fr to field, steady.
1926-02-11	92	15:42	1:14	d	14	20	0.67	sv fw	0,007	7,22	0,3	-0,11	1	+	-0,95	3,15	Clear. All night: moderate north wind, cool, and gusty. Sun rise about 6:40, 'sea of fog'. Fringes med width(8) stead
1926-02-11	93	16:02	1:34	d	14	20	0.67	s f	0,007	7,19	0,25	-0,01	1	+	0,35	3,05	Heavy fog, on the ground. Moderate south wind. cool. Fringes wide (6) very steady.
1926-02-11	94	16:22	1:54	d	15	20	0.63	s f	0,007	7,13	0,25	-0,09	4	+	1,45	4,85	Fog. desk in SW. Fringes med(7) very steady.
1926-02-12	95	1:08	10:41	n	18	20	0.75	s crw	0,014	3,81	0,4	-0,01	4	+	-1,95	6,35	Heavy Fog on ground, desk in SW. Fringes med wide (8).
1926-02-12	96	1:33	11:04	n	14	20	0.67	s crw	0,016	3,77	0,15	-0,05	1	+	-1,10	7,30	Rain, wind, fog. desk in SW. Fringes very wide (5) + steady.
1926-02-12	97	2:02	11:35	n	15	20	0.65	s crw	0,013	3,74	0,12	0,02	3	+	-1,50	7,00	Rainstorm, desk in SW. Fringes wide (6) steady.
1926-02-12	98	2:21	11:54	n	16	20	0.64	s crw	0,013	3,77	0,2	0,04	5	+	-0,20	7,40	Rainstorm. desk in SW. Fringes med wide (7) steady.
1926-02-12	99	2:50	12:23	n	17	20	0.77	s crw	0,011	3,68	0,15	-0,05	2	+	-2,15	4,05	Rainstorm. desk in SW. fringes wide (6).
1926-02-12	100	3:19	12:52	n	20	20	0.74	s w	0,012	3,58	0,28	-0,03	7	+	-1,00	6,90	Rainstorm. desk in SW. Fringes wide(7) very steady.
1926-02-12	101	3:40	13:13	n	14	20	0.61	s w	0,008	3,57	0,28	0,01	3	+	-1,05	4,85	Storm. desk in SW. Fringes wide(6) steady.
									0,017	9,46	0,65	0,05	2,5		-0,26	5,29	Storm. desk in SW. End of Series. Dismounted optical Parts. Fringes wide (6) steady.
									0,01	3,30	0,60	0,20	1,65		2,85	2,30	Mean value Standard deviation