

aetherise -ignore all dcm/csv/* csv dcm/csv/*/* csv -aggregate list > list.csv

canceled	Visitor	v	Clear
bad	Desk SW	s	Fog
error	Sign reversed	r	Mist
outlier	Corrugated paper up	p	Haze
unusual		c	Clouds
anomaly	d day	w	Wind
	n night	r	Rain
	s sunrise/sunset		

Gray dT values are manually calculated and added.

date	no	time	sidereal	e of	cdur	turns	durati	tribut	weather	uncertainty	T	TD	dT	sign	adjust	con	drift	abs	drift	my remarks	notes
1925-03-27	101	18:10	06:26	s	20	17	1.18		f	0.013	7.05	0.1		+	0	+	0.90	3.94		Foggy	
1925-03-27	102	21:10	09:26	n	37	29	1.16		f	0.019	5.58	0.3	-0.20	+	3	+	-0.57	6.17		Interruption	Weather: Heavy fog. Clearing up at 9:00. Using medium wide fringes steady and straight.
1925-03-28	103	16:00	04:19	d	20	23	0.87	v	f	0.012	13.55	1.8		+	0	+	0.96	2.74		Weather - heavy fog.	
1925-03-28	104	16:35	04:54	d	17	17	1.00		f	0.014	13.55	1.8			0		1.71	3.00		Weather foggy. (Increasing length gives negative readings. Therefor signs reversed.) Fringes extra steady + straight	
1925-03-28	105	17:05	05:24	d	10	13	0.77			0.014				x	0	+	2.69	3.54		Weather Clear. Sign correct. Fringes - straight, steady, wide.	
1925-03-28	106	17:45	06:04	s	27	25	1.00			0.014	10.43	1.5		+	2	+	3.04	5.16		clear	
1925-03-30	107	15:34	04:01	d	36	27	1.20		f	0.006	4.28	0.4		-	3	-	-0.68	1.60		Weather - Foggy. Cold. Found Acetylene water (?) frozen, solid ice.	
1925-03-30	108	16:17	04:44	d	35	50	0.67		f	0.004	4.00	0.4	-0.20	+	2	+	0.28	1.44		Foggy to start, clear at end. fringes very steady, straight, medium width - field about 14 fringes wide.	
1925-03-30	109	23:00	11:28	n	32	30	0.94			0.016	0.18	0.3	0.02	+	4	+	0.86	5.80		Interruption	clear. adjusted all mirrors completely. Fringes very steady. Medium width.
1925-03-31	110	00:38	13:11	n	15	16	0.94		f	0.009	0.48	0.3	0.15	+	0	+	2.39	4.94		Foggy. Fringes steady. Medium width.	
1925-03-31	111	00:58	13:29	n	19	30	0.61		f	0.006	0.80	0.6	0.15	+	1	+	1.96	3.07		Foggy.	
1925-04-01	112	12:22	00:59	d	43	33	1.13		f	0.014	5.50	1.8		+	5	+	5.51	8.73		Faint fog, partly clear. Optical system carefully centered. (The sign is reversed. See second chart)?	
1925-04-02	113	01:52	14:31	n	25	25	0.93			0.009	0.85	0.7	0.10	+	2	+	1.13	3.88		Clear. Optical system accurately adjusted. Excellent set.	
1925-04-02	114	02:52	15:31	n	15	20	0.75			0.006	1.48	0.5	0.10		0		1.40	2.00		clear. Extra good.	
1925-04-02	115	03:10	15:49	n	13	20	0.65			0.006	1.50	0.5	0.05		0		1.34	1.65		Temperature drops	clear. Extra good.
1925-04-02	116	03:48	16:27	n	13	20	0.65			0.006	1.35	0.4			0		0.72	1.60		clear. Extra good.	
1925-04-02	117	04:12	16:51	n	12	20	0.60	s		0.007	1.33	0.5	-0.03		0		0.93	1.90		clear. Desk changed from N.W. to S.W. corner + used flash instead of electric light bulb. Extra good.	
1925-04-02	118	04:58	17:37	n	25	30	0.81	s		0.008	1.30	0.5		1	-	0.63	2.37		clear. Saw sunrise 5:42. Desk at S.W. flashlight. Fringes wide + steady. Extra good.		
1925-04-02	119	06:12	18:52	s	20	24	0.83	s		0.013	1.23	0.9			0		-1.31	3.83		clear. desk at S.W. flashlight. good set.	
1925-04-02	120	06:35	19:25	s	21	30	0.70	s		0.009	1.58	2	0.46		0		0.31	3.07		clear. Desk S.W.-flash. good set. (?) night, 1:52 to 6:35 AM, 8 sets, 189 turns = 10400 feet walking, = 2 miles.	
1925-04-02	121	09:06	21:44	d	42	30	1.20	s		0.028	7.71	7.4	0.51	+	5	+	-1.21	6.83		clear, sunshine and melting snow. desk SW corner flashlight.	
1925-04-03	122	15:46	04:29	d	10	13	0.77		f	0.018	11.25	0.4			0		1.60	4.54		Group is outlier in epoch	
1925-04-03	123	16:05	04:48	d	19	23	0.79		f	0.013	11.05	0.4	-0.26		1		2.00	3.87		Foggy. Lamp on instrument. good set. (?) condition seem most favorable. Blast on road obliterates fringes for 1 second	
1925-04-03	124	17:16	05:59	s	14	20	0.70		f	0.014	9.08	0.6		-	0	-	-0.29	4.65		Foggy. Lamp on instrument. Extra wide fringes (field=8 fringes wide). Steady + throughout. good set.	
1925-04-03	125	17:36	06:19	s	18	24	0.72		f	0.013	8.26	0.8	-0.40	-	1	-	-0.67	5.40		Interruption	Foggy. Narrow Fringes (Field=20 fringes wide). Fringes extra steady.
1925-04-03	126	18:00	06:44	s	8	13	0.62		f	0.024	8.03	0.8			0		1.33	9.46		Foggy. Fringes normal width (field=14 fringes wide). Poor set. Fringes unsteady.	
1925-04-08	127	16:03	05:05	d	25	21	1.04	v		0.021	16.40	1.6		+	3	+	5.15	7.25		clear. Centered all interferometer mirrors. Light on instrument.	
1925-04-08	128	16:35	05:37	d	17	20	0.81			0.019	16.26	1.6	-0.14	+	1	+	3.57	4.55		Clear. Light on instrument. Fairly good set.	
1925-04-08	129	18:00	07:02	s	20	20	0.91			0.016	12.93	1.5		+	2	+	-0.55	5.55		Clear. Outside light. (?) of illumination centered. Fringes wide. Poor set - sundown.	
1925-04-08	130	23:53	12:55	n	16	20	0.76			0.026	8.33	0.6	-0.01		1	-	0.22	11.00		Clear. Light outside, illuminating (?) centered.	
1925-04-09	131	01:00	14:06	n	17	20	0.77			0.021	8.73	0.9		+	2	+	-1.12	6.41		Clear. (thin clouds). Light outside.	
1925-04-09	132	01:33	14:39	n	12	20	0.55			0.013	8.85	0.9	0.12	-	2	-	-1.27	4.95		Clear. Light on instrument.	
1925-04-09	133	01:53	14:59	n	17	20	0.81			0.008	8.96	0.7	-0.02	+	1	+	1.20	2.85		Clear. Light on instrument. Fringes wide + steady.	
1925-04-09	134	14:33	03:39	d	6	8	0.67			0.026	20.88	2			1	+	2.28	5.25		Clear. Light on instrument.	
1925-04-09	135	15:00	04:06	d	13	17	0.68			0.025	20.94	2	0.07		2	+	6.31	10.18		Clear. Light on instrument.	
1925-04-10	136	12:07	00:44	d	27	21	1.04			0.044	23.08	2.8			5	+	1.77	7.65		Light on instrument. Poor set. (Last set).	
1925-07-24	1	17:30	13:37	d	10	8	1.00			0.028	27.48	1.3		x	2	-	-12.91	14.75		Canceled by Miller	
1925-07-25	2	02:00	22:14	n	64	21	2.56	v		0.039	16.20	0.4	-0.01	x	4	-	-1.94	5.89		Interruption	Weather: Clear. First trial, after finding fringes Temperature very unsteady, 'signs correct' means that lengthening time
1925-07-25	3	02:37	22:53	n	18	7	1.80	v		0.044	16.18	0.4		+	3	+	5.11	6.33		Interruption	Fairly-Clear. Temperature conditions very unfavorable. Extended over 1h14m! Five interruptions in all. Interrupted by
1925-07-27	4	01:20	21:42	n	20	20	0.91	v		0.040	20.91	0.3	-0.15	x	2	-	-0.57	5.80		Chaotic group	Clear. Ventilating fan put in house on Sunday p.m. July 26.
1925-07-27	5	01:46	22:08	n	13	16	0.81			0.034	20.03	0.2		x	0	-	-2.08	8.00		Clear.	
1925-07-27	6	02:16	22:38	n	21	20	0.91			0.025	19.68	0.3		x	3	+	0.90	9.30		Clear. Earthquake tremors noted this evening. wide fringes about 12 to field.	
1925-07-27	7	02:49	23:11	n	27	20	1.13			0.032	19.66	0.8	-0.01	x	4	+	3.60	8.80		Clear.	
1925-07-27	8	03:29	23:51	n	32	20	1.45			0.022	19.61	0.8	-0.03	+	2	+	2.68	5.50		Clear. Signs (?).	
1925-07-27	9	04:12	00:35	n	35	20	1.30			0.029	19.58	0.6		+	7	+	1.66	6.42		Clear. temp. falling. Signs reversed?	
1925-07-27	10	04:54	01:17	n	28	20	1.12			0.024	18.93	0.3		x	5	+	2.88	8.40		Clear.	
1925-07-28	11	23:58	20:24	n	16	20	0.76			0.028	20.30	0		x	1	-	-2.01	8.60		Clear.	
1925-07-28	12	01:25	21:51	n	26	25	0.93			0.023	19.23	0.4	-0.02	x	3	+	-1.80	6.75		Clear. (Temp. falling very slowly). med wide straight fringes.	
1925-07-28	13	02:18	22:44	n	35	25	1.06			0.023	19.03	0.4	-0.09	x	8	+	-3.28	7.36		Apparently inverted	Clear.
1925-07-28	14	03:20	23:56	n	20	25	0.80			0.024	18.69	0.4	-0.11	x	0	-	-0.23	4.20		Clear. extra good set, wide fringes steady.	
1925-07-28	15	04:03	00:30	n	15	20	0.75			0.020	18.48	0.4	-0.03	x	0	-	-1.31	6.85		clear. fringes med wide + steady.	
1925-07-28	16	04:33	01:00	n	15	21	0.68			0.021	18.48	0.4	-0.03	x	1	-	-1.10	7.45		Clear. med fringes.	
1925-07-28	17	05:03	01:30	s	15	20	0.71			0.018	18.38	0.4	-0.05	x	1	-	-2.75	7.30		Included because of bad group	Clear. wide fringes (10 to field).
1925-07-28	18	05:53	02:20	s	15	20	0.63			0.018	18.78	0.4		x	4	+	0.38	7.35		Clear. Sun shines on Interferometer.	
1925-07-28	19	06:08	02:35	d	15	20	0.63			0.015	18.78	0.4		x	4	+	-0.58	8.85		Similar signal like 18, unusual high amplitude	Clear.
1925-07-29	20	23:47	20:21	n	45	20	1.80			0.042	20.83	0.3		x	5	+	-4.25	7.50		Interruption	Clear.
1925-07-30	21	01:35	22:09	n	20	22	0.83	v		0.032	19.43	0.2		x	2	-	-2.99	8.36		Group different to 12	Clear.
1925-07-30	22	02:32	23:07	n	15	20	0.75			0.025	19.19	0.6	-0.04	x	0	x	0.49	7.90		Apparently inverted	Clear. fringed med wide + straight, good set.

Data Sheets - Mount Wilson 1925–1926

1925-07-30	23	03:08	23:43	n	16	20	0,80		0,021	19,19	0,6	-0,04	x	0	x	0,73	7,30	Clear. Fringes steady! Made no adjustment from previous set; none during this set; and none for next set! Never be
1925-07-30	24	03:50	00:25	n	20	20	0,95		0,018	18,94	0,5	-0,10	x	1	-	-1,00	7,45 Included because of bad group	Clear. Good set. 3 sets without stopping interferometer to adjust.
1925-07-30	25	04:27	01:02	n	15	20	0,75		0,022	18,71	0,5	-0,08	x	0	-	-0,48	3,85 Unusual high amplitude	Clear. Good set.
1925-07-30	26	04:52	01:27	n	15	20	0,68		0,020	18,61	0,5	-0,02	x	2	+	2,25	6,35	Clear. To Echo rock to see sunrise, about 5:10 a.m. Good set.
1925-07-30	27	05:34	02:09	s	18	20	0,78		0,016	18,65	0,6	0,03	x	3	+	-0,68	7,55 Similar to 28	clear. After sunrise.
1925-07-30	28	05:56	02:31	s	22	20	0,96		0,013	18,94	0,6	0,32	x	3	+	0,43	6,45 Unusual high amplitude	Clear. Sun shines on Interferometer. Fringes becoming unsteady.
1925-08-01	29	11:25	08:09	d	17	20	0,81	h	0,018	26,80	0,7	0,33	x	1	+	0,77	3,45 Canvas	Hazy-Clear. Rain Clouds on north descent. With Canvas Cover over house. Canvas in place July 31.
1925-08-01	30	11:51	08:36	d	28	20	1,12		0,016	27,35	0,7	0,28	x	5	+	7,50	8,00	Partly-clear.
1925-08-01	31	14:01	10:45	d	28	20	1,22		0,010	28,48	0,3		x	3	+	7,25	7,25 Chaotic group, change of temperature change	Clear.
1925-08-01	32	15:14	11:58	d	20	20	0,83		0,010	28,36	0,1	-0,01	x	4	+	5,17	5,55	Clear.
1925-08-01	33	15:46	12:30	d	12	20	0,60		0,008	28,30	0,1	-0,06	x	0	+	1,70	2,35	Clear.
1925-08-01	34	16:40	13:25	d	15	20	0,75		0,008	27,48	0,6	-0,28	x	0	x	0,01	1,65 Drift changes	Clear. Extra steady. wide fringes. Best ever made in daytime.
1925-08-01	35	17:20	14:05	d	33	20	1,38		0,007	27,01	0,6	-0,15	x	4	-	-1,39	2,75 Interruption	Clear.
1925-08-01	36	17:46	14:31	d	13	20	0,62		0,007	26,70	0,5	-0,25	x	1	-	-1,26	2,65	Clear.
1925-08-01	37	19:54	16:39	n	18	20	0,82		0,023	23,69	0,3	-0,22	x	2	-	-1,75	6,75	Clear.
1925-08-01	38	20:45	17:30	n	17	20	0,71		0,026	23,03	0,2	-0,22	x	4	+	-2,46	7,85	Clear.
1925-08-01	39	21:23	18:10	n	20	20	0,91		0,023	22,46	0,25	-0,15	x	2	-	-2,88	7,20	Clear.
1925-08-01	40	22:11	18:57	n	28	20	1,04		0,024	22,09	0,25	-0,14	x	7	+	-0,90	8,80	Clear.
1925-08-03	41	09:25	06:17	d	6	6	0,86		0,019	23,04	1,3	0,74	x	1	x	-0,50	1,50	Clear. Sun shines through cracks.
1925-08-03	42	09:55	06:41	d	15	20	0,75		0,017	25,25	1,1	0,62	x	0	x	0,87	4,30 Similar to 41	Clear.
1925-08-03	43	10:40	07:32	d	13	12	0,93		0,020	26,65	1,1	0,35	x	2	+	6,71	7,50	Clear. caulked up cracks which shone directly on interferometer.
1925-08-03	44	11:30	08:22	d	29	17	1,21		0,030	27,58	0,9	0,30	x	7	+	12,12	12,12	Clear.
1925-08-03	45	15:33	12:25	d	23	20	1,05		0,007	28,98	1	-0,21	x	2	+	1,48	2,90 Included because of general high gradient	Clear. Fringes wide and very steady.
1925-08-03	46	16:24	13:17	d	19	20	0,90		0,006	28,23	1,4	-0,29	x	1	+	-0,62	1,65	Clear. Fringes wide and very steady.
1925-08-03	47	17:00	13:53	d	19	20	0,86		0,006	27,70	1,2	-0,26	x	2	-	-2,27	2,85	Clear. Fringes very steady extra wide.
1925-08-03	48	17:40	14:33	d	15	20	0,68		0,008	27,03	1,2	-0,31	x	2	-	-2,35	4,50	Clear. Fringes wide + steady.
1925-08-04	49	13:46	10:45	d	10	20	0,48	v	0,015	29,88	0,6	0,04	x	1	+	1,45	3,00 See group 31	Clear. Watch cor. +3m.
1925-08-04	50	15:04	12:04	d	11	20	0,50		0,010	29,78	0,2	0,15	x	2	+	2,25	3,50	Clear.
1925-08-04	51	15:49	12:49	d	14	20	0,70		0,008	29,66	0,1	-0,16	x	0	+	0,82	1,20	Clear.
1925-08-04	52	16:30	13:30	d	15	20	0,71		0,007	29,00	0,2	-0,19	x	1	-	-0,71	1,40	Clear.
1925-08-04	53	17:15	14:15	d	16	20	0,76		0,008	28,15	0,5	-0,24	x	1	-	-1,86	2,30	Clear. Fringes wide and very steady.
1925-08-04	54	17:56	14:56	s	19	20	0,83		0,010	27,21	0,7	-0,28	x	3	+	-3,09	5,65	Clear.
1925-08-04	55	20:08	17:08	n	37	24	1,28		0,030	23,99	0,4	-0,27	x	5	+	-2,22	8,95 Interruption	Clear. Fringes steady straight but whole system constantly shifting. Readings seemingly erratic and nevertheless c
1925-08-04	56	20:55	17:56	n	14	20	0,67		0,029	23,31	0,5	-0,27	x	1	+	-1,09	9,25	Clear.
1925-08-04	57	21:32	18:33	n	26	20	1,13		0,028	22,76	0,4	-0,19	x	3	+	-4,22	7,95	Clear.
1925-08-04	58	22:15	19:16	n	14	20	0,67		0,027	22,20	0,3	-0,23	x	1	-	-3,00	9,75	Clear.
1925-08-04	59	22:48	19:49	n	16	20	0,67		0,025	21,84	0,4	-0,06	x	4	+	-1,25	7,80	Clear. Fringes straight and wide.
1925-08-05	60	13:10	10:10	d	17	20	0,74		0,011	26,56	0,3	0,06	x	3	+	5,41	5,75	Clear.
1925-08-05	61	13:45	10:45	d	15	20	0,71		0,008	26,41	0,3	-0,02	x	1	+	3,70	3,70	Clear.
1925-08-05	62	15:08	12:08	d	15	20	0,71	v	0,007	26,41	0,6	0,08	x	1	+	2,19	2,65	Clear. Wide fringes steady.
1925-08-05	63	15:48	12:48	d	13	20	0,65		0,007	26,15	0,8	0,05	x	0	x	-0,01	1,80	Clear.
1925-08-05	64	19:00	16:01	n	18	20	0,72		0,020	23,21	0,9	-0,43	x	5	+	-4,23	8,35	Clear. very wide straight fringes.
1925-08-05	65	19:36	16:37	n	13	20	0,59		0,025	22,20	0,8	-0,33	x	2	+	0,84	4,70	Clear.
1925-08-05	66	20:16	17:17	n	21	20	0,84	s	0,031	21,40	0,4	-0,24	x	5	+	-1,35	6,90	Clear. Observers position moved from NW to SW corner, to end of series.
1925-08-05	67	21:03	18:05	n	20	20	0,87	s	0,032	20,63	0,4	-0,25	x	3	+	0,45	5,76	Clear.
1925-08-05	68	22:01	19:03	n	37	20	1,42	s	0,027	19,78	0,3	-0,18	x	6	+	-5,18	8,30	Clear.
1925-08-06	69	09:33	06:36	d	22	20	0,96	s	0,022	21,03	1,2	0,59	x	3	-	-5,34	9,45	Clear. Fringes narrow-medium (22 to field).
1925-08-06	70	10:13	07:16	d	26	20	1,13	s	0,020	22,33	1,1	0,48	x	3	+	3,11	4,95	Clear. Fringes med-wide.
1925-08-06	71	11:21	08:25	d	18	20	0,75	s	0,024	24,11	0,7	0,22	x	4	+	6,06	6,90	Clear.
1925-08-06	72	11:46	08:52	d	16	20	0,70	s	0,021	24,60	0,5	0,36	x	3	+	5,97	6,65	Clear.
1925-08-06	73	12:08	09:12	d	16	20	0,70	s	0,022	25,04	0,4	0,32	x	3	+	6,50	7,05	Clear.
1925-08-06	74	13:44	10:48	d	13	20	0,65	s	0,010	25,69	0,2	0,19	x	0	+	0,89	2,55	Clear. Excellent Fringes: straight, wide, and very steady.
1925-08-06	75	14:09	11:13	d	12	20	0,60	s	0,009	25,80	0,3	0,12	x	0	x	0,53	3,60	Clear. Fringes wide, straight steady. Excellent.
1925-08-06	76	14:31	11:35	d	12	20	0,57	s	0,009	26,01	0,6	0,02	x	1	+	2,46	2,95	Clear. Excellent.
1925-08-06	77	14:54	11:58	d	14	20	0,64	s	0,009	26,01	0,6	-0,02	x	2	+	2,18	2,40	Clear. Excellent.
1925-08-06	78	18:13	15:16	s	26	20	1,13	s	0,017	22,76	0,8	-0,30	x	3	+	0,48	6,35 Interruption	Clear.
1925-08-06	79	18:43	15:50	s	17	20	0,74	s	0,019	22,10	0,4	-0,30	x	3	+	0,23	6,60	Clear.
1925-08-07	80	05:05	02:12	s	20	20	0,95	s	0,013	15,71	0,5	-0,05	x	1	+	0,35	5,40	Clear.
1925-08-07	81	05:39	02:46	s	17	20	0,74	s	0,013	15,71	0,5	0,08	x	3	+	1,30	5,50	Clear.
1925-08-07	82	06:23	03:30	d	14	20	0,67	s	0,008	15,99	0,6	0,28	x	1	+	1,13	4,05	Clear.
1925-08-07	83	07:09	04:16	d	16	20	0,70	s	0,008	16,80	1	0,39	x	3	-	-2,73	4,10	Clear.
1925-08-07	84	07:54	05:01	d	17	20	0,77	s	0,011	17,99	1,2	0,43	x	2	+	-1,10	3,75	Clear.
1925-08-07	85	08:43	05:50	d	14	20	0,64	s	0,015	19,54	1,2	0,53	x	2	+	-1,20	3,55	Clear.
1925-08-07	86	12:51	09:59	d	18	20	0,82	s	0,014	24,51	0,5	0,14	x	2	+	0,39	3,25	Clear. Fringes wide, straight and steady.
1925-08-07	87	13:22	10:30	d	12	20	0,57	sv	0,011	24,71	0,5	0,15	x	1	+	1,06	4,10	Clear. Fringes extra wide very straight, very steady.
1925-08-07	88	23:45	20:57	n	16	20	0,67	s	0,024	16,91	0,4	-0,04	x	4	+	-0,04	4,25	Clear. Very wide fringes.
1925-08-08	89	00:05	21:17	n	15	20	0,68	s	0,016									

Data Sheets - Mount Wilson 1925–1926

1925-08-08	94	06:57	04:08	d	18	20	0,78	s	0,010	16,41	0,9	0,38	x	3	-	-2,33	3,59	Clear. Fringe wide.
1925-08-08	95	07:40	04:51	d	13	20	0,62	s	0,011	17,66	0,9	0,24	x	1	-	-0,77	4,30 Similar to 96	Clear. Wide fringes (8 to field).
1925-08-08	96	07:59	05:10	d	14	20	0,67	s	0,012	18,14	0,9	0,57	x	1	+	-0,70	4,90	Clear. Extrawide (8 fringes to field). Dismounted mirrors and telescope. Closed up. End of series.
1925-09-10	1	16:27	15:52	d	14	20	0,70		0,007	23,54	0,3	-0,06	x	0	+	0,10	2,00	Clear. Fringes med wide, steady, obs in N.W. corner.
1925-09-10	2	17:00	16:25	s	13	20	0,65		0,005	23,23	0,2	-0,20	x	0	+	0,58	0,75 Zero line	Clear.
1925-09-10	3	17:49	17:04	s	13	20	0,59		0,007	22,38	0,2	-0,26	x	2	+	-0,18	2,85	Clear.
1925-09-10	4	20:02	19:27	n	22	20	0,88		0,020	20,01	0,1	-0,15	x	5	+	-1,34	10,40	Clear.
1925-09-11	5	23:08	22:38	n	22	20	0,85		0,035	14,95	0,2	-0,15	x	6	+	-4,64	8,45	Clear. Very poor set.
1925-09-11	6	23:46	23:16	n	26	20	1,04		0,035	14,59	0,2	-0,14	x	5	+	-1,23	7,50	Clear.
1925-09-12	7	01:20	00:50	n	19	20	0,83		0,029	13,69	0,4	-0,04	x	3	+	1,81	6,85 Chaotic group	Clear.
1925-09-12	8	02:14	01:44	n	18	20	0,75		0,020	13,31	0,5	-0,05	x	4	+	-3,15	9,00	Clear. 'minus' at end when sign was obs. reverse.
1925-09-12	9	03:15	02:45	n	20	20	0,80		0,019	12,86	0,6	-0,11	+	5	+	-5,65	7,35	Clear. Sign incorrect! (reversed from normal). Reverse 1-9 and 20.
1925-09-12	10	04:28	03:58	n	30	20	1,20		0,020	12,41	0,4	-0,07	x	5	+	0,23	7,50	Clear.
1925-09-12	11	05:03	04:34	n	16	20	0,70		0,022	12,26	0,5	-0,07	x	3	+	3,54	9,20	Clear. Fringes steady med wide.
1925-09-12	12	05:37	05:08	s	18	20	0,90		0,024	12,11	0,8	-0,08	x	0	x	0,40	6,50	Clear. Sun rose towards end of this set. Fringes straight + steady.
1925-09-12	13	06:16	05:47	s	17	20	0,74		0,018	11,96	0,5	0,08	x	3	+	1,57	6,70	Clear.
1925-09-12	14	13:32	13:04	d	17	20	0,77	f	0,009	16,99	0,4	0,09	x	2	+	1,32	2,15 Anomalous group, signal changes from 19 to 20	Thick Fog. Fringes wide and steady.
1925-09-12	15	14:01	13:33	d	13	20	0,62	f	0,007	17,13	0,4	0,08	x	1	+	1,48	2,35	Thick Fog. Fringes extra wide and steady.
1925-09-12	16	14:35	14:07	d	13	20	0,65	f	0,006	17,13	0,3	0,00	x	0	x	0,22	0,95	Thick Fog. Fringes wide and steady.
1925-09-12	17	15:24	14:56	d	14	20	0,64	f	0,005	17,05	0,4	0,00	x	2	+	-0,40	1,80 Change of temperature change	Fog. Clearing - sun casts faint shadow. Fringes wide + steady.
1925-09-12	18	16:05	15:38	d	13	20	0,65	f	0,006	16,91	0,2	-0,12	x	0	-	-0,66	1,30	Fog. faint shadow. Fringes wide + steady.
1925-09-12	19	16:40	16:13	d	13	20	0,62	f	0,005	16,34	0,2	-0,18	x	1	+	-0,23	2,05	Fog no shadow clearing toward end.
1925-09-12	20	17:14	16:47	s	15	20	0,65	f	0,007	15,86	0,2	-0,23	x	3	+	-0,83	3,55	slight fog overhead. sun low. Fr. wide (6 fringes to field).
1925-09-12	21	17:53	17:26	s	18	20	0,72		0,013	15,26	0,2	-0,31	x	5	+	-3,62	4,90	Clear. sun run low. (no heating effect).
1925-09-13	22	15:18	14:54	d	16	20	0,73	v	0,013	23,58	0,3		x	2	+	-1,04	3,35 Strongly deviant signal	Clear.
1925-09-13	23	16:37	16:14	d	14	20	0,70		0,007	22,99	0,3	-0,43	x	0	-	-0,45	1,20	Clear. Airplane overhead completely obliterated fringes before set began.
1925-09-13	24	17:12	16:49	s	13	20	0,62		0,006	22,19	0,2	-0,27	x	1	-	-0,18	1,85	Clear.
1925-09-13	25	17:42	17:19	s	17	20	0,77		0,008	21,45	0,2	-0,38	x	2	-	-1,93	2,60	Clear.
1925-09-14	26	13:49	13:29	d	19	20	0,76		0,019	25,93	1	0,23	x	5	+	2,65	5,35	Clear.
1925-09-14	27	14:29	14:09	d	17	20	0,74		0,013	26,20	1	0,04	x	3	+	3,17	3,80	Clear.
1925-09-14	28	15:10	14:50	d	14	20	0,67		0,009	26,01	0,7	-0,12	x	1	+	1,20	3,00	Clear.
1925-09-14	29	19:25	19:06	n	22	20	0,88		0,034	19,44	0,4	-0,16	x	5	+	-0,36	7,90	Clear.
1925-09-14	30	20:04	19:45	n	15	20	0,71	v	0,034	19,06	0,3	-0,21	x	1	-	-1,47	6,20	Clear.
1925-09-14	31	20:46	20:27	n	20	20	0,80		0,030	18,53	0,3	-0,16	x	5	+	-2,88	8,50	Clear.
1925-09-14	32	21:35	21:16	n	25	20	0,96		0,028	17,98	0,2	-0,13	x	6	+	-3,50	8,85	Clear.
1925-09-14	33	22:18	22:09	n	23	20	0,88		0,027	17,59	0,3	-0,14	x	6	-	-3,92	7,95	Clear.
1925-09-14	34	22:42	22:23	n	16	20	0,62		0,020	17,40	0,3	-0,11	x	6	+	-0,57	8,70	Clear.
1925-09-16	35	01:22	01:08	n	18	20	0,82		0,025	13,76	0,3	-0,09	x	2	+	-1,30	6,00	Clear.
1925-09-16	36	01:54	01:40	n	18	20	0,82		0,019	13,59	0,3	-0,08	x	2	-	-3,31	6,75	Clear.
1925-09-16	37	02:39	02:24	n	15	20	0,71		0,030	13,35	0,5	-0,03	x	1	+	0,94	4,69	Clear.
1925-09-16	38	03:16	03:01	n	16	20	0,76		0,020	13,05	0,5	-0,04	x	1	-	-1,91	4,85 Strongly deviant signal	Clear.
1925-09-16	39	04:08	03:54	n	17	20	0,81		0,018	12,68	0,4	-0,12	x	1	-	-1,23	7,55	Clear.
1925-09-16	40	04:34	04:20	n	17	20	0,74	p	0,017	12,54	0,5	-0,07	x	3	+	-1,63	4,30	Clear. corrugated paper over windows (air path covered).
1925-09-16	41	04:54	04:40	n	16	20	0,73		0,018	12,40	0,5	-0,12	x	2	-	-1,48	6,25	Clear. Corrugated paper removed.
1925-09-16	42	05:34	05:20	n	16	20	0,67		0,020	12,03	0,4	-0,13	x	4	+	-1,73	7,05	Clear. Sun rose as this set ended.
1925-09-16	43	06:16	06:03	s	15	20	0,68		0,018	11,83	0,5	0,13	x	2	-	-1,69	6,40 Temperature rising	Clear.
1925-09-16	44	06:50	06:37	d	13	20	0,59		0,017	12,08	0,5	0,10	x	2	-	-1,48	6,50 Distorted signal	Clear.
1925-09-17	45	09:26	09:16	d	17	20	0,77		0,025	15,21	1,6	0,57	x	2	+	-1,03	3,80	Clear.
1925-09-17	46	10:15	10:05	d	17	20	0,77		0,029	16,93	1,6	0,49	x	2	+	2,38	5,10	Clear.
1925-09-17	47	11:00	10:51	d	19	20	0,73		0,030	18,14	1,5	0,39	x	6	+	7,27	7,70	Clear.
1925-09-17	48	11:47	11:39	d	20	20	0,71		0,031	18,94	1,2	0,33	x	8	+	8,58	9,40	Clear. Clouds began forming just after this set, and in an hour covered the sky.
1925-09-17	49	19:30	19:23	n	21	20	0,95	c	0,008	15,87	0,3	-0,04	x	2	+	-0,41	4,90 Interruption	Cloudy. Thermometers within .02 °C of 15.9
1925-09-17	50	20:07	20:00	n	16	20	0,73	c	0,008	15,68	0,38	-0,06	x	2	+	1,01	3,60	Cloudy. Fringes wide, straight, steady (6 to field).
1925-09-17	51	20:49	20:42	n	25	20	1,09	c	0,008	15,49	0,4	-0,02	x	3	+	0,03	4,35 Interruption	Cloudy. (6 fr to field) straight + steady.
1925-09-17	52	21:43	21:36	n	24	20	0,96	c	0,008	15,36	0,45	-0,03	x	5	+	-3,19	4,85 Interruption	Cloudy. (10 fr in field).
1925-09-17	53	22:20	22:13	n	14	19	0,67	c	0,007	15,26	0,4	-0,01	x	2	-	-0,55	4,89	Cloudy. (8 fr in field) steady.
1925-09-17	54	22:53	22:46	n	14	20	0,64	c	0,009	15,14	0,5	0,01	x	2	+	-2,74	5,05	Cloudy.
1925-09-17	55	23:25	23:18	n	14	20	0,64	c	0,008	15,08	0,5	-0,04	x	2	+	0,86	5,25 Decreased round amplitude	Cloudy.
1925-09-17	56	23:47	23:40	n	16	19	0,62	c	0,008	14,99	0,5	-0,09	x	7	+	0,20	6,79	Cloudy. 8 fr to field.
1925-09-18	57	09:05	09:00	d	15	20	0,75	c	0,013	11,93	0,3	0,35	x	0	x	0,49	5,65	Cloudy. Fringes wide + steady.
1925-09-18	58	09:43	09:38	d	22	20	1,05	c	0,010	12,75	0,5	0,39	x	1	-	-0,29	2,30 Longer duration/turn	Cloudy.
1925-09-18	59	10:18	10:13	d	15	20	0,75	c	0,009	13,58	0,5	0,44	x	0	x	0,73	2,75	Cloudy.
1925-09-18	60	10:55	10:50	d	16	20	0,76	c	0,012	14,54	0,4	0,48	x	1	+	0,37	2,70	Cloudy.
1925-09-18	61	11:36	11:31	d	19	20	0,79	c	0,012	15,40	0,5	0,36	x	4	+	3,14	3,65	Cloudy.
1925-09-18	62	11:59	11:54	d	14	20	0,70	c	0,013	15,96	0,5	0,34	x	0	+	0,46	2,60	Cloudy.
1925-09-18	63	17:09	17:05	s	18	20	0,86		0,006	16,05	0,7	-0,41	x	1	+	1,78	2,20 Group of noise	Clear. fringes wide + very steady.
1925-09-18	64	17:43	17:39	s	16	20	0,67		0,010	15,16	0,3	-0,54	x	4	+	0,70	3,59	Clear. Fringes wide + very steady.
1925-09-18	65	18:22	18:18	n	18	20	0,78		0,021	14,15	0,2	-0,36	x	3	+	-1,58	8,05	Clear. fringes very wide + very steady.
1925-09-19	66	06:41	06:40	d	16	20	0,76		0,009	8,85	0,8	0,19	x	1	+	0,38	2,80 Strong increase of gradient and amplitude	Clear.
1925-09-19	67	07:23	07:22	d	17	20	0,71		0,010	9,84	1,4	0,48	x	4	-	-1,18	3,80	Clear.
1925-09-19	68	07:52	07:51	d	14	20	0,67		0,016	10,69	1,5	0,60	x	1	-	-1,08	2,80	Clear. Fringes extra wide - (6 to field).

Data Sheets - Mount Wilson 1925–1926

1925-09-19	69	08:15	08:14	d	13	20	0.52		0.017	11.76	1.5	0.67	x	5	+-	-0.85	4.75	Clear. fringes (8 to field).
1925-09-21	70	18:57	19:06	n	19	20	0.83		0.023	16.35	0.3	-0.15	x	3	+	1.41	5.75	Clear. Fringes wide.
1925-09-21	71	19:35	19:44	n	15	20	0.75		0.022	15.79	0.3	-0.15	x	0	-	-1.20	7.00	Strongly deviant signal
1925-09-21	72	20:23	20:32	n	16	20	0.70		0.023	15.26	0.3	-0.19	x	3	+-	-2.12	4.95	Clear. med wide fringes.
1925-09-21	73	21:00	21:09	n	16	20	0.67		0.027	14.91	0.4	-0.06	x	4	-	-3.42	6.33	Clear. Fringes (6 to field).
1925-09-21	74	21:39	21:48	n	17	20	0.68		0.024	14.74	0.2	-0.02	x	5	+-	-3.70	7.00	Clear. Wide fringes (6 in field).
1925-09-23	75	00:10	00:23	n	21	20	0.91		0.022	14.75	0.6	-0.09	x	3	-	-3.93	8.25	Group seems anomalous. Stronger amplitude than
1925-09-23	76	01:09	01:22	n	15	20	0.63		0.020	14.33	0.4	0.09	x	4	+-	-1.21	6.20	Clear. Wide fringes.
1925-09-23	77	01:56	02:09	n	19	20	0.83		0.024	14.14	0.4	-0.05	x	3	+-	0.48	5.47	Decreased amplitude
1925-09-23	78	02:23	02:36	n	17	20	0.77		0.016	14.08	0.3	-0.03	x	2	-	-1.97	5.65	Clear. Wide fringes (8 to field).
1925-09-23	79	03:09	03:22	n	14	20	0.61		0.013	14.00	0.3	-0.07	x	3	-	-2.64	5.55	Clear. Fringes extra wide (6 to field).
1925-09-23	80	04:04	04:18	n	15	20	0.65		0.013	13.85	0.3	0.04	x	3	-	-1.25	5.50	Clear. 6 fringes to field.
1925-09-23	81	05:01	05:15	n	17	20	0.74		0.012	13.76	0.3	-0.06	x	3	-	-3.36	7.30	Clear. Fringes extra wide (6 to field).
1925-09-23	82	05:28	05:42	n	22	23	0.85		0.009	13.68	0.3	-0.05	x	3	-	-1.14	5.80	Clear. Fringes very wide (8 to field).
1925-09-23	83	05:52	06:06	s	15	20	0.58		0.011	13.64	0.3	0.02	x	6	+-	-0.33	5.85	Clear. Sun rose during readings. Fringes wide (8 to field).
1926-02-03	1	20:10	05:10	n	20	20	0.87	fw	0.021	3.90	1	-0.13	x	3	+	1.53	8.60	Canceled by Miller
1926-02-03	2	20:38	05:38	n	16	20	0.70	m	0.017	3.73	0.7	-0.03	x	3	+-	-1.72	5.95	Signal seems distorted
1926-02-03	3	21:04	06:05	n	16	20	0.76	m	0.018	3.64	0.6	-0.08	x	1	+	-0.69	5.80	Signal seems distorted
1926-02-04	4	14:23	23:27	d	22	20	0.96		0.027	14.08	2.15	0.13	x	3	+	2.93	5.25	Some fog. rising wind. fringes med. width, steady+straight. Bicycle lamps on center of interf. + sign before readings
1926-02-04	5	14:48	23:52	d	15	20	0.68		0.022	14.16	2.7	-0.11	x	2	+	3.53	7.70	fairly clear. weak sun. Fringes wide straight steady.
1926-02-04	6	15:17	00:21	d	16	20	0.67	c	0.019	14.18	1.5	-0.19	x	4	+	1.56	7.20	fairly clear, sun shaded. Fringes wide + steady.
1926-02-04	7	15:50	00:54	d	15	20	0.71	c	0.015	13.44	1.4	-0.33	x	1	+	1.31	3.15	slightly cloudy. Fringes wide + steady.
1926-02-04	8	16:30	01:34	s	19	20	0.86	cw	0.011	11.94	1.25	-0.35	x	2	+	2.35	3.00	slightly cloudy. Fringes wide + very steady.
1926-02-04	9	16:58	02:02	s	15	20	0.71	cw	0.012	11.25	1.2	-0.42	x	1	+	-1.14	2.90	slightly cloudy. rising north wind. Frings wide + steady.
1926-02-04	10	17:25	02:29	s	16	20	0.67	cw	0.015	10.33	0.75	-0.60	x	4	+	-0.23	4.75	slightly cloudy. some wind. Fringes wide + steady.
1926-02-04	11	17:51	02:55	n	17	20	0.68	cw	0.020	9.41	0.85	-0.60	x	5	+	1.56	9.75	sl. cloudy. some wind. Fringes very wide + steady.
1926-02-05	12	11:48	20:55	d	20	20	0.83		0.028	14.31	2.4	0.17	+	4	+	4.63	8.50	slightly cloudy. very windy. signs are certainly correct for sets 4-11 incl. Fringes very wide.
1926-02-05	13	13:53	23:01	d	17	20	0.74	c	0.012	14.82	1.4	0.13	+	3	+	-3.70	4.65	clear. Fringes wide + steady. Canvas put over house at 10:30 AM.
1926-02-05	14	14:43	23:51	d	19	20	0.86	c	0.011	15.13	1.25	0.14	+	2	+	0.93	3.35	fleeing clouds. Fringes very wide + steady.
1926-02-05	15	15:07	00:15	d	12	20	0.57	c	0.010	15.25	0.5	-0.05		1	+	0.38	3.15	fleeing clouds. Fringes wide + steady.
1926-02-05	16	15:38	00:46	d	29	20	1.16	c	0.015	15.16	0.4	-0.05		5	+	3.94	5.05	fleeing clouds. (extra fast). Extra rapid rotation, 1-turn in 35 sec. (less than (?) fringes in field) extra wide, very steady.
1926-02-05	17	16:10	01:18	d	25	20	1.19	c	0.010	14.76	0.4	-0.27		1	+	1.76	3.35	fleeing clouds. Extra slow rotation, 1 turn in 70 sec. (10 fringes to field) very steady, extra slow.
1926-02-05	18	16:57	02:05	s	16	20	0.80	c	0.007	13.80	0.45	-0.29	+	0	+	0.37	1.65	fleeing clouds. Reversed rotation. Reversed rotation! fringes med wide.
1926-02-05	19	17:25	02:33	s	15	20	0.71	c	0.007	13.35	0.35	-0.20	+	1	+	-0.73	2.80	fleeing clouds. usual direction again, fringes wide + very steady.
1926-02-05	20	17:53	03:01	n	14	20	0.67	c	0.009	12.78	0.6	-0.22	+	1	+	0.49	4.15	fleeing clouds. fringes wide + steady.
1926-02-05	21	19:32	04:40	n	16	20	0.70		0.019	11.09	0.6	-0.14	+	3	+	0.25	6.50	fleeing clouds. med fringes very steady.
1926-02-05	22	20:06	05:14	n	16	20	0.73		0.021	10.74	0.3	-0.12	+	2	+	0.56	6.75	clear. Fringes wide + moderately steady.
1926-02-05	23	20:42	05:50	n	16	20	0.70		0.022	10.36	0.35	-0.08	+	3	+	-1.69	7.35	clear. Fringes wide + pretty steady.
1926-02-05	24	21:11	06:19	n	14	20	0.67		0.024	10.19	0.2	-0.03		1	+	-0.82	5.95	clear. Fringes wide + steady.
1926-02-05	25	21:41	06:49	n	15	20	0.68	h	0.017	9.96	0.25	-0.04	+	2	+	-1.08	5.72	clear. Fringes wide + steady.
1926-02-05	26	22:17	07:25	n	16	20	0.70	h	0.017	9.81	0.05	-0.21	-	3	-	-1.51	4.56	haze. Temp. dif. 1/20°. Fringes wide (8 to field) + steady.
1926-02-06	27	09:58	19:09	d	20	20	0.80		0.027	11.84	1.45	0.65	+	5	+	-6.03	7.20	slight haze. Temp. dif. 1/20°. Fringes extra wide (5 in field) very steady.
1926-02-06	28	10:52	20:03	d	13	20	0.65		0.026	13.45	1.6	0.62	+	0	+	1.39	5.45	clear. sun shining in door. Fringes med wide + steady.
1926-02-06	29	11:22	20:33	d	14	20	0.70		0.030	14.36	3.45	-0.17	+	0	+	0.29	3.35	clear. Fringes med + steady (covered cracks + put cloth over door).
1926-02-06	30	11:56	21:07	d	18	20	0.78	p	0.024	14.78	1.15	0.29	+	3	+	3.88	4.50	clear. Fringes wide steady.
1926-02-06	31	12:19	21:30	d	17	20	0.68	p	0.017	15.19	1.1	0.29	+	5	+	1.94	4.60	clear. Corrugated paper on. Corrugated paper put over glass, Fringes wide + very steady.
1926-02-06	32	19:01	04:13	n	18	20	0.75	p	0.022	11.18	0.6	-0.21	+	4	+	-0.33	6.45	clear. Corrugated paper up. (corrugated paper up) fringes wide + very steady.
1926-02-06	33	19:28	04:40	n	16	20	0.70	p	0.022	10.76	0.3	-0.21	+	3	+	1.37	8.20	clear. corrugated paper up. Fringes wide + unsteady.
1926-02-06	34	20:22	05:34	n	23	20	0.88	p	0.023	10.43	0.5	-0.20	+-	6	+-	2.20	6.44	clear. corrugated paper up. Fringes extra wide.
1926-02-06	35	21:03	06:16	n	18	20	0.78	p	0.027	10.04	0.35	-0.04	+	3	+	2.45	6.43	clear. corrugated paper up. Fringes very wide.
1926-02-06	36	21:35	06:48	n	24	20	0.92	p	0.018	9.79	0.45	-0.07	+-	6	+-	1.81	6.70	clear. corrugated paper up. Fringes wide + very steady.
1926-02-07	37	09:48	19:03	d	20	20	0.87	p	0.016	12.10	2.15	0.58	+	3	+	0.12	5.95	clear. corrugated paper up. fringes wide (6 to field).
1926-02-07	38	10:16	19:31	d	15	20	0.68	p	0.023	12.91	2.15	0.43	+	2	+	-1.38	4.80	thin clouds. corrugated paper up. wide fringes + steady.
1926-02-07	39	10:57	20:12	d	16	20	0.73	p	0.025	14.09	1.25	0.51	+	2	+	-1.64	4.65	thin clouds. corrugated paper up.
1926-02-07	40	11:39	20:54	d	16	20	0.73	c	0.042	15.02	1	0.16	+	2	+	2.23	6.05	thin clouds. corrugated paper up. Fringes wide+steady (8 to field).
1926-02-07	41	12:05	21:20	d	16	20	0.73	c	0.037	15.33	1.2	0.32	+	2	+	2.27	5.65	thin clouds. Took corrugated paper down. (up for Nos 30-39 inclusive). Fringes wide + steady.
1926-02-07	42	12:40	21:56	d	17	20	0.71	c	0.026	15.82	0.9	0.17	+	4	+	3.26	4.70	thin clouds. Fringes wide + steady.
1926-02-07	43	17:27	02:43	s	17	20	0.71	c	0.007	13.93	0.3	-0.18	+	4	+	-4.07	4.90	thin clouds. fringes wide + steady.
1926-02-07	44	17:53	03:09	n	16	20	0.73	c	0.009	13.60	0.3	-0.20	+	2	+	-2.31	3.75	cloudy. Fringes wide + very steady.
1926-02-07	45	18:20	03:36	n	15	20	0.68	c	0.009	13.18	0.2	-0.22	+	2	+	-0.72	3.85	cloudy. Fringes wide + extra steady.
1926-02-07	46	18:41	03:57	n	16	20	0.73	c	0.010	12.90	0.2	-0.20		2	+	-2.13	5.75	cloudy. Fringes wide + very steady.
1926-02-07	47	21:36	06:52	n	14	20	0.70		0.017	10.92	0.2	0.12	+	0	+	0.50	2.90	Distorted signal
1926-02-07	48	22:12	07:28	n	18	20	0.72		0.015	10.94	0.1	0.05	+	5	+	-2.63	7.50	clear. Temp. difference 1/20°C. Fringes wide (7 in field) very steady.
1926-02-07	49	22:49	08:05	n	15	20	0.65		0.014	10.87	0.1	-0.07	+-	3	+-	0.63	5.80	clear. Fringes extra wide (5 or 6 in field) very steady.
1926-02-07	50	23:30	08:47	n	20	20	0.91		0.015	10.75	0.18	0.00	+	2	+	-1.97	5.40	clear. no temperature difference. Fringes extra wide (5 to field) + steady.
1926-02-08	51	00:00	09:17	n	16	20	0.67		0.011	10.73	0.12	0.00	+	4	+	-0.93	5.15	clear. Fringes extra wide (5) + steady.
1926-02-08	52	00:31	09:48	n	16	20	0.67		0.010	10.66	0.14	-0.01	+	4	+	-2.63	5.30	clear. extra (5) wide fringes very straight + steady.
1926-02-08	53	04:48	14:10	n	16	20	0.70		0.012	9.32	0.4	0.03	+	3	+	-2.94	5.70	Clear. Fringes extra (5) wide + steady.
1926-02-09	54	05:17	14:39	n	20	20	0.91		0.009	9.43	0.32	0.06	+	2	+	0.81	3.75	Clear. Fringes wide (6) + steady.
1926-02-09	55	06:01	15:23	n	15	20	0.65		0.007	9.52	0.42	-0.03	+	3	+	1.43	2.90	Clear. Fringes extra wide (5+) + steady.
1926-02-09	56	06:29	15:51	n	19	20	0.95		0.005	9.50	0.4	-0.01	+	0	+	0.74	1.45	Clear. Fringes wide + steady.

Data Sheets - Mount Wilson 1925–1926

1926-02-09	57	06:50	16:12	s	13	20	0,65		0,005	9,52	0,32	0,01	+	0	+	0,43	1,50	Clear. Sun rose clear during set. Fringes wide + steady.
1926-02-09	58	07:20	16:42	s	13	20	0,65		0,005	9,69	0,53	0,16	+	0	+	0,59	1,85	Clear. Fringes wide (6) very steady.
1926-02-09	59	07:50	17:12	d	15	20	0,65		0,008	10,26	1,39	0,48	+	3	+	-1,75	3,50	Clear. Fringes extra wide (5) + steady.
1926-02-09	60	08:14	17:36	d	15	20	0,63		0,015	10,98	1,85	0,43	+	4	+	-1,95	4,40	Clear. Sun light through cracks near door. (covered after set). Fringes extra wide (5) + steady.
1926-02-09	61	08:44	18:06	d	14	20	0,70		0,012	11,86	3,05	0,29	+	0	+	0,56	3,25	Clear. Fringes wide (6) medium steady.
1926-02-09	62	09:09	18:32	d	16	20	0,73		0,014	12,57	2,4	0,56	+	2	+	0,83	4,50	Clear. Fringes (8 in field) + steady.
1926-02-09	63	09:32	18:55	d	14	20	0,70		0,016	13,25	2,4	0,48	+	0	+	0,50	2,85	Clear. Fringes wide + med steady.
1926-02-09	64	19:25	04:49	n	15	20	0,75		0,029	12,18	0,39	-0,22	+	0	+	0,50	7,70	Clear. Fringes med. width. Poorest set of the series!
1926-02-09	65	19:47	05:11	n	14	20	0,61		0,025	11,86	0,3	-0,21	+-	3	+-	-2,70	7,15	Clear. Fringes med wide (8).
1926-02-09	66	22:35	08:00	n	20	20	0,83		0,029	9,68	0,3	-0,08		4	+-	-2,09	8,25	Clear. Fringes wide unsteady.
1926-02-09	67	23:03	08:28	n	10	20	0,48		0,028	9,38	0,26	-0,13		1	+	1,23	4,88	Clear. Fringes wide + unsteady.
1926-02-09	68	23:38	09:03	n	21	20	0,84		0,027	9,10	0,3	-0,08	+	5	+	-6,34	8,75	Clear. Fringes wide + unsteady.
1926-02-10	69	07:00	16:26	s	15	20	0,71	c	0,007	8,39	0,3	0,06	+	1	+	0,44	2,75	Cloudy. sun rose at 6:40 sky covered with clouds. Temp mild. Excellent conditions. Fringes wide (7) very steady.
1926-02-10	70	07:24	16:50	s	16	20	0,73	c	0,006	8,47	0,32	0,06	+	2	+	1,01	2,15	Cloudy. 8 fringes to field, very steady.
1926-02-10	71	07:51	17:17	d	15	20	0,71	c	0,006	8,70	0,45	0,27	+	1	+	0,20	1,90	Cloudy. Fringes wide (6) very steady.
1926-02-10	72	08:19	17:45	d	16	20	0,80	c	0,008	9,19	0,64	0,23	+	0	+	0,10	2,90	Cloudy. widest fringes ever used. Fringes extra wide (4+) very steady.
1926-02-10	73	08:50	18:16	d	17	20	0,81	c	0,007	9,54	0,7	0,16	+	1	+	0,89	2,75	Cloudy. Fringes extra wide (5) very steady.
1926-02-10	74	09:25	18:51	d	17	20	0,77	s c	0,008	10,06	0,8	0,18	+	2	+	-0,10	2,10	Cloudy. Recording stand moved to South-West corner. (continued here till end of series). Fringes wide and steady.
1926-02-10	75	10:01	19:28	d	16	20	0,76	s c	0,010	10,44	0,8	0,15	+	1	+	0,39	2,20	Cloudy. desk in SW corner. wide (6) fringes very steady.
1926-02-10	76	10:28	19:55	d	15	20	0,71	s c	0,011	10,84	0,95	0,43	+	1	+	-0,95	2,50	Cloudy. desk in SW. wide fringes steady.
1926-02-10	77	12:56	22:23	d	19	20	0,83	s c	0,013	13,12	1	0,26	+	3	+	-3,15	4,05	Cloudy. desk in SW. Fringes med wide, very steady.
1926-02-10	78	13:21	22:48	d	17	20	0,81	s c	0,013	13,51	1	0,26	+	1	+	-1,79	2,40	Cloudy. desk in SW. med fringes(8) steady.
1926-02-10	79	13:42	23:09	d	15	20	0,71	s c	0,012	13,72	0,85	0,01	+	1	+	0,12	2,45	Cloudy. desk in SW. Fringes wide + very steady.
1926-02-11	80	00:42	10:11	n	17	20	0,71	s w	0,025	6,39	0,6	-0,16	+	4	+	-2,29	6,65	Clear. Mod. north wind. gusty. Fringes wide (6) + med steady.
1926-02-11	81	01:08	10:37	n	18	20	0,72	s w	0,022	6,29	0,6	0,01	+	5	+	0,16	8,20	clear. Fringes very wide(5) med steady.
1926-02-11	82	01:36	11:05	n	16	20	0,76	s w	0,022	6,20	0,6	-0,11	+	1	+	-0,43	5,55	Clear. (9 fr) steady.
1926-02-11	83	02:07	11:36	n	15	20	0,63	s w	0,020	6,04	0,7	-0,06	+	4	+	-1,95	6,00	Clear. wide fringes (6).
1926-02-11	84	02:42	12:11	n	17	20	0,81	s w	0,025	5,95	0,7	-0,02		1		-2,28	5,79	Clear. Fringes wide (5).
1926-02-11	85	03:12	12:41	n	17	20	0,77	s w	0,016	5,85	0,7	-0,08	+	2	+	-0,55	5,10	Clear. desk in SW all night. (6 fr) steady.
1926-02-11	86	03:41	13:10	n	17	20	0,71	s w	0,014	5,68	0,7	-0,10	+	4	+	-1,27	6,20	Clear. wide fringes (5)
1926-02-11	87	04:13	13:42	n	18	20	0,75	s w	0,015	5,53	0,6	-0,05	+	4	+	-1,10	5,50	Clear. Fringes wide (5) steady.
1926-02-11	88	04:50	14:19	n	17	20	0,74	s w	0,019	5,41	0,5	-0,05	+	3	+	-1,58	8,30	Clear. desk in SW. 8 fr in field.
1926-02-11	89	05:19	14:49	n	16	20	0,70	s w	0,016	5,33	0,4	-0,03	+	3	+	0,17	5,85	Clear. 8 fr in field.
1926-02-11	90	05:39	15:09	n	13	20	0,62	s w	0,012	5,28	0,5	-0,03	+	1	+	-1,42	5,30	Clear. 8 fr to field, steady.
1926-02-11	91	06:30	16:00	n	15	20	0,68	s w	0,015	5,23	0,5	-0,02	+	2	+	-1,66	6,35	Clear. All night: moderate north wind, cool, and gusty. Sun rise about 6:40, 'sea of fog'. Fringes med width(8) steady.
1926-02-11	92	15:42	01:14	d	14	20	0,67	sv fw	0,007	7,22	0,3	-0,11	+	1	+	-0,32	3,15	Heavy fog, on the ground. Moderate south wind. cool. Fringes wide (6) very steady.
1926-02-11	93	16:02	01:34	d	14	20	0,67	s f	0,007	7,19	0,25	-0,01	+	1	+	0,48	3,05	Fog. desk in SW. Fringes med(7) very steady.
1926-02-11	94	16:22	01:54	d	15	20	0,63	s f	0,007	7,13	0,25	-0,09	+	4	+	0,73	4,85	Heavy Fog on ground, desk in SW. Fringes med wide (8).
1926-02-12	95	01:08	10:41	n	18	20	0,75	s fcrw	0,014	3,81	0,4	-0,01		4		-1,61	6,35	Rain, wind, fog. desk in SW. Fringes very wide (5) + steady.
1926-02-12	96	01:33	11:04	n	14	20	0,67	s crw	0,016	3,77	0,15	-0,05	+	1	+	-1,65	7,30	Rainstorm, desk in SW. Fringes wide (6) steady.
1926-02-12	97	02:02	11:35	n	15	20	0,65	s crw	0,013	3,74	0,12	0,02	+	3	+	-1,45	7,00	Rainstorm. desk in SW. Fringes med wide (7) steady.
1926-02-12	98	02:21	11:54	n	16	20	0,64	s crw	0,013	3,77	0,2	0,04	+	5	+	-0,47	7,40	Rainstorm. desk in SW. fringes wide (6).
1926-02-12	99	02:50	12:23	n	17	20	0,77	s crw	0,011	3,68	0,15	-0,05	+	2	+	-1,28	4,05	Rainstorm. desk in SW. Fringes wide(7) very steady.
1926-02-12	100	03:19	12:52	n	20	20	0,74	s w	0,012	3,58	0,28	-0,03	+	7	+	-0,16	6,90	Storm. desk in SW. Fringes wide(6) steady.
1926-02-12	101	03:40	13:13	n	14	20	0,61	s w	0,008	3,57	0,28	0,01	+	3	+	-0,53	4,85	Storm. desk in SW. End of Series. Dismounted optical Parts. Fringes wide (6) steady.