



Report from Sep 5, 2026, 8:58:10 PM

https://aeyzirb122.github.io/hackathon-journey/

Analyze



Mobile




Desktop



Discover what your real users are experiencing



No Data



Performance




Accessibility



Best Practices



SEO



Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



METRICS

[Expand view](#)

First Contentful Paint

0.8 s

Largest Contentful Paint

1.2 s

70 ms

0

Speed Index

2.9 s

☐ Captured at Sep 5, 2026, 8:58

☐ Emulated Moto G Power with

☐ Single page session

PM GMT+8


Lighthouse 13.4.1

☐ Initial page load

☐ Slow 4G throttling

☐ Using HeadlessChromium

151.0.7922.71 with Ir



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#)

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 360 KiB

▲ Improve image delivery — Est savings of 173 KiB

▲ Render-blocking requests — Est savings of 150 ms

▲ Network dependency tree

○ LCP breakdown

○ 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Reduce unused CSS — Est savings of 107 KiB

Reduce unused JavaScript — Est savings of 520 KiB



☐ User Timing marks and measures — 35 user timings

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (17)

Hide

Layout shift culprits

Document request latency

Optimize DOM size

Duplicated JavaScript

Font display

Forced reflow

☐ INP breakdown

LCP request discovery

Legacy JavaScript

Optimize viewport for mobile

Minify CSS

Minify JavaScript


Avoids enormous network payloads — Total size was 1,444 KiB

JavaScript execution time — 0.4 s

Minimizes main-thread work — 0.9 s

☐ Avoid non-composited animations

Image elements have explicit [width](#) and [height](#)


100

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

- ☐ Uses ARIA roles only on compatible elements

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Hide](#)

- ☐ Interactive controls are keyboard focusable
- ☐ Interactive elements indicate their purpose and state
- ☐ The page has a logical tab order
- ☐ Visual order on the page follows DOM order
- ☐ User focus is not accidentally trapped in a region
- ☐ The user's focus is directed to new content added to the page
- ☐ HTML5 landmark elements are used to improve navigation
- ☐ Offscreen content is hidden from assistive technology
- ☐ Custom controls have associated labels

[accessibility review.](#)

PASSED AUDITS (29)

Hide

[\[aria-*\]](#) attributes match their roles[\[aria-hidden="true"\]](#) is not present on the document `<body>`[\[role\]](#)s have all required [\[aria-*\]](#) attributes

Elements with an ARIA [\[role\]](#) that require children to contain a specific [\[role\]](#) have all required children.

[\[role\]](#)s are contained by their required parent element[\[role\]](#) values are valid[\[aria-*\]](#) attributes have valid values[\[aria-*\]](#) attributes are valid and not misspelled

Buttons have an accessible name

Image elements have [\[alt\]](#) attributes

[\[user-scalable="no"\]](#) is not used in the `<meta name="viewport">` element and the [\[maximum-scale\]](#) attribute is not less than 5.

ARIA attributes are used as specified for the element's role

Elements use only permitted ARIA attributes

Background and foreground colors have a sufficient contrast ratio

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

Definition list items are wrapped in `<dl>` elementsDocument has a `<title>` element



<html> element has a valid value for its [lang] attribute

Links have a discernible name

Lists contain only elements and script supporting elements (<script> and <template>).

List items () are contained within , or <menu> parent elements

No element has a [tabindex] value greater than 0

Touch targets have sufficient size and spacing.

Heading elements appear in a sequentially-descending order

Skip links are focusable.

Document has a main landmark.

Deprecated ARIA roles were not used

NOT APPLICABLE (33)

[Hide](#)

- ☐ [accesskey] values are unique
- ☐ button, link, and menuitem elements have accessible names
- ☐ Elements with role="dialog" or role="alertdialog" have accessible names.
- ☐ [aria-hidden="true"] elements do not contain focusable descendents
- ☐ ARIA input fields have accessible names
- ☐ ARIA meter elements have accessible names
- ☐ ARIA progressbar elements have accessible names
- ☐ Elements with the role=text attribute do not have focusable descendents.
- ☐ ARIA toggle fields have accessible names



- ☐ ARIA `treeitem` elements have accessible names
- ☐ The page contains a heading, skip link, or landmark region
- ☐ ARIA IDs are unique
- ☐ No form fields have multiple labels
- ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.
- ☐ Input buttons have discernible text.
- ☐ `<input type="image">` elements have `[alt]` text
- ☐ Form elements have associated labels
- ☐ Links are distinguishable without relying on color.
- ☐ The document does not use `<meta http-equiv="refresh">`
- ☐ `<object>` elements have alternate text
- ☐ Select elements have associated label elements.
- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.
- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.
- ☐ `[lang]` attributes have a valid value
- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]`
- ☐ `autocomplete` attributes are used correctly
- ☐ Elements with `role="none"` or `role="presentation"` do not have conflicts
- ☐ SVG elements with an `img` role have an accessible text alternative
- ☐ Tables have different content in the summary attribute and `<caption>`.



☐ Image elements do not have [alt](#) attributes that are redundant text.

☐ Identical links have the same purpose.

96

Best Practices

GENERAL

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks
- ☐ Use a strong HSTS policy
- ☐ Ensure proper origin isolation with COOP
- ☐ Mitigate clickjacking with XFO or CSP
- ☐ Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- ☐ Baseline Features



Uses HTTPS

Avoids deprecated APIs

Avoids third-party cookies

Allows users to paste into input fields

Avoids requesting the geolocation permission on page load

Avoids requesting the notification permission on page load

Displays images with correct aspect ratio

Serves images with appropriate resolution

Page has the HTML doctype

Properly defines charset

No browser errors logged to the console

Page has valid source maps

NOT APPLICABLE (2)

Hide

☐ Redirects HTTP traffic to HTTPS

☐ Detected JavaScript libraries

100



These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- ☐ Structured data is valid

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing

Document has a `<title>` element

Document has a meta description

Page has successful HTTP status code

Links have descriptive text

Links are crawlable

Image elements have `[alt]` attributes

Document has a valid `hreflang`

NOT APPLICABLE (2)

Hide

- ☐ robots.txt is valid
- ☐ Document has a valid `rel=canonical`



1/2

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

These audits highlight best practices for improving the accessibility of the website for AI agents.

PASSED AUDITS (1)

[Hide](#)

Cumulative Layout Shift — 0

NOT APPLICABLE (4)

[Hide](#)

- ☐ WebMCP form coverage
- ☐ WebMCP tools registered
- ☐ WebMCP schemas are valid
- ☐ llms.txt follows recommendations



What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Updates

Web Fundamentals

Case Studies

Podcasts

Twitter

Youtube

 for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).