

# HTML abbr tag

---

 [w3schools.com/tags/tag\\_abbr.asp](https://www.w3schools.com/tags/tag_abbr.asp)

## Example

---

An abbreviation is marked up as follows:

The `<abbr title="World Health Organization">WHO</abbr>` was founded in 1948.

## Definition and Usage

---

The `<abbr>` tag defines an abbreviation or an acronym, like "HTML", "CSS", "Mr.", "Dr.", "ASAP", "ATM".

**Tip:** Use the global [title](#) attribute to show the description for the abbreviation/acronym when you mouse over the element.

## Browser Support

---

### Element

---

<code>&lt;abbr&gt;</code>	Yes	Yes	Yes	Yes	Yes
---------------------------	-----	-----	-----	-----	-----

## Global Attributes

---

The `<abbr>` tag supports the [Global Attributes in HTML](#).

## Event Attributes

---

The `<abbr>` tag supports the [Event Attributes in HTML](#).

## More Examples

---

### Example

---

`<abbr>` can also be used with [<dfn>](#) to define an abbreviation:

```
<p><dfn><abbr title="Cascading Style Sheets">CSS</abbr>  
</dfn> is a language that describes the style of an HTML document.</p>
```

## Related Pages

---

HTML DOM reference: [Abbreviation Object](#)

## Default CSS Settings

---

Most browsers will display the `<abbr>` element with the following default values:

## Example

---

```
abbr {  
  display: inline;  
}
```