# HTML ul tag

```
w3schools.com/tags/tag_ul.asp
```

#### **Example**

An unordered HTML list:

- Coffee
- Tea
- Milk

### **Definition and Usage**

The tag defines an unordered (bulleted) list.

Use the tag together with the tag to create unordered lists.

Tip: Use CSS to style lists.

**Tip:** For ordered lists, use the

### **Browser Support**

#### **Element**

Yes Yes Yes Yes Yes

#### **Global Attributes**

The tag also supports the Global Attributes in HTML.

#### **Event Attributes**

The tag also supports the <u>Event Attributes in HTML</u>.

### **More Examples**

#### **Example**

Set the different list style types (with CSS):

```
<l
```

- Coffee
- Tea

```
<|i>Milk

Coffee
Tea
Milk

Coffee
Tea
Milk

Example

Example
```

Expand and reduce line-height in lists (with CSS):

```
Coffee
Ii>Tea
Milk

Coffee
Tea
Milk
```

### **Example**

Create a list inside a list (a nested list):

```
Coffee
Tea
Black tea
Green tea

Milk
```

#### **Example**

Create a more complex nested list:

```
Coffee
Coffee
Tea
Black tea
Green tea
China
Africa
```

# **Related Pages**

HTML tutorial: HTML Lists

HTML DOM reference: UI Object

CSS Tutorial: Styling Lists

## **Default CSS Settings**

Most browsers will display the 
 element with the following default values:

### **Example**

```
ul {
    display: block;
    list-style-type: disc;
    margin-top: 1em;
    margin-bottom: 1 em;
    margin-left: 0;
    margin-right: 0;
    padding-left: 40px;
}
```