



HTML Examples

[◀ Previous](#)[Next ▶](#)

HTML Basic

- [HTML document](#)
- [HTML headings](#)
- [HTML paragraphs](#)
- [HTML links](#)
- [HTML images](#)
- [HTML buttons](#)
- [HTML lists](#)

[Examples explained](#)

HTML Attributes

- [The title attribute](#)
- [The href attribute](#)
- [The width and height attributes](#)
- [The alt attribute](#)
- [Attribute without quotes](#)
- [Attribute without quotes does not work](#)

[Examples explained](#)

HTML Headings

- [HTML headings](#)
- [HTML horizontal rules](#)
- [HTML head](#)

[Examples explained](#)

HTML Paragraphs

- [HTML paragraphs](#)
- [More HTML paragraphs](#)
- [The use of line breaks in HTML](#)
- [Poem problems \(some problems with HTML formatting\)](#)
- [How to control the line breaks and spaces with the <pre> tag](#)

[Examples explained](#)

HTML Styles

- [HTML styles](#)
- [HTML background color](#)
- [HTML text color](#)
- [HTML text font](#)
- [HTML text size](#)
- [HTML text alignment](#)

[Examples explained](#)

ADVERTISEMENT



HTML Certification Course

[CHECK IT OUT!](#)

Full Access

Unlimited Learning

[Get the deal!](#)**SAVE:
75% OFF**

COLOR PICKER



ADVERTISEMENT



HTML Text Formatting

Bold formatting using the `` element
Strong formatting using the `` element
Italic formatting using the `<i>` element
Emphasized formatting using the `` element
Small formatting using the `<small>` element
Marked formatting using the `<mark>` element
Marked deleted using the `` element
Marked inserted using the `<ins>` element
Marked deleted and inserted using `` and `<ins>`
Subscript formatting using the `<sub>` element
Superscript formatting using the `<sup>` element

[Examples explained](#)

HTML Quotations and Citations

Formatting short quotations with the `<q>` element.
Formatting quoted sections with the `<blockquote>` element.
Formatting document author/owner information with the `<address>` element
Formatting abbreviations and acronyms the `<abbr>` element
Formatting work title with the `<cite>` element
Formatting text direction with the `<bdo>` element

[Examples explained](#)

HTML Comments

Hidden comments
Conditional comments
Comments for debugging

[Examples explained](#)

HTML CSS

HTML with inline CSS
HTML with internal CSS
HTML with external CSS
HTML with CSS fonts
HTML with CSS using the `id` attribute
HTML with CSS using the `class` attribute
HTML and CSS borders
HTML and CSS padding
HTML and CSS margin
HTML and CSS full demo

[Examples explained](#)

HTML Links

Linking, using an absolute URL
Linking, using a relative URL
Changing the color of links
Removing the underline from links
Changing the target of a link
An image as a link
Creating a bookmark link
A link that breaks out of a frame
A mailto link
A mailto link with subject

[Examples explained](#)

HTML Images

An image
An image height and width using attributes

An image height and width using CSS
An image height and width using both
An image in another folder
An image with a broken link
An image on another server
Using an image as a link
A moving image
An image map with clickable regions
A floating image

[Examples explained](#)



HTML Tables

Basic HTML tables
A table with borders
A table with collapsed borders
A table with cell padding
A table with headings
A table with left-aligned headings
Horizontal/Vertical table headings
A table with a caption
Table cells that span more than one column
Table cells that span more than one row
A table with cell spacing
A table with HTML tags inside
Tables with different style using id I
Tables with different style using id II
Tables with different style using class I
Tables with different style using class II

[Examples explained](#)



HTML Lists

An unordered list (default)
An unordered list with disc bullets
An unordered list with circle bullets
An unordered list with square bullets
An unordered list without bullets
An ordered list (default)
An ordered list with numbers
An ordered list with letters
An ordered list with lowercase letters
An ordered list with roman numbers
An ordered list with lowercase roman numbers
A description list
A nested list I
A nested list II
A horizontal list
A horizontal list menu

[Examples explained](#)



HTML Block and inline elements

The <div> element
The element
Styling a <div> element
Styling a element

[Examples explained](#)

HTML Div Element

<div> elements come with linebreaks
<div> as a container
Center align a <div> element



Multiple <div> elements
Floating <div> elements
Position <div> elements with display:inline-block
Position <div> elements with display:flex
Position <div> elements with display:grid

Examples explained

HTML Classes

Style all elements with a specified class name
Access elements with a specified class name, with JavaScript
Multiple classes
Same class, different tag

Examples explained

HTML Id

Style an element with a specific id
Difference between class and id
Access an element with a specific id, with JavaScript

Examples explained

HTML Layout

Layout using float
Layout using flexbox
Layout using flexbox 2
Layout using flexbox 3

Examples explained

HTML IFrame

Inline frame (a frame inside an HTML page)

Examples explained

HTML head Elements

A valid HTML document with no <html> <body>, and <head>
A valid HTML document with no <head> element
The <title> element defines the document title
The <style> element contains style information
The <link> element defines a relationship to an external resource
The <meta> element defines special meta information
The <script> element defines client-side JavaScripts
The <base> element defines the base URL for all URLs

Examples explained

HTML Scripts

Insert a script
Use of the <noscript> tag

Examples explained

HTML Computercode Elements

Keyboard input formatting using the <kbd> element
Computer output formatting using the <samp> element
Programming code formatting using the <code> element
Programming code formatting preserving whitespace and line-breaks
Variable formatting using the <var> element

Examples explained

HTML Forms

Form with text input

Form with radio button input
Form with text fields and a submit button
Form with a text fields without a name attribute
Grouping Form Data

[Examples explained](#)

HTML Form Elements

A simple drop-down list
A drop-down list with a pre-selected value
A textarea (a multi-line text input field)
An input button
Using the <datalist> Element
Using the <output> Element

[Examples explained](#)

HTML Input Types

Input type text
Input type password
Input type radio
Input type checkbox
Input type button
Input type number - with restrictions
Input type number - with steps
Input type date - with date picker
Input type date - with restrictions
Input type color - with color picker
Input type range
Input type month
Input type week
Input type time
Input type datetime-local
Input type email
Input type search
Input type tel
Input type url

[Examples explained](#)

HTML Input Attributes

The autocomplete attribute
The novalidate attribute
The autofocus_attribute
The form attribute
The formaction attribute
The formenctype attribute
The formmethod attribute
The formnovalidate attribute
The formtarget attribute
The height and width attributes
The list attribute
The min and max attributes
The multiple attribute
The pattern attribute
The placeholder attribute
The required attribute
The step attribute

[Examples explained](#)

HTML Canvas Graphics

Draw on the canvas with JavaScript

Draw a line with `lineTo()`
Draw a circle with `arc()`
Draw a text with `fillText()`
Draw a text with `strokeText()`
Draw a linear gradient
Draw a circular gradient
Draw an image with `drawImage()`

[Examples explained](#)



HTML SVG Graphics

SVG Circle
SVG Rectangle
SVG Rounded Rectangle
SVG Star
SVG Logo

[Examples explained](#)



HTML Media

Play Bunny
Play bear video with controls
Play bear video with autoplay
Play Horse sound with controls

[Examples explained](#)



HTML Geolocation

Get geolocation coordinates
Handle geolocation errors
Get geolocation and watch the position

[Examples explained](#)



HTML Local Storage

Store a name permanently
Store a counter permanently
Store a counter for one session

[Examples explained](#)



HTML Media

Play a video file
Play an audio file in HTML
Play a YouTube video in HTML

[Examples explained](#)



More HTML Examples

HTML drag and drop
HTML web workers
HTML server sent events

[◀ Previous](#)


[Next ▶](#)



ADVERTISEMENT

FULL ACCESS [SHOP NOW!](#) — SAVE — **75% OFF**

ADVERTISEMENT





PLUS

SPACES

GET CERTIFIED

FOR TEACHERS

FOR BUSINESS

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
PHP Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

 [FORUM](#) [ABOUT](#) [ACADEMY](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2025 by Refsnes Data. All Rights Reserved. [W3Schools](#) is Powered by W3.CSS