

HTML header Tag

 [w3schools.com/tags/tag_header.asp](https://www.w3schools.com/tags/tag_header.asp)

Example

A header for an <article>:

```
<article>
  <header>
    <h1>A heading here</h1>
    <p>Posted by John Doe</p>
    <p>Some additional information here</p>
  </header>
  <p>Lorem Ipsum dolor set amet....</p>
</article>
```

Definition and Usage

The **<header>** element represents a container for introductory content or a set of navigational links.

A **<header>** element typically contains:

- one or more heading elements (<h1> - <h6>)
- logo or icon
- authorship information

Note: You can have several **<header>** elements in one HTML document. However, **<header>** cannot be placed within a <footer>, <address> or another **<header>** element.

Browser Support

The numbers in the table specify the first browser version that fully supports the element.

Element
<header> 5.0 9.0 4.0 5.0 11.1

Global Attributes

The **<header>** tag also supports the [Global Attributes in HTML](#).

Event Attributes

The **<header>** tag also supports the [Event Attributes in HTML](#).

More Examples

Example

A page header:

```
<header>
  <h1>Main page heading here</h1>
  <p>Posted by John Doe</p>
</header>
```

Related Pages

HTML DOM reference: [Header Object](#)

Default CSS Settings

Most browsers will display the `<header>` element with the following default values:

```
header {
  display: block;
}
```