

HTML del tag

 w3schools.com/tags/tag_del.asp

Example

A text with a deleted part, and a new, inserted part:

```
<p>My favorite color is <del>blue</del> <ins>red</ins>!</p>
```

Definition and Usage

The **** tag defines text that has been deleted from a document. Browsers will usually strike a line through deleted text.

Tips and Notes

Tip: Also look at the [<ins>](#) tag to markup inserted text.

Browser Support

Element

	Yes	Yes	Yes	Yes	Yes
-------	-----	-----	-----	-----	-----

Attributes

Attribute	Value	Description
<u>cite</u>	URL	Specifies a URL to a document that explains the reason why the text was deleted/changed
<u>datetime</u>	YYYY-MM-DDThh:mm:ssTZD	Specifies the date and time of when the text was deleted/changed

Global Attributes

The **** tag also supports the [Global Attributes in HTML](#).

Event Attributes

The **** tag also supports the [Event Attributes in HTML](#).

More Examples

Example

Use CSS to style `` and `<ins>`:

```
<html>
<head>
<style>
del {background-color: tomato;}
ins {background-color: yellow;}
</style>
</head>
<body>

<p>My favorite color is <del>blue</del> <ins>red</ins>!</p>

</body>
</html>
```

Related Pages

HTML DOM reference: [Del Object](#)

Default CSS Settings

Most browsers will display the `` element with the following default values:

Example

```
del {
  text-decoration: line-through;
}
```