

HTML h1 to h6 tag

 [w3schools.com/tags/tag_hn.asp](https://www.w3schools.com/tags/tag_hn.asp)

Example

The six different HTML headings:

```
<h1>This is heading 1</h1>
```

```
<h2>This is heading 2</h2>
```

```
<h3>This is heading 3</h3>
```

```
<h4>This is heading 4</h4>
```

```
<h5>This is heading 5</h5>
```

```
<h6>This is heading 6</h6>
```

Definition and Usage

The `<h1>` to `<h6>` tags are used to define HTML headings.

`<h1>` defines the most important heading. `<h6>` defines the least important heading.

Note: Only use one `<h1>` per page - this should represent the main heading/subject for the whole page. Also, do not skip heading levels - start with `<h1>`, then use `<h2>`, and so on.

Browser Support

Element

<code><h1></code> - <code><h6></code>	Yes	Yes	Yes	Yes	Yes
---	-----	-----	-----	-----	-----

Global Attributes

The `<h1>` to `<h6>` tags also supports the [Global Attributes in HTML](#).

Event Attributes

The `<h1>` to `<h6>` tags also supports the [Event Attributes in HTML](#).

More Examples

Example

Set the background color and text color of headings (with CSS):

```
<h1 style="background-color:DodgerBlue;">Hello World</h1>  
<h2 style="color:Tomato;">Hello World</h2>
```

Example

Set the alignment of headings (with CSS):

```
<h1 style="text-align:center">This is heading 1</h1>  
<h2 style="text-align:left">This is heading 2</h2>  
<h3 style="text-align:right">This is heading 3</h3>  
<h4 style="text-align:justify">This is heading 4</h4>
```

Related Pages

HTML tutorial: [HTML Headings](#)

HTML DOM reference: [Heading Object](#)

Default CSS Settings

Most browsers will display the `<h1>` element with the following default values:

Example

```
h1 {  
  display: block;  
  font-size: 2em;  
  margin-top: 0.67em;  
  margin-bottom: 0.67em;  
  margin-left: 0;  
  margin-right: 0;  
  font-weight: bold;  
}
```

Most browsers will display the `<h2>` element with the following default values:

Example

```
h2 {  
  display: block;  
  font-size: 1.5em;  
  margin-top: 0.83em;  
  margin-bottom: 0.83em;  
  margin-left: 0;
```

```
margin-right: 0;
font-weight: bold;
}
```

Most browsers will display the `<h3>` element with the following default values:

Example

```
h3 {
  display: block;
  font-size: 1.17em;
  margin-top: 1em;
  margin-bottom: 1em;
  margin-left: 0;
  margin-right: 0;
  font-weight: bold;
}
```

Most browsers will display the `<h4>` element with the following default values:

Example

```
h4 {
  display: block;
  font-size: 1em;
  margin-top: 1.33em;
  margin-bottom: 1.33em;
  margin-left: 0;
  margin-right: 0;
  font-weight: bold;
}
```

Most browsers will display the `<h5>` element with the following default values:

Example

```
h5 {
  display: block;
  font-size: .83em;
  margin-top: 1.67em;
  margin-bottom: 1.67em;
  margin-left: 0;
  margin-right: 0;
  font-weight: bold;
}
```

Most browsers will display the `<h6>` element with the following default values:

Example

```
h6 {  
  display: block;  
  font-size: .67em;  
  margin-top: 2.33em;  
  margin-bottom: 2.33em;  
  margin-left: 0;  
  margin-right: 0;  
  font-weight: bold;  
}
```