HTML th tag

w3schools.com/tags/tag_th.asp

Example

A simple HTML table with three rows, two header cells and four data cells:

Definition and Usage

The tag defines a header cell in an HTML table.

An HTML table has two kinds of cells:

- Header cells contains header information (created with the element)
- Data cells contains data (created with the element)

The text in elements are bold and centered by default.

The text in elements are regular and left-aligned by default.

Browser Support

Yes Yes Yes Yes Yes

Attributes

|--|--|

<u>abbr</u>	text	Specifies an abbreviated version of the content in a header cell
colspan	number	Specifies the number of columns a header cell should span
headers	header_id	Specifies one or more header cells a cell is related to
rowspan	number	Specifies the number of rows a header cell should span
<u>scope</u>	col colgroup row rowgroup	Specifies whether a header cell is a header for a column, row, or group of columns or rows

Global Attributes

The tag also supports the Global Attributes in HTML.

Event Attributes

The tag also supports the Event Attributes in HTML.

More Examples

Example

```
How to align content inside  (with CSS):
```

```
    Month

  Savings

    >td>January

  >td>$100

    February

    $80
```

Example

How to add background-color to table header cell (with CSS):

```
Month
Savings

January
$100
```

Example

How to set the height of a table header cell (with CSS):

```
Month
Savings

>tr>
January
$100

2

2

2

2

2
```

Example

How to specify no word-wrapping in table header cell (with CSS):

```
Month
Savings for a new car

January
January

$100
```

Example

How to vertical align content inside (with CSS):

```
Month
Savings

January
$100
```

Example

How to set the width of a table header cell (with CSS):

Example

How to create table headers:

```
Name
Email
Phone

John Doe
John.doe@example.com

123-45-678
```

Example

How to create a table with a caption:

```
<caption>Monthly savings</caption>

Month
Savings
```

Example

How to define table cells that span more than one row or one column:

```
Name
Email
Email
Colspan="2">Phone
Phone
<th
```

Related Pages

HTML tutorial: HTML Tables

HTML DOM reference: TableHeader Object

CSS Tutorial: Styling Tables

Default CSS Settings

Most browsers will display the element with the following default values:

```
th {
  display: table-cell;
  vertical-align: inherit;
  font-weight: bold;
  text-align: center;
}
```