

**Evil Code for Wicked Problems, part 4:
The Research Programmer's Guide to World Domination– in Python
(a.k.a. *Lecture Notes, Automated SE, CS, NcState, Fall'15*)**



by #attentionDeficitSquirrel (a.k.a. Tim Menzies)
Taxi driver, failed diplomat, mad computer scientist

SYNOPSIS: This book is a “how to guide” on model-based reasoning using search-based tools (with examples taken from software engineering).

The book builds, from the ground up, numerous tiny tools that can tame seemingly complex tasks. The tools include methods for (a) representing models; (b) reasoning about the many goals of those models using state-of-the-art algorithms; (c) discovering new tools are better than the state-of-the-art.

The goal of this book is not just to teach the concepts associated with these tools, but enable to reader to build the next generation of better tools.

The code base for the book is very small and is written in Python 2.7. The code would simple to port to many other languages.

The audience for this book is graduate students taking a one semester subject in advanced programming methods.

Contents

1 Welcome to the Evil Plan	3
1.1 Research Programming	3
1.1.1 Challenges with Research Programming . . .	3
1.1.2 Parts	3
1.1.3 Implications for Software Engineering	3
2 Lib: Standard Utilities	4
2.1 Code Standards	4
3 Pandoc with citeproc-hs	5

Content Advisory

This book contains strong language, weakly typed (and tapped with glee).

This book may contain excessive or gratuitous fun— as well as ideas that some readers may find disturbing. This book does not necessarily believe or endorse those ideas— but it does jump in and play with them (and asks you to do the same).

Book may include heresies, not suitable for established wisdom. It is intended for mature audiences only; i.e. those old enough to know there is much left to know.

Batteries not included.



Source Code Availability and Copyleft

The software associated with this book is free and unencumbered and released into the public domain. To download this code, see <http://github.com/txt/mase>.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <http://unlicense.org>

1 Welcome to the Evil Plan

“The world is a dangerous place to live, not because of the people who are evil, but because of the people who don't do anything about it.” - Albert Einstein

The evil plan (by programmers) to take over the world is progressing nicely. Certain parts of that plan were initially somewhat undefined. However, given recent results, this book can now fill in the missing details from part4 of that plan.

But first, a little history. As all programmers know, the initial parts of the plan were completed years ago. Part one was was programmers to adopt a meek and mild persona (possibly even boring and dull).

Part two was, under the guise of that persona, ingratiated ourselves to government and industrial agencies (education, mining, manufacturing, etc etc). Once there, make our work essential to their day to day operation. Looking around the world today, it is plain to see that part two was very successful.

After that, part three was to make much more material available for our inspection and manipulation. To this end, the entire planet was enclosed a digital network- thus giving us unprecedented access to petabytes of sensors and effectors. Also, by carefully seeding a few promienet examples of successful programmers (Bill Gates, Steve Jobs, Mark Zuckerberg), we convinced a lot of people to write lots of little tools, each of which represent or control some thing, somewhere.

Part four was a little tricky but, as shown in this book, it turned out not to be too hard. Having access to many models and much data can be overwhelming- unless some GREAT SECRET can be used to significantly simply all that information. For the longest time, that GREAT SECRET was unknown. However, recent advances have revealed the GREAT that SECRET- if we describe something in N dimensions, then there is usually a much smaller set of M dimensions that contain most of the signal. The GREAT SECRET is that it is very easy (and fast) to find, then exploit, those few number of M dimensions.

With those controllers in hand, we are now free to move to part five; i.e. taking over the world. In fact, the truly evil part of this work is that know you know you have the power to change the world. Which also means (evil laugh) you have the guilt if you do not use that power to right the wrongs of the world. So welcome to a lifetime of discontent (punctuated by the occasionally, perhaps fleeting, triumphs) as you struggle to solve a very large number of pressing problems facing humanity.

'Nough said. Good luck taking over the world. Remember: if you don't try then you won't be able to sleep at night, ever again (final evil laugh).



1.1 Research Programming

Silliness aside, this book is about how to be a *research programmer*. Research programmer's understand the world by:

- Codify out current understanding of “it” into a model.
- Reasoning about the model.

We take this term “research programmer” from Ph.D. Steve Guao's 2012 dissertation.

1.1.1 Challenges with Research Programming

Research programming sounds simple, right? Well, there's a catch (actually, there are several catches).

Firstly, models have to be written and it can be quite a task to create and validate a model of some complex phenomenon.

see also list in sbse14

Secondly, many models related to *wicked problems*; i.e.~problems for which there is no clear best solution. Tittel XXXWorse still, some models relate to _wicked there is final matter of the *goals* that humans want to achieve with those models. When those goals are contradictory (which happens, all too often), then our model-based tools must negotiate complex trade offs between different possibilities.

Thirdly, if wicked problems were not enough, there is also the issue of uncertainty. Many real world models contain large areas of uncertainty, especially if that model relates to something that humans have only been studying for a few decades.

Fourthly, even if you are still not worried about the effectiveness of reserach problem, consider the complexity of real-world phenomenon. Many of these models are so complex that we cannot predict what happens when the parts of that model interact.

Sounds simple, right? Well, there's a catch. Many models related to *wicked problems*; i.e. problems for which there is no clear best solution. Tittel XXXWorse still, some models relate to _wicked there is final matter of the *goals* that humans want to achieve with those models. When those goals are contradictory (which happens, all too often), then our model-based tools must negotiate complex trade offs between different possibilities.

If wicked problems were not enough, there is also the issue of uncertainty. Many real world models contain large areas of uncertainty, especially if that model relates to something that humans have only been studying for a few decades.

And if you are still not worried about the effectiveness of reserach problem, consider the complexity of real-world phenomenon. Many of these models are so complex that we cannot predict what happens when the parts of that model interact.

1.1.2 Parts

- Domain specific langauges (representation)
- execution (nuktu-objective ootiziation)
- evaluation (statistical methods for experimental sciencetists in SE)
- Philophsopy (about what it means to know, and to doubt)

1.1.3 Implications for Software Engineering

Note that research programming changes the nature and focus and role of 21st century software engineering:

- Traditionally, software engineering is about services that meet requirements.
- But with research programming, software engineering is less about service than about search. Research programming's goal is the discovery of interesting features in existing models (or perhaps even the evolution of entirely new kinds of models).

For example, old-fashioned software engineering might explore small things like strings or “hello world”. But with research programming explore **BIG** things like String Theory or “hello world model of climate change and economic impacts”.

The GREAT SECRET

2 Lib: Standard Utilities

Standard imports: used everywhere.

2.1 Code Standards

Narrow code (52 chars, max); use `i ' ', notself`, set indent to two characters,

In a repo (or course). Markdown comments (which means we can do tricks like auto-generating this documentation from comments in the file).

Not Python3, but use Python3 headers.

good reseraoiuces for advance people: Norving's infrenqently asked questions

David Isaacson's Pything tips, tricks, and Hacks.<http://www.siafoo.net/article/52>

Environemnt that supports matplotlib, scikitlearn. Easy to get there.

Old school: install linux. New school: install virtualbox. Newer school: work online.

To checn if you ahve a suseful envorunment, try the following (isntall pip, matplotlib, scikitlearn)

Learn Python.

Learn tdd

Attitude to coding. not code byt“set yourself up to et rapid feedback on some issue”

```
import random, pprint, re, datetime, time
from contextlib import contextmanager
import pprint, sys
```

Unit test engine, inspired by Kent Beck.

```
def ok(*lst):
    for one in lst: unittest(one)
    return one

class unittest:
    tries = fails = 0 # tracks the record so far
    @staticmethod
    def score():
        t = unittest.tries
        f = unittest.fails
        return "# TRIES= %s FAIL= %s %%PASS = %s%%" % (
            t, f, int(round(t*100/(t+f+0.001))))
```

```
def __init__(i, test):
    unittest.tries += 1
    try:
        test()
    except Exception, e:
        unittest.fails += 1
        i.report(e, test)
    def report(i, e, test):
        print(traceback.format_exc())
        print(unittest.score(), ':', test.__name__, e)
```

Simple container class (offers simple initialization).

```
class o:
    def __init__(i, **d) : i.__dict__.update(**d)
    def __setitem__(i, k, v) : i.__dict__[k] = v
    def __getitem__(i, k) : return i.__dict__[k]
    def __repr__(i) : return str(i.items())
    def items(i, x=None) :
        x = x or i
        if isinstance(x, o):
            return [k, i.items(v) for
                    k, v in x.__dict__.values()
                    if not k[0] == "_"]
        else: return x
```

The settings system.

```
the = o()

def setting(f):
    name = f.__name__
    @wraps(f)
    def wrapper(**d):
        tmp = f()
        tmp.update(**d)
        the[name] = tmp
        return tmp
    wrapper()
    return wrapper

@setting
def LIB(): return o(
    seed = 1,
    has = o(decs = 3,
            skip="_",
            wicked=True),
    show = o(indent=2,
            width=80)
)

# -----
r = random.random
any = random.choice
seed = random.seed
isa = isinstance

def lt(x, y): return x < y
def gt(x, y): return x > y
def first(lst): return lst[0]
def last(lst): return lst[-1]

def shuffle(lst):
    random.shuffle(lst)
    return lst

def ntiles(lst, tiles=[0.1, 0.3, 0.5, 0.7, 0.9],
            norm=False, f=3):
    if norm:
        lo, hi = lst[0], lst[-1]
        lst = g([(x - lo)/(hi-lo+0.0001) for x in lst], f)
    at = lambda x: lst[int(len(lst)*x)]
    lst = [at(tile) for tile in tiles]

    return lst

def say(*lst):
    sys.stdout.write(' '.join(map(str, lst)))
    sys.stdout.flush()

def g(lst, f=3):
    return map(lambda x: round(x, f), lst)

# -----
def show(x, indent=None, width=None):
    print(pprint.pformat(has(x),
        indent= indent or the.LIB.show.indent,
        width = width or the.LIB.show.width))

def cache(f):
    name = f.__name__
    def wrapper(i):
```

```

    i._cache = i._cache or {}
    key = (name, i.id)
    if key in i._cache:
        x = i._cache[key]
    else:
        x = f(i) # sigh, gonna have to call it
        i._cache[key] = x # ensure ache holds 'c'
    return x
return wrapper

@contextmanager
def duration():
    t1 = time.time()
    yield
    t2 = time.time()
    print("\n" + "-" * 72)
    print("# Runtime: %.3f secs" % (t2-t1))

def use(x,**y): return (x,y)

@contextmanager
def settings(*usings):
    for (using, override) in usings:
        using(**override)
    yield
    for (using,_) in usings:
        using()

@contextmanager
def study(what,*usings):
    print("\n#" + "-" * 50,
          "\n#", what, "\n#",
          datetime.datetime.now().strftime(
              "%Y-%m-%d %H:%M:%S"))
    for (using, override) in usings:
        using(**override)
    seed(the.LIB.seed)
    show(the)
    with duration():
        yield
    for (using,_) in usings:
        using()

```

3 Pandoc with citeproc-hs

[Doe and Roe \[2007\]](#)

References

John Doe and Jenny Roe. Why water is wet. In Sam Smith, editor, *Third Book*. Oxford University Press, Oxford, 2007.