

HEALTHY COMMUNITIES DATA AND INDICATORS PROJECT

Short Title: Mode of transport to work**Full Title:** Percent of residents aged 16 years and older mode of transportation to work

1. **Healthy Community Framework:** Meets basic needs of all
2. **What is our aspirational goal:** Safe, sustainable, accessible and affordable transportation options
3. **Why is this important to health?**

Description of significance and health connection

Commute trips to work represent 19% of travel miles in the United States. The predominant mode – the automobile - offers extraordinary personal mobility and independence, but it is also associated with health hazards, such as air pollution, motor vehicle crashes, pedestrian injuries and fatalities, and sedentary lifestyles. Automobile commuting has been linked to stress-related health problems. Active modes of transport – bicycling and walking alone and in combination with public transit – offer opportunities for physical activity, which is associated with lowering rates of heart disease and stroke, diabetes, colon and breast cancer, dementia and depression. Risks of injury in traffic collisions are greatest for motorcyclists, pedestrians, and bicyclists and lowest for bus and rail passengers. Minority communities bear a disproportionate share of pedestrian-car fatalities; Native American male pedestrians experience 4 times the death rate Whites or Asian pedestrians, and African-Americans and Latinos experience twice the rate as Whites or Asians.

Summary of evidence

Emissions from motor vehicles account for approximately 1/3 of California's annual emissions of air pollutants. Among them, fine particulates and precursors of ozone have established links to increased mortality, hospital admissions, and other adverse health effects in numerous epidemiologic studies. The risk of road traffic injuries is strongly related with the mode of transportation: motorcyclists, pedestrians and bicyclists experience 2-20 times the fatal injury rate as car occupants. Numerous epidemiological studies have documented that physical activity decreases risks of cardiovascular disease and stroke, colon and breast cancer, and dementia and depression. Active transport increases opportunities for physical activity. Several recent studies found that individuals with long commutes in automobiles (60 minutes or more) reported reduced time for sleep, physical activity, food preparation, and other health related activities.

Key References

- California Air Resources Board. [Estimated Annual Average Emissions](#). Sacramento, CA: California Air Resources Board; 2008. Accessed July 19th, 2013.
- Tran HT, Alvarado A, Garcia C, Motalebi N, Miyasato L, Vance W. [Methodology for Estimating Premature Deaths Associated with Long-term Exposures to Fine Airborne Particulate Matter in California](#) (Draft: Staff Report). Sacramento, CA: California Air Resources Board; 2009. Accessed August 16th, 2012.
- Drechsler D, Garcia C, Tran H, Mehadi A, Nystrom M, Proper R, et al. [Review of the California Ambient Air Quality Standard For Ozone. Vol 4](#). Sacramento, CA: California Environmental Protection Agency, Air Resources Board; 2005. Accessed January 4th, 2013.
- Centers for Disease Control and Prevention. [CDC Recommendations for Improving Health through Transportation Policy](#). National Center for Environmental Health; 2008. Accessed November 2nd, 2013.

- Beck LF, Dellinger AM, O'Neil ME. Motor vehicle crash injury rates by mode of travel, United States: using exposure-based methods to quantify differences. *Am J Epidemiol*, 2007; 166(2): 212-218.
- Santos A, McGuckin N, Nakamoto HY, Gray D, Liss S. [Summary of Travel Trends: 2009 National Household Travel Survey](#). Washington, DC: Federal Highway Administration; 2011. Accessed November 2nd, 2013.

4. What is the indicator?

Detailed Definition: Percent of residents mode of transportation to work

- Stratification: Race/Ethnicity (8 Census groups) and mode of transportation (5 groups)

Data Description

- Data source: U.S. Census Bureau, Census 2000, 2005-2007 American Community Survey, 2008-2010 American Community Survey (ACS), 2006-2010 American Community Survey (<http://factfinder2.census.gov/faces/nav/jsf/pages/index.xhtml>), accessed 7/2013)
- Years available: 2000, 2005-2007, 2008-2010, 2006-2010.
- Updated: 1, 3, and 5 year intervals
- Geographies available: census tracts, cities/towns, counties, regions (derived), and state

Data from the Census 2000 (table PCT055) and the ACS (tables DP03 and B08301) were downloaded from <http://factfinder2.census.gov>. The modes of transportation included: 1) bicycle, 2) car-truck-van, 3) public transportation, 4) walked, and 5) worked at home. Car-truck-van was subdivided into carpooled or drove alone. The denominator was the total population aged 16 years and older that had a paid job in the week previous to the survey, and the numerator was the number of people within that population using each mode. For 2005-2007, 2008-2010, and 2006-2010, Table B08301 was used for the car-truck-van and bicycle modes, and Table DP03 was used for other modes. The percent of residents mode of transportation and its standard error was calculated from population counts of the numerator and denominator ($\times 100$) using binomial approximation or abstracted directly from Table DP03. Relative standard errors, 95% confidence intervals, and decile ranking of places were also calculated. Regions were based on counties of metropolitan transportation organizations (MPO) as reported in the [2010 California Regional Progress Report](#).

5. Limitations


The denominator of the indicator is limited to individuals with paid work. Commute trips to school were not included. Only the principal mode based on daily frequency or longest distance was used in the case of multi-modal trips on the same day or during the sample week. Commute trips to work tend to be longer distance and more likely to be made by automotive means, thus this indicator might depict a higher automotive mode share than if other type of trips were included. Race/ ethnicity data was not available for census tracts. Margin of error was not available for the year 2000. Taxicab was included in public transportation in 2000, but not for other years.

6. Projects using this indicator

Public Health-Seattle & King County Assessment Policy Development & Evaluation Unit. Communities Count, 2008 - A Report on the Strength of King County's Communities. Seattle, WA: Seattle & King County Assessment Policy Development & Evaluation Unit; 2008. <http://communitiescount.org/>

7. Examples of Maps, Figures, and Tables


Map 1. Percent of Residents Who Used Public Transportation to Commute to Work, Cities/towns, Southern California, 2006-2010



Source: U.S. Census Bureau, 2006-2010 American Community Survey.

Analysis by CDPH and UCSF


**Map 2. Percent of Residents Who Drove Alone to Commute to Work
Cities/towns, Southern California, 2006-2010**



Source: U.S. Census Bureau, 2006-2010 American Community Survey.


Analysis by CDPH and UCSF

Percent of Residents Mode of Transportation to Work Population Aged 16 Years and Older Counties in Southern California, 2006-2010




Data Source: U.S. Census Bureau, 2006-2010 American Community Survey. All data are stable.

Percent of Residents Mode of Transportation to Work Population Aged 16 Years and Older Los Angeles County, 2000, 2005-2007, 2008-2010




Data Source: U.S. Census Bureau, Census 2000, 2005-2007 American Community Survey, 2008-2010 American Community Survey

Percent of Residents Mode of Transportation to Work Population Aged 16 Years and Older by Race/ethnicity San Diego (city), 2006-2010



Data Source: U.S. Census Bureau, 2006-2010 American Community Survey. All data stable except bicycle percentage for African Americans.

Percent of Residents Who Biked to Work Population Aged 16 Years and Older 2000, 2005-2007, 2008-2010



Data Source: U.S. Census Bureau, Census 2000, 2005-2007 American Community Survey, 2008-2010 American Community Survey. All data are stable, except for year 2000 for which stability is unknown.

Table 1. Percent of Residents Who Drove Alone to Work, Population Aged 16 Years and Older, by City/town, Imperial County, California.

City/Town	2000			2006-2010		
	Total Population	People that Drove Alone	Percent	Total Population	People that Drove Alone	Percent
Bombay Beach	83	45	54.2			
Brawley	7,163	5,179	72.3	8,543	6,557	76.8
Calexico	8,220	5,482	66.7	12,070	9,244	76.6
Calipatria	964	707	73.3	2,148	1,707	79.5 ^a
Desert Shores	256	100	39.1			
El Centro	12,741	9,347	73.4	15,432	12,203	79.1
Heber	795	588	74.0	1,580	1,346	85.2
Holtville	1,903	1,401	73.6	2,233	1,919	85.9
Imperial	2,989	2,374	79.4	5,226	4,231	81
Niland	302	247	81.8	227	136	59.9
Ocotillo	122	79	64.8			
Palo Verde	66	48	72.7			
Salton City	172	127	73.8	449	258	57.5 ^a
Salton Sea Beach	87	41	47.1			
Seeley	471	366	77.7	671	618	92.1 ^a
Westmorland	662	490	74.0	531	406	76.5
Winterhaven	105	44	41.9			
Imperial County	43,204	31,406	72.7	55,565	43,903	79.0
Southern California	6,810,823	4,932,607	72.4	7,895,440	5,859,718	74.2

Data Source: U.S. Census Bureau, Census 2000, 2006-2010 American Community Survey. No error data available for year 2000. ^aNot statistically reliable (Relative Standard Error > 30%).