



---

# Implementation Guide: Marketing Cloud Next

Salesforce, Spring '26



Last Updated:2026.02.25



# Contents

|                                                                      |          |
|----------------------------------------------------------------------|----------|
| <b>Manage Your Marketing App.....</b>                                | <b>4</b> |
| Getting Started with Marketing Cloud Next Setup.....                 | 4        |
| Configure Your Marketing Data.....                                   | 5        |
| Install and Deploy Data Streams for Marketing Cloud Next.....        | 6        |
| Configure Identity Resolution Rulesets for Marketing Cloud Next..... | 7        |
| Manage User Access.....                                              | 9        |
| Assign Permission Sets for Marketing Cloud Next.....                 | 9        |
| Turn On the Privacy Preference Manager Tab for Marketers.....        | 10       |
| Add Workspace Contributors to Marketing Cloud Next.....              | 10       |
| Add Site Contributors to Marketing Cloud Next.....                   | 10       |
| Set Up Identity-Licensed Users in Marketing Cloud Next.....          | 11       |
| Set Up Channels in Marketing Cloud Next.....                         | 12       |
| Configure Required Email Settings.....                               | 12       |
| Configure Reply Mail Management for a Unified Messaging Domain.....  | 14       |
| Set Up SMS Messages in Marketing Cloud Next.....                     | 14       |
| Set Up WhatsApp in Marketing Cloud Next.....                         | 15       |
| Set Up Mobile App Messaging in Marketing Cloud Next.....             | 15       |
| Set Up Custom Mobile App Events in Marketing Cloud Next.....         | 17       |
| Ensure Compliance with Consent Settings.....                         | 18       |
| Create a Communication Subscription in Marketing Cloud Next.....     | 19       |
| Edit a Default Preference Page in Marketing Cloud Next.....          | 19       |
| Import Consent Data to Marketing Cloud Next.....                     | 20       |
| Formatting Marketing Consent Import Files.....                       | 21       |
| Configure Web Tracking in Marketing Cloud Next.....                  | 22       |
| Considerations for Activity Tracking.....                            | 23       |
| Track Activity on Landing Pages.....                                 | 24       |
| Track Activity on External Sites.....                                | 26       |
| Set Up Reporting in Marketing Cloud Next.....                        | 27       |
| Install and Connect Analytics Objects.....                           | 27       |
| Set Up Marketing Performance.....                                    | 29       |
| Set Up Analytics Reports and Dashboards.....                         | 32       |
| Customize the Analytics Page.....                                    | 34       |
| Score People and Accounts in Marketing Cloud Next.....               | 34       |
| Considerations for Scoring in Marketing Cloud Next.....              | 34       |
| Configure Scoring Models in Marketing Cloud.....                     | 35       |
| Enable AI Features in Marketing Cloud Next.....                      | 38       |
| Set up AI in Marketing Cloud Next.....                               | 39       |
| Agentforce Agents and Standard Actions.....                          | 39       |
| Optimize Email Send Times.....                                       | 40       |
| Filter Non-Human Clicks from Your Report.....                        | 40       |
| Increase Customer Engagement with Einstein Engagement Scoring.....   | 40       |
| Analyze Behavioral Data with Einstein Engagement Frequency.....      | 40       |
| Recommended Page Customization.....                                  | 41       |
| Test Marketing Cloud Next in a Sandbox.....                          | 42       |
| Supported Features and Objects.....                                  | 42       |
| Considerations for Marketing Cloud Next in a Sandbox.....            | 43       |
| Set Up Marketing Cloud in a Sandbox.....                             | 44       |
| Set Up a Blackhole for Email.....                                    | 45       |
| Deploy Changes.....                                                  | 45       |

Helpful Resources.....46

    Allocations and Limits in Marketing Cloud Next..... 46

    User Permissions in Marketing Cloud Next..... 46

    Domain Settings in Marketing Cloud Next..... 51

    Default Scoring System in Marketing Cloud Next..... 52

    Agents and Einstein Data Usage in Marketing Cloud Next..... 54

    Model Card: Einstein Metrics Guard..... 55

    Model Card: Einstein Send Time Optimization..... 57

    Marketing Cloud Next Glossary..... 59

# Manage Your Marketing App

---

Salesforce admins, marketing admins, and admins for Data Cloud have a role to play in configuring and managing Marketing Cloud Next. Before you get started, determine whether these one user fills these admin roles or if many people are involved.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

## Getting Started with Marketing Cloud Next Setup

---

To get started with Marketing Cloud Next, complete some basic settings, then continue through the required and recommended steps. The time it takes to complete setup depends on the features that you want to use.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

**Note:** If you want to set up Marketing Cloud Next only for sending email, check out the [Quick Start Guides](#).

### Prepare for Setup

Before you start, make sure that you have the necessary roles and permissions. Most tasks require a Salesforce admin (System Administrator profile) with the Marketing Cloud Admin permission set and permission set. See [Manage Permission Set Assignments](#) and [User Permissions in Marketing Cloud Next](#).

#### Salesforce admin (System Administrator profile)

A Salesforce admin has permissions to complete tasks in Salesforce Setup, which you can access by clicking  on any page.

A has permissions in Data Cloud Setup and on other data modeling objects. To add this critical infrastructure to your org, a Marketing Cloud Next admin must install data kits and deploy data streams. These admins also configure identity resolution and people scoring rules.

#### Marketing admin

A marketing admin is any user with the Marketing Cloud Admin permission set. Users with this permission can configure most settings on Salesforce Setup pages and publish and activate campaigns and segments.

### Access the Setup Assistant

The Marketing Cloud Next setup assistant guides you through the required and recommended tasks. To access the setup assistant page, click . From the Quick Find box, enter `Marketing Cloud`. Then, under Assisted Setup, select **Assistant Home**.

The setup assistant home page includes three sections: Basic Settings, Required Setup, and Additional Settings. Each section shows you how many steps are left based on the checkboxes that you select as you complete the tasks on each page.

You can also track your progress with the [Setup checklist](#).

Before you can access all the required and additional settings, you must first go to Basic Settings and enable Marketing Cloud Next.

### Enable Marketing Cloud Next

Estimated time: Up to 15 minutes

On the Basic Settings page, review the list of required tasks. Most of these tasks begin automatically when Salesforce adds functionality to your org. After each task is complete, click to enable Marketing Cloud Next, and then start the automated process of connecting the necessary content and privacy tools.

To successfully complete all of the prerequisites, you must first enable Data Cloud. If you run into issues, here are some troubleshooting notes for each task.

| Step                                   | Troubleshooting notes                                                                                                                                                                                                                  |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Enable Data Cloud                      | In the App Launcher, search for and select <b>Data 360</b> . Click  to access Data Cloud Setup and enable it. A is required to complete this process. |
| Create a Salesforce CRM connector      | In Data Cloud Setup, open the Connectors page, and click <b>New</b> . Select Salesforce CRM and follow the prompts. A is required to complete this process.                                                                            |
| Add a default email channel            | The default email channel in Salesforce CMS is where marketing emails are stored. An admin can't create this channel. Contact Salesforce Customer Support for help.                                                                    |
| Add data protection details to records | From Setup, in the Quick Find box, enter <i>Data Protection and Privacy</i> , and then select <b>Data Protection and Privacy</b> . Select the option to make data privacy data protection details available in records.                |
| Select a data space                    | Every active data space that's configured in Data Cloud appears in the dropdown, including the default data space. To learn more about data spaces, including how to create a new data space, see <a href="#">Manage Data Spaces</a> . |
| Other                                  | If the content management or privacy tools aren't created, contact Salesforce Customer Support.                                                                                                                                        |

**Note:** To use these content tools with Government Cloud, manually enable the content delivery network. See [Marketing Cloud Next in Government Cloud](#).

## Complete the Basic Settings and Continue Setup

Estimated time: Variable

Next, [install the data kits](#) and [configure your identity resolution rulesets](#). These tasks are on the same Basic Settings page where you enabled Marketing Cloud Next.

The remaining pages of setup provide you with shortcuts to other required tasks, such as authenticating an email domain for sending and setting up reporting features.

Setup also includes recommended tasks to help you make the most of Marketing Cloud Next, like activating AI features or customizing your domain.

## Configure Your Marketing Data

One of the things that makes Marketing Cloud Next so powerful is its relationship to Data Cloud. To prepare your Salesforce org, install and deploy the data kits that include the data model objects (DMOs) that support marketing assets. Then, use identity resolution rulesets to organize and unify your data.

|                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------|
| Available in: Salesforce <b>Enterprise</b> and <b>Unlimited</b> Editions with Marketing Cloud Next <b>Growth</b> or <b>Advanced</b> Edition |
|---------------------------------------------------------------------------------------------------------------------------------------------|

This table lists the data kits that you must install and deploy to get started. The Setup label is used on marketing setup pages, and the package names appear on the installation and data stream deployment pages.

For complete instructions, see [Install and Deploy Data](#).

| Setup Label                      | Package Name                             | Details                                                                                                                                   |
|----------------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Marketing Setup Objects Data Kit | Marketing Cloud Consent Objects          | Contains two data bundles, MarketingSetup_General and SMSAddOn_General.<br><br>The SMS bundle is required only when using the SMS add-on. |
| Consent Objects Data Kit         | UnifiedMessagingConsent                  | Contains ConsentAuditTrail and MessagingConsent data streams.                                                                             |
| Flows Integration Data Kit       | Salesforce Data Cloud - Flow Integration | Contains the Flows data bundle and two Flow Run data streams that work with the Ingestion API.                                            |
| Email Channel Data Kit           | MessagingEventsEmailEngagement           | Contains a MessagingEventsEmail data stream.                                                                                              |
| SMS Channel Data Kit             | MessagingEventsSms                       | Contains a MessagingEventsSMS data stream. This data kit is only required when using the SMS add-on.                                      |
| WhatsApp Channel Data Kit        | UnifiedWhatsAppPackage                   | Contains a MessagingEventsWhatsApp-WhatsAppEngagement data stream. This data kit is only required when using the WhatsApp add-on.         |
| Sales                            | —                                        | Contains data streams for accounts, leads, and contacts. Access the installation page for this data kit in Data Cloud Setup.              |

## Install and Deploy Data Streams for Marketing Cloud Next

Data kits and packages contain the objects, fields, and data connections that make Marketing Cloud Next work. After you install the data kits, the related data streams are automatically deployed in Data Cloud.

|                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------|
| Available in: Salesforce <b>Enterprise</b> and <b>Unlimited</b> Editions with Marketing Cloud Next <b>Growth</b> or <b>Advanced</b> Edition |
|---------------------------------------------------------------------------------------------------------------------------------------------|

| User Permissions Needed            |                                                                                  |
|------------------------------------|----------------------------------------------------------------------------------|
| To install data kits and packages: | System Administrator profile<br>AND<br>AND Marketing Cloud Admin permission sets |
| To deploy data streams:            | permission set                                                                   |

**Note:** If you're setting up Marketing Cloud Next in a Data Cloud One companion org, the data kits are installed in the home org. After you install the data kits, ask your to set up the data streams in your home org.

### Install or Update Data Kits

To begin the data configuration process, install the data kits listed on the Basic Settings page of marketing setup.

Data streams consume Data Cloud credits based on the amount of batch data that's processed. See [Data Cloud Billable Usage Types](#).

1. From Setup, in the Quick Find box, enter **Basic**.
2. Under Marketing Setup, click **Basic Settings**.
3. In the Install Marketing Data Kits section, click **Install** or **Update**.

If you're installing for the first time, the listed data kits are installed, and their related CRM and ingestion data streams are deployed. If you're updating, the data kits with changes are reinstalled and redeployed.

The status of each data kit and its related data streams is shown, so you can confirm that they're installed and deployed successfully. This process takes a few minutes.

### Manually Deploy the Updated Data Streams (Optional)

Sometimes, the required ingestion data streams don't deploy as expected. A user with the permission set can manually deploy the updates.

The data stream names and field values are predefined by the package and can't be changed.

1. From the App Launcher, find and select **Data Streams**.
2. On the Data Streams tab, click **New**.
3. Select **Installed Data Kits and Packages** and click **Next**.
4. On the Data Kits tab, select a data kit.
5. Select a data stream or bundle from the list and click **Next**.
6. Select the connector associated with the data stream that you're deploying and click **Next**.
7. Review the fields that you're adding, click **Next**, and click **Deploy**.

After you deploy a data stream, it's removed from the data stream list. When the sidebar shows an empty list, you're done with this step.

## Configure Identity Resolution Rulesets for Marketing Cloud Next

Identity resolution is a critical step to organizing and unifying your data. Usually, when your data originates from many systems, it's modeled and labeled differently in each place. Identity resolution rulesets define the relationships among data model objects (DMOs) and their fields. After you configure these rules, Data Cloud can organize related and duplicate data into unified individual records that marketers can use to target audiences.

Scoring on people objects is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Scoring on the Account object is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition



| User Permissions Needed                   |                |
|-------------------------------------------|----------------|
| To create an identity resolution ruleset: | permission set |

Identity resolution rulesets consume Data Cloud credits, which impacts billing. We recommend having only one active ruleset for the Individual object, and one active ruleset for the Account object. Maintaining two rulesets per object increases the amount that you're billed for identity resolution. See [Data Cloud Billable Usage Types](#).

You can do more with identity resolution, such as create defaults or troubleshoot warnings. For details about fuzzy matching and other ruleset information, see Salesforce Help for Data Cloud.

### Generate a Ruleset for the Individual Object

When you generate a ruleset for the Individual object, it uses Normalized Email, Lead to Contact, and Device to Known as match rules. Lead to Contact prevents duplication when leads become contacts, and Device to Known matches web visitors to known profiles.

1. From Setup, in the Quick Find box, enter `Basic`, and select **Basic Settings**.
2. Scroll to the Identity Resolution Rulesets section.
3. In the Unified Individual section, click **Generate Ruleset**.
4. Review the confirmation details and click **Generate**.
5. Confirm that your new ruleset is published.
  - a) Go to the Identity Resolutions tab, and then find the ruleset you generated.
  - b) Confirm that the ruleset status is published.

### Configure a Custom Ruleset for the Individual or Account Object

You can manually configure a custom ruleset for the Account object and for the Individual object. A custom ruleset creates unified records that meet your specific business needs/specifications.

1. Create a ruleset. If you have a ruleset to use, skip this step.
  - a) On the Identity Resolutions tab, click **New**.
  - b) Select **Create New Ruleset**, and then click **Next**.
  - c) Select the data space that you use for marketing, and then select **Account** or **Individual** for the Primary Data Model Object.
  - d) Enter an ID for the ruleset, and then click **Next**.  
This 4-character ID is appended to the API name to distinguish between rulesets.
  - e) Name the ruleset and save your work.
2. From the identity resolution record, create custom rules.
  - a) In the Match Rules section, click **Configure**.
  - b) Follow the prompts to define the rules that unify related records.  
If your ruleset is for the Individual object, add the [recommended rules to the ruleset](#).
3. Define which object to use for personalization.
  - a) From Setup, in the Quick Find box, enter `Basic`, and select **Basic Settings**.
  - b) In the Create an Identity Resolution Ruleset section, select the Unified Individual or Unified Account object related to your ruleset.

### Add Recommended Rules to the Individual Object Ruleset

To get the most out of Identity Resolution, we recommend adding two custom rules to the Individual object ruleset. First, add a rule to match exact values when a lead converts to a contact. If you use web tracking on Marketing Cloud Next landing pages or a connected external site, add a rule that attributes activity to the correct unified individual. If you generate a ruleset for the Individual object after the Winter '26 release, these rules are included by default.

1. Go to the Identity Resolutions tab, and then open the ruleset that you created for the Individual object.
2. Under Match Rules, click **Edit**, and then click **Next**.
3. Click **Add Match Rule**.

4. Click **Custom Rule**, and then click **Next**.
5. Name your rule. For example, "Lead to Contact" or "Device Visitor Identification."
6. Select the match criteria.
  - a) For Data Model Object, select **Identity Match**.
  - b) For Field, select **Identity Match Type**.
  - c) For Match Method, select **Exact**.
7. Under Advanced Settings, click **Configure**, and then enter the Identity Match Type for the first custom rule.
  - For lead to contact conversion, enter `lead-to-contact`.
  - For web tracking attribution, enter `device-to-known`.
8. Click **Back To Basic Settings**, and then click **Next**.
9. To add the second rule, repeat steps 3 through 8 and use the remaining Identity Match Type.
10. Save your work.

## Manage User Access

Add users and assign roles and permissions to make sure your team can access the necessary tools to complete their work in Marketing Cloud Next.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

### Assign Permission Sets for Marketing Cloud Next

After you set up data streams, create users and assign permissions. To make sure that users have access to the right objects and features, use the Marketing Cloud Admin or Marketing Cloud Manager permission sets. You can assign permission sets to individual users or assign them in bulk.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

#### User Permissions Needed

|                            |                                          |
|----------------------------|------------------------------------------|
| To assign permission sets: | Assign Permission Sets system permission |
|                            | OR                                       |
|                            | Marketing Cloud Admin permission set     |

#### Assign Permissions to a Single User

You can add or remove permission set assignments from an individual user profile.

1. From Setup, in the Quick Find box, enter `Users`, and then select **Users**.
2. Select a user.
3. In the Permission Set Assignments related list, click **Edit Assignments**.
  - To assign a permission set, select it under Available Permission Sets, and then click **Add**.
  - To remove a permission set assignment, select it under Enabled Permission Sets, and then click **Remove**.
4. Save the permission set assignment.

#### Assign Permissions in Bulk

Assign the same permission sets to multiple users from the Permission Sets page in Setup.

1. From Setup, in the Quick Find box, enter `Permission`, and then select **Permission Sets**.
2. Select a permission set, and then click Manage Assignments.
3. Click **Add Assignments**.

4. Select users to assign the permission set to, and then click **Assign**.

## Turn On the Privacy Preference Manager Tab for Marketers

To allow users to edit the default email preference page or to access Preference Manager tools in the Marketing app, turn on the Privacy Preference Manager tab. Edit the Standard User Profile to make the tab Default On.

|                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------|
| Available in: Salesforce <b>Enterprise</b> and <b>Unlimited</b> Editions with Marketing Cloud Next <b>Growth</b> or <b>Advanced</b> Edition |
|---------------------------------------------------------------------------------------------------------------------------------------------|

| User Permissions Needed      |                                                         |
|------------------------------|---------------------------------------------------------|
| To edit the preference page: | Modify All Data OR Marketing Cloud Admin permission set |

1. From Setup, in the Quick Find box, enter **Users**, and then select **Users**.
2. Select **Profiles**, and then edit the **Standard User** profile.
3. In the Tab Settings section, find the Privacy Preference Manager tab and select **Default On**.
4. Save your work.

Repeat these steps for other user profiles as needed.

## Add Workspace Contributors to Marketing Cloud Next

When marketers create content in Marketing Cloud Next, they use Digital Experiences tools, which require a different set of permissions. Choose a contributor role for each user who needs access to manage or create marketing content, such as emails and forms.

|                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------|
| Salesforce <b>Enterprise</b> and <b>Unlimited</b> Editions with Marketing Cloud Next <b>Growth</b> or <b>Advanced</b> Edition |
|-------------------------------------------------------------------------------------------------------------------------------|

| User permissions needed             |                    |
|-------------------------------------|--------------------|
| To add contributors to a workspace: | Content Admin role |

These contributor roles are available.

- Content Admin: Users who have this role can manage users and sharing settings, create and publish all content in a CMS workspace, and assign a default brand to a marketing workspace.
  - Content Manager: Users who have this role can create and publish all content in a CMS workspace and assign a default brand to a marketing workspace.
  - Content Author: Users who have this role can view, edit, and create all content in a CMS workspace.
1. In the Marketing app, go to the Content tab and open your workspace.
  2. Click , and then select **Contributors**.
  3. On the Contributors page, click **Add Contributors**.
  4. Search for users or public groups.
  5. Next to the users or public groups that you want to add, click +.
  6. Click **Next**.
  7. For each user or public group, assign a contributor role.
  8. Click **Finish**.

## Add Site Contributors to Marketing Cloud Next

To let users preview landing pages in Marketing Cloud Next as authenticated users, add contributors to the Marketing Landing Pages site. Assign the Viewer role to each contributor. Site contributors must also be site members.

|                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------|
| Salesforce <b>Enterprise</b> and <b>Unlimited</b> Editions with Marketing Cloud Next <b>Growth</b> or <b>Advanced</b> Edition |
|-------------------------------------------------------------------------------------------------------------------------------|

| User permissions needed        |                               |
|--------------------------------|-------------------------------|
| To add contributors to a site: | System Administrator profile  |
|                                | OR                            |
|                                | Be a site member              |
|                                | AND                           |
|                                | View Setup and Configuration  |
|                                | AND                           |
|                                | Create and Set Up Experiences |

When you add site contributors, you choose from a list of users who are site members. Before adding site contributors, see [Add Members to Your Experience Cloud Site](#). Only a Salesforce admin can add their own user as a site contributor.

1. From Setup, in the Quick Find box, enter **All Sites**, and then select **All Sites** under Digital Experiences.
2. Next to Marketing Landing Pages, select **Workspaces** from the Action column.
3. Select the **Administration** workspace.
4. To add contributors, select **Contributors > Add Contributors**.
5. Next to the users that you want to add, click +, and then click **Next**.
6. For each user, assign the Viewer role.
7. Click **Finish**.

## Set Up Identity-Licensed Users in Marketing Cloud Next

Identity-licensed users can access Marketing Cloud Next using Salesforce single sign-on. You can assign Identity-licensed users the same permissions as Marketing Cloud Managers, including full access to campaigns, segments, flows, and shared Analytics reports. Clone the Identity-licensed user profile and customize the permissions for Marketing Cloud Next, and then assign the profile to new users.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed      |                                     |
|------------------------------|-------------------------------------|
| To add users:                | Manage Internal Users               |
| To create and edit profiles: | Manage Profiles and Permission Sets |

### Configure an Identity Profile for Marketing

1. From Setup, in the Quick Find box, enter **Profiles** and then select **Profiles**.
2. Find the Identity User profile, and then click **Clone**.
3. Enter a profile name and save your changes.
4. In Tab Settings, change the visibility to Default On for these tabs: Analytics, Briefs, Campaigns, Consent, Contacts, Content, Flows, Home, Leads, and Segments.
5. Customize page layouts and permissions as needed.
6. Save your changes.
7. Repeat steps 1-6 to create additional Identity User profiles for marketing.

### Create an Identity-Licensed User for Marketing

1. From Setup, in the Quick Find box, enter **Users** and then select **Users**.
2. Click **New User**.

3. In the User License dropdown, select **Identity**.
4. In the Profile dropdown, select the identity user profile you configured for marketing.
5. Save your changes.
6. Add the necessary permissions to access marketing manager tools and Marketing Performance dashboards.
  - a) In Permission Set Assignments, click **Edit Assignments**.
  - b) Add two permission sets: the Marketing Cloud Manager and Tableau Next Included App Business User.
7. To add more Identity-licensed users for marketing, repeat steps 1-6.

## Set Up Channels in Marketing Cloud Next

Marketing Cloud Next supports a multichannel marketing strategy that includes email, landing pages, SMS, and WhatsApp. Learn how to configure the required settings for each channel.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

### Configure Required Email Settings

To send emails, you must authenticate a domain for sending, verify at least one sender email address, and provide a physical address to include in your email. In some cases, such as upgrading from Starter or Pro Suite, you can transfer email sending capabilities to Marketing Cloud Next.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

#### User permissions needed

|                                        |                                      |
|----------------------------------------|--------------------------------------|
| To modify organization-wide addresses: | Modify All Data                      |
|                                        | OR                                   |
|                                        | Marketing Cloud Admin permission set |

We recommend using a subdomain of your root domain for marketing sends. This best practice improves the deliverability of your sends and protects the reputation of your domain. Make sure that your subdomain has an inbox available to receive the authentication verification email for the subdomain.

1. Work with your IT administrator to [configure DKIM settings](#) that add a recognized digital signature to your emails and can improve your deliverability.

**Note:** In some cases, such as upgrading from Starter or Pro Suite, the email authenticated domains page guides you through the process of transferring your sending activities to Marketing Cloud Next. Before you complete the transfer, [pause your active campaigns](#). After you complete the transfer, resume the paused campaigns that you want to continue.

2. Verify an email address for the From field.

Verified sender email addresses are listed in the From field selector of an email campaign. Marketers can select the email address that they want to use for each email that they create. See [Authenticate a From Address for Unified Messaging](#).

3. Add or update the physical address inserted by the Physical Address merge tag.

To maintain regulatory compliance, all marketing and transactional emails must include a physical address.

- a) From Setup, in the Quick Find box, enter *Company*, and then select **Company Information**.
- b) In the Organization Detail section, review or edit the Address details.
- c) Save your changes.

A complete physical address, including an alphanumeric value in the State field, must be included in every marketing email that you send. If your business address doesn't use a state, region, or province name, insert a placeholder. For orgs that use a region picklist, add a placeholder to the picklist first, and then select the placeholder from the dropdown menu.

## Authenticate a Domain for Unified Messaging

To send email messages, authenticate a sending domain and verify the email addresses that you plan to use to send messages.

Make sure that you have access to the relevant DNS information. Work with your internal IT team to implement the necessary DNS configuration changes, including configuring the DNS and DMARC records. It can take up to 48 hours for DNS changes to take effect.

Available in: Lightning Experience

Available in: Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions for with Marketing Cloud Next **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

1. From Setup, in the Quick Find box, enter `Authenticated Domains`, and then select **Authenticated Domains**.
2. Click **Add Domain**.
3. Review the prerequisites and click **Continue**.
4. Enter the subdomain information that you want to use for sending, and then click **Submit**.
5. Configure your DNS records with your domain registrar.

**Note:** When you configure a subdomain, include any subdomain information in your CNAME records. For example, if your subdomain value is `mktg.example.com` and your Name column includes the value `s1-e360-000000000000000000._domainkey`, then your CNAME record must contain an mktg value of `s1-e360-000000000000000000._domainkey.mktg.example.com`.

6. Verify that you've completed the DNS record upload and click **Verify Domain**.

After you add a domain, the status changes to Pending while Marketing Cloud verifies your DNS records. When the verification is complete, the status changes to active, and the domain is ready to use for sending. You can't delete a domain that has a status of Pending or Active.

**Note:** Marketing Cloud Next email messages that you send from an authenticated domain automatically pass the DomainKeys Identified Mail (DKIM) and Sender Policy Framework (SPF) authentication methods.

## Authenticate a From Address for Unified Messaging

Add an authenticated From address using an authenticated domain when sending messages from a Unified Messaging email channel. This address appears in the From section of all emails sent from this channel.

Available in: Lightning Experience

Available in: Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions for with Marketing Cloud Next **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

1. From Setup, in the Quick Find box, enter **Authenticated From Addresses**, and then select **Authenticated From Addresses**.
2. Click **Add From Addresses**.
3. Enter a Display Name value.  
The Display Name is who the email appears to be sent from.
4. Enter the username portion of the address, and then select an authenticated domain.

The username is the part of the email address that comes before the @, such as username@example.com.

5. Save your changes.

After the process is complete, your From address is ready for use.

## Configure Reply Mail Management for a Unified Messaging Domain

Automatically reply to incoming email messages, delete unwanted responses, and forward messages to a specific inbox to review later.

Available in: Lightning Experience

Available in: Salesforce **Enterprise** and **Unlimited** Editions for Service Cloud AND Enterprise and Unlimited Editions for with Marketing Cloud Next **Growth** and **Advanced** Editions

Not supported in Government Cloud Plus

1. From Setup, in the Quick Find box, enter `Authenticated Domains`, and then select **Authenticated Domains**.
2. Click the dropdown next to the domain you want to use and select **See Details**.
3. Select **Reply Mail Management**.
4. Choose whether to delete automatic replies and out-of-office messages automatically.
5. Choose whether to forward other responses to a specific inbox, then choose the email address to receive the messages.  
If you don't specify an email address, incoming messages are logged and deleted.
6. Save your changes.

After you enable this feature, RMM evaluates all manual replies. If a reply includes any of these terms in the first 200 characters of the email body, the email address that sent the reply is unsubscribed.

- unsub
- unsubscribe
- opt-out
- remove
- stop

## Set Up SMS Messages in Marketing Cloud Next

When you have the SMS messaging add-on, you can create and send SMS messages from Marketing Cloud Next. Before you can start sending, your business must request and register one or more codes. Short codes and long codes are the numbers associated with incoming and outgoing messages. The registration process can take several weeks, so make sure to plan ahead.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition and the Salesforce Message Credits - SMS add-on

**Note:** SMS messaging isn't supported in Government Cloud. See [Marketing Cloud Next in Government Cloud](#).

These requests include all the information you need to create the necessary opt-in, opt-out, and help keywords and meet legal requirements.

### Long Codes

To set up an SMS channel requires requesting the code to send your SMS messages, including any brands or campaigns used as part of your sends. You can request a 10-digit long code in the United States.

10-digit long codes require an associated brand and campaign in order to send messages. You can't port an existing 10-digit long code. To use a 10-digit long code in the United States, complete three requests.

- [Brand Request](#)
- [Campaign Request](#)

- [Code Request](#)

## Short Codes

It's possible to request a new US or Canadian short code or port an existing short code into your account. US and Canadian short codes don't require associated brands or campaigns.

You can register short codes with a [Salesforce Services agreement](#) or a [Mobile Approved Partner](#).

## Set Up WhatsApp in Marketing Cloud Next

Reach a global audience with personalized conversational messages that can include text, audio, video, and other rich content.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition and the Salesforce Message Credits - WhatsApp add-on

**Note:** WhatsApp messaging isn't supported in Government Cloud. See [Marketing Cloud Next in Government Cloud](#).

1. From Setup, in the Quick Find box, enter **Your**, and then select **Your Numbers**.
2. Install the required managed packages for consent and engagement. See [Manage WhatsApp Consent in Unified Messaging](#).
3. Create or connect a WhatsApp Business Account. See [Connect Your WhatsApp Business Account](#).
4. Review or update your consent validation settings.
  - a) From Setup, in the Quick Find box, enter **Channels**, and then select **WhatsApp**.
  - b) Choose whether to check consent on a communication subscription before sending promotional and transactional messages.

After you connect your WhatsApp Business Account to Salesforce, you can:

- [Create communication subscriptions](#) to store consent for WhatsApp messages.
- [Import consent data](#).
- [Set up Marketing Performance](#) to get metrics about your new channel.
- Begin crafting WhatsApp campaign content.

## Set Up Mobile App Messaging in Marketing Cloud Next

In Marketing Cloud Next, you can use segments and Flow Builder to send timely, personalized notifications to users of your apps. To start sending mobile app messages, add and configure your app in Setup.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition and the Salesforce Message Credits - Mobile App Regional add-on

### **Note:**

Mobile App messaging isn't supported in Government Cloud. See [Marketing Cloud Next in Government Cloud](#).

Mobile App Messaging is available only in Marketing Cloud Next instances hosted in Germany and the United States. If you aren't sure which region your instance is hosted in, contact your account executive.

The Your Apps page in Setup shows the apps that are associated with your account. This table describes the information shown for each app.

| Label                   | Description                                                                                                |
|-------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Application Name</b> | The name associated with the app.                                                                          |
| <b>Sending Services</b> | The mobile app notification services that are configured for the app. Possible values are iOS and Android. |



| Label                | Description                                                                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Status</b>        | Indicates whether the app is active. An app becomes active when at least one sending service is configured. You can only send messages through an active app. |
| <b>Active Users</b>  | The number of active users of the app who have opted in to receive messages.                                                                                  |
| <b>Created</b>       | The date when the app was added to your account.                                                                                                              |
| <b>Created By</b>    | The name of the user who added the app to your account.                                                                                                       |
| <b>Last Modified</b> | The date when the app was last modified.                                                                                                                      |

### Add Your App

1. In Setup, go to **Unified Messaging > Mobile App > Your Applications**.
2. Click **Add Application**.
3. On the Add Application window, click **Next**.
4. For **Application Name**, enter a name.
5. Click **Next**.

After you create the app, configure at least one sending service.

### Configure iOS Settings

If your application has a version that runs on Apple iOS, configure the settings for Apple Push Notification service (APNs).

1. On the Sending Services tab, expand the iOS section.
2. For Environment Type, choose whether to use a **Production** or **Sandbox** environment.
3. For Key Type, choose whether to use an **APNS p8 Auth Key** or an **APNS p12 Auth Key**.
4. Click **Upload Files**, and then upload your APNs certificate file.
5. For Key ID, enter your key ID.  
For more information about finding your key ID, see *Apple Developer*: [Get a key identifier](#).
6. For Team ID, enter your team ID.  
To find your Team ID, sign in to your Apple Developer account and click **Membership details**.
7. For Bundle ID, enter the bundle ID associated with your app. The bundle ID is an alphanumeric string that uses reverse DNS notation, such as `com.northerntrailoutfitters.app`.
8. Save your changes.

### Configure Android Settings

If your application has a version that runs on Android devices, configure the settings for Firebase Cloud Messaging (FCM).

1. On the Sending Services tab, expand the Android section.
2. Click **Upload Files**, and then upload your Firebase Developer certificate.
3. Save your changes.

### (Optional) Configure Category Names for iOS Carousels

If you plan to use create carousel messages for iOS devices, specify a category name. Specifying your category names helps ensure that your messages render correctly. When you create a carousel message template, you provide the category name.

1. On the Categories tab, for iOS Carousel Category Name, enter a unique name.
2. Save your changes.

## Test Your App's Configuration

After you create an app in Setup and add the Engagement SDK to your app, perform a test to make sure that the app is properly configured.

1. On the Your Apps page in Setup, from the list of apps, select an app to test.
2. On the Test tab, for **Select Identifier**, select the type of identifier to use to send a test message. Choose from these options:
  - **System Token**: Send a message to a recipient based on their unique, device-generated token.
  - **Device ID**: Send a message to a specific device based on its unique device ID.
  - **Individual ID**: Send a message to a subscriber based on their Unified Individual ID in Marketing Cloud Next.
3. Specify the unique ID for the type of identifier you selected.
  - If you selected System Token, select the operating system of the target device, and then enter the token in the **System Token** field.
  - If you selected Device ID, enter the target device ID in the **Device ID** field.
  - If you selected Individual ID, enter the target device ID in the **Individual ID** field.
4. Click **Test Configuration**.

The Results section on the right side of the page indicates whether the test was successful. If the test fails, verify that you provided the correct credentials for the push notification services.

## Set Up Custom Mobile App Events in Marketing Cloud Next

Track user behavioral interactions like button clicks, screen views, or purchases within your mobile app.

Marketing Cloud Next Advanced Edition accounts with the Salesforce Message Credits - Mobile App Regional add-on.

### Note:

Custom mobile app events aren't supported in Government Cloud. See [Marketing Cloud Next in Government Cloud](#).

Custom mobile app events are available only in Marketing Cloud Next instances hosted in Germany and the United States. If you aren't sure which region your instance is hosted in, contact your account executive.

The Your Events page in Setup shows the custom mobile app events that are associated with your account. This table describes the information shown for each event.

| Label                   | Description                                               |
|-------------------------|-----------------------------------------------------------|
| <b>Event Name</b>       | The name of the event.                                    |
| <b>Description</b>      | The description of the event.                             |
| <b>Application</b>      | The app associated with the event.                        |
| <b>Attributes</b>       | The number of attributes associated with the event.       |
| <b>Status</b>           | Indicates whether the event is active.                    |
| <b>Created</b>          | The date when the event was added to your account.        |
| <b>Created By</b>       | The name of the user who added the event to your account. |
| <b>Last Modified</b>    | The date when the event was last modified.                |
| <b>Last Modified By</b> | The user who last modified the event.                     |

## Create a Custom App Event

Marketers can stream the event in real time from a mobile app via the unified Marketing Cloud SDK. Leverage this data in Data Cloud for segmentation and deeper insights, or in Flow Builder to create personalized customer journeys.

You can't delete attributes after you activate your event, so make sure to review them first.

You can't delete an active event. You can deactivate it if you don't want to use it anymore, but you can still reuse its attributes in other events, and reactivate it later.

If an attribute already exists, reuse it in an event to avoid duplication. For example, most events use attributes like Name and User ID.

1. In Setup, go to **Unified Messaging > Mobile App > Your Events**.
2. Click **New Event**.
3. On the New Event window, enter an internal name and description for the event.
4. For Application, select the app associated with the event.
5. Add attributes to the event.
  - To create an attribute, click **New Attribute**. Enter the attribute name and select a data type for the attribute. Choose whether the attribute requires a value.
  - To add existing attributes, click **Add from Existing**. Select attributes and click **Add**.
6. Click **Save & Continue**.
7. To start tracking events, click **Activate**.

## Ensure Compliance with Consent Settings

Marketing Cloud Next can help you stay in compliance with regulatory bodies and provide your customers with their preferred experience. These tools help you organize contact details, communication subscriptions, and preference forms.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User permissions needed                 |                                                                                                                  |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------|
| To manage settings in Salesforce Setup: | View Setup and Configuration<br>OR<br>System Administrator profile<br>OR<br>Marketing Cloud Admin permission set |
| To manage consent:                      | Marketing Cloud Admin<br>OR<br>Marketing Cloud Manager permission set                                            |

A default Marketing communication subscription is available. To organize consent records by channel or content types, create at least one communication subscription.

If you manage consent in another platform, you can disable consent checks in Marketing Cloud Next, but you must affirm responsibility for any compliance-related issues that arise.

1. Verify your physical address.

This physical address is the primary address that's used in other parts of Salesforce. If you edit it, those changes appear in other locations.

- a) From Setup, in the Quick Find box, enter **Company**, and then select **Company Information**.
- b) Review or edit the address field.

2. Set consent validation preferences for email.

- a) From Setup, in the Quick Find box, enter **Channels**, and then select **Email**.
- b) Review the consent validation settings for promotional and transactional email messages.

3. To use custom communication subscriptions for your marketing channels, see [Create a Communication Subscription](#).

4. To create a consent import, see [Import Consent Data](#).

5. To customize the banner that asks page visitors for consent to track web activity, see [Activity Tracking](#).

By default, the email preference page includes the default marketing communication subscription. To add or remove subscriptions, see [Edit the Email Preference Page](#).

## Create a Communication Subscription in Marketing Cloud Next

Create a communication subscription for each category of marketing content that you send, such as product updates. For each subscription that you create, add marketing channels, such as email and SMS. Subscribers must give consent to receive promotional messages from each channel type.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition, and in **Starter** and **Pro Suite** Editions. Your edition determines the options that you have.

| User Permissions Needed                |                                      |
|----------------------------------------|--------------------------------------|
| To create communication subscriptions: | Marketing Cloud Manager              |
|                                        | OR                                   |
|                                        | Marketing Cloud Admin permission set |

1. From the Consent page, select **Preference Pages and Subscriptions**, and then click **New Subscription**.
2. Enter a name for the subscription, such as Product Updates.
3. Select at least one channel.
4. If you selected SMS or WhatsApp as a channel, select at least one sender code or channel number.
5. Save your work.

After you save, you can import consent data to the communication subscription and send messages to subscribers. You can also add email subscriptions to the email preference page.

## Edit a Default Preference Page in Marketing Cloud Next

Marketing Cloud Next comes with default preference pages for email, SMS, and WhatsApp. Preference pages are visible to subscribers when they click the Preference Manager link in a marketing message. The default marketing communication subscription is included on the page, but you can add or remove subscriptions as needed. Preference pages are customized for each recipient.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed      |                                      |
|------------------------------|--------------------------------------|
| To edit the preference page: | Marketing Cloud Manager              |
|                              | OR                                   |
|                              | Marketing Cloud Admin permission set |

When you save changes to a preference page, the page is immediately published and visible to your subscribers.

1. From the Consent page, select **Preference Pages and Subscriptions**.
2. For the email, SMS, or WhatsApp preference page, click **Edit Form**.
3. Select a communication subscription and use the arrows to move that subscription on or off the preference page.

4. Review your changes and then save your work.

After you save, the changes are published to your preference page and subscribers can view the updated page when they click the Preference Manager link in a message.

Certain merge field links, such as the Preference Manager and Unsubscribe links, aren't functional when you preview an email, SMS, or WhatsApp message. You can review default preference pages on the Consent tab.

## Import Consent Data to Marketing Cloud Next

If you collect consent data outside of Marketing Cloud Next, import it as a CSV. Each import corresponds to a single marketing channel, communication subscription, and consent status.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition, and in **Starter** and **Pro Suite** Editions. Your edition determines the options that you have.

| User Permissions Needed     |                                        |
|-----------------------------|----------------------------------------|
| To create a consent import: | Marketing Cloud Admin                  |
|                             | OR                                     |
|                             | Marketing Cloud Manager permission set |

Before you import consent data, make sure that each person's contact points, such as email and phone number, already exist in Marketing Cloud Next. A consent import adds and updates consent information for existing contact points, but it doesn't create new leads or contacts or update other fields.

1. From the Consent page, select **Consent Imports**, and then click **Import**.
2. Select a channel and a communication subscription.
3. For SMS consent imports, enter the Sender Code that you plan to use with the subscription.
4. Select a consent status to apply to all of the items in your import, and then click **Next**.
5. Upload your CSV, and then click **Next**.

**Note:** For each contact point, make sure that the consent date in the CSV file is later than the existing consent date. The importer ignores all incoming consent dates that occur before the existing consent dates.

6. On the preview step, review the sample fields from your file.
7. To complete your import, click **Import**.

Lyn wants to import a list of consent data for the communication subscription Product Updates. She has data for both SMS and email. To import all of her consent data, Lyn creates four import files:

- One for people who opted into emails
- One for people who opted out of emails
- One for people who opted into SMS messages
- One for people who opted out of SMS messages

After the import completes, we send a notification email to the user who imported the file. It can still take some additional time to sync updated consent statuses to Data Cloud.

## Formatting Marketing Consent Import Files

Before you import consent data into Marketing Cloud Next, make sure that your import file is saved as a CSV and that the columns and values are formatted correctly.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition, and in **Starter** and **Pro Suite** Editions. Your edition determines the options that you have.

### General Guidelines

Each file you import corresponds to one communication subscription, one channel, and one consent status. For example, complete one import for people who opted into your weekly email newsletter subscription and another import for people who opted out of that subscription.

To update the consent status for existing leads and contacts, import consent data from the Consent tab.

To create new leads and contacts and include consent data, import from the Leads or Contacts tab and use the consent values `OptIn` and `OptOut`.

Review these other considerations before you import consent data.

- Each import file must include a contact point value as the first column and the date of consent as the second column. A contact point value is either an email address or a phone number.
- Consent is tied to the contact point. A contact point is associated with a Unified Individual based on the identity resolution ruleset in your org.
- Consent imports update the status and date of consent for each contact point in the import file. To create or update leads or contacts, import from the Leads or Contacts tab.

### Formatting the Date of Consent

When you import consent data, the system maps the data in your import file to the correct DMOs and converts timestamps based on time zone. To ensure that the system maps the date that you captured consent correctly, you must format each date entry as one of these supported DateTime datatypes, including the use of capital or lowercase letters.

- `yyyy-MM-dd HH:mm:ss.SSSZ`
- `MM/dd/yyyy HH:mm:ss`
- `MM/dd/yyyy`

- yyyy-MM-dd
- M/dd/yyyy

This table breaks down the format for DateTime datatypes.

| Letter Code  | Date or Time Component                                                          | Example                    |
|--------------|---------------------------------------------------------------------------------|----------------------------|
| yyyy-MM-dd   | Date in year-month-day format                                                   | 2023-05-01                 |
| HH:mm:ss:SSS | Timestamp in hour-minute-second-millisecond and format based on a 24-hour clock | 14:30:00:000               |
| Z            | Represents the UTC timezone                                                     | Z OR <i>blank</i> OR +0000 |

#### Important:

When you use an import to update a record, you can't change the consent date to a value that occurs before the consent date for the existing record. If the consent date in the update occurs before the consent date for the existing record, the updated date is ignored.

#### Email File Guidelines

When you format a CSV file to import email consent data, keep these guidelines in mind.

- The file must include a column for email addresses and a separate column for recording the date of consent.
- Each email must be a valid and complete email address. For example, `lyn@ursasolar.com`.
- Email addresses can't include special characters.

#### SMS and WhatsApp File Guidelines

When formatting a CSV to import consent data for SMS or WhatsApp messages, keep these guidelines in mind.

- The file must include a column for phone numbers and a separate column for recording the date of consent.
- For each entry, you must include a country code and the complete phone number. Phone numbers are validated based on [ITU E.164 standards](#). For example, an E.164-formatted United States or Canadian phone number looks like this: `+12065550123`.
- Spaces, dashes, underscores, and parentheses are automatically removed from phone numbers.
- Phone numbers can only include numerals.

## Configure Web Tracking in Marketing Cloud Next

Track visitor activities and engagement across your marketing web pages. Use the data to create more targeted segments and inform your marketing strategy. You can track activity on landing pages hosted by Marketing Cloud Next and on external websites.

| Content Type                                              | Requirements                                                                                                                                                                                             |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Marketing Cloud Next Landing Pages with consent banner    | <ul style="list-style-type: none"> <li>• Data Cloud integration</li> <li>• Data Cloud Web Tracking Consent Banner integration</li> <li>• Banner design settings</li> </ul>                               |
| Marketing Cloud Next Landing Pages without consent banner | <ul style="list-style-type: none"> <li>• Data Cloud integration</li> <li>• Relaxed CSP security level for Landing Pages site</li> <li>• Event tracking code in Landing Pages site head markup</li> </ul> |

| Content Type                          | Requirements                                                                                                                                                                                        |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| External Pages with consent banner    | <ul style="list-style-type: none"> <li>• External Tracking data kit</li> <li>• Website connector</li> <li>• Banner design settings</li> <li>• Webpage embed code in external page source</li> </ul> |
| External Pages without consent banner | <ul style="list-style-type: none"> <li>• External Tracking data kit</li> <li>• Website connector</li> <li>• Webpage embed code in external page source</li> </ul>                                   |

## Considerations for Activity Tracking

To configure activity tracking, connect Data Cloud to the default Marketing Landing Pages site. Before you enable activity tracking, review other considerations, compliance details, and cookie information.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

### Compliance

You're responsible for complying with privacy laws and regulations applicable to your business. To protect the privacy of site visitors, use the default consent banner on landing pages and external sites. You can choose not to collect consent to track.

If consent to track is required, each visitor's first page view isn't recorded because it occurs before they provide consent.

### Implementation

Landing pages are served using the Experience Cloud Sites framework. The default Marketing Landing Pages site operates behind the scenes. Don't add content to it.

The default consent banner is used for both Marketing Cloud Next landing pages and external websites. Settings and styles apply everywhere the banner is used.

### Tracked Data

After you configure web tracking, these activities are tracked.

- Page views
- Form submissions
- Link clicks
- Button clicks

### Tracking Cookie Reference

We use cookies to identify landing page visitors and track activity. Cookies store a unique identifier for each landing page visitor but we don't store personally identifying information.

On Salesforce-hosted domains, tracking cookies are set at the subdomain level such as example.my-salesforce.com. If you use a custom domain, tracking cookies are set at the root domain level.

To ensure that activity is tracked, set your website up to use first-party tracking by aligning all of your web pages and Salesforce content under your root domain. Industry standards are moving away from third-party cookie tracking and we recommend using first-part domain alignment.



| Cookie Name                           | Duration | Classification | Details                                                                                                                                                                                                                                                             |
|---------------------------------------|----------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| guest_uuid_essential_<15-char SiteID> | 365 days | Not required   | This cookie is no longer used, but is set when someone visits a landing page or tracked site.                                                                                                                                                                       |
| _sfid_\${domainHash}                  | 730 days | Not required   | When someone visits a landing page, the _sfid_ \${domainHash} cookie is set and creates a unique ID for that visitor.                                                                                                                                               |
| sfmc_consent                          | 365 days | Required       | Set when a visitor opts in or out of tracking from the consent banner. If a visitor opts in, the value is set to True, and the visitor is tracked. If the visitor opts out or ignores the consent banner, the value is set to False, and the visitor isn't tracked. |

## Track Activity on Landing Pages


Track visitor activities on your Marketing Cloud Next landing pages. To protect the privacy of your landing page visitors, use the default consent banner to collect consent to track. You're responsible for complying with privacy laws and regulations applicable to your business.

### Track Activity with Consent Banner

To add tracking and a consent banner to your landing pages, first review your consent banner settings, then add the banner integration to your Marketing Landing Pages site. To track activity on a landing page that uses a custom domain, add a custom URL for that domain in Setup and define the path as /lp.

1. From Setup, in the Quick Find box, enter **Web Tracking**, and then select **Consent Banner**.
2. Choose whether to require consent to track on all of your Salesforce-hosted landing pages. To help protect the privacy of your site visitors, this setting is on by default.
3. Follow the steps to [customize the consent banner](#).

4. Add the banner integration to your landing pages.
  - a) From Setup, in the Quick Find box, enter **All Sites**, and select **All Sites** under Digital Experiences.
  - b) Next to Marketing Landing Pages, select **Builder**.  
Marketing landing pages use the Experience Cloud Sites framework. This site operates behind the scenes. Don't add content to it.
  - c) Click **Settings** and select **Integrations**.



- d) On the Data Cloud integration, click **Add to Site**, and enable it.
- e) On the Data Cloud Web Tracking Consent Banner integration, click **Add to Site**, and enable it.
- f) To apply the banner and styles to your landing pages, click **Publish**.

After publishing, if you change the banner text or style settings, publish the banner again in Experience Cloud. To test the banner on a real page, create and view a landing page in a web browser.

### Enable Tracking Without Consent Banner

To track activity without collecting consent, you can publish a code snippet to your landing pages.

1. From Setup, in the Quick Find box, enter **All Sites**, and then select **All Sites** under Digital Experiences.
2. Next to Marketing Landing Pages, select **Builder** from the Action column.
3. Set the Experience Builder security level to Relaxed CSP.
  - a) Click **Settings**, and then select **Security & Privacy**.
  - b) Click the Security Level dropdown menu and select **Relaxed CSP: Permit Access to Inline Scripts and Allowed Hosts**.
4. Click **Settings**, and then select **Integrations**.
5. Find the Data Cloud integration, click **Add to Site**, and enable it.  
Don't install the Web Tracking Consent Banner for Data Cloud integration.
6. Click **Settings**, and then click **Advanced**.
7. Click **Edit Head Markup**. Copy this code and paste it into the Head Markup code block:

```
<script>
document.dispatchEvent (
  new CustomEvent('experience_interaction', {
    bubbles: true,
    composed: true,
    detail: {
      name: 'set-consent',
```

```

        value: true,
      },
    })
  );
</script>

```

8. Save your work.
9. To begin tracking activity, click **Publish**.

## Track Activity on External Sites

Track visitor activities on web pages hosted outside of Salesforce, such as your company website. To protect the privacy of your site visitors, use the default consent banner to collect consent to track. You're responsible for complying with privacy laws and regulations applicable to your business.

|                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------|
| Available in: Salesforce <b>Enterprise</b> and <b>Unlimited</b> Editions with Marketing Cloud Next <b>Growth</b> or <b>Advanced</b> Edition |
|---------------------------------------------------------------------------------------------------------------------------------------------|

| User Permissions Needed         |                                      |
|---------------------------------|--------------------------------------|
| To configure external tracking: | Marketing Cloud Admin permission set |

- If you're setting up external tracking for the first time, create a website connector, then create embed code that you add to your external site.
- If you've set up external tracking before Winter '26, update your external tracking configuration.
- Apply and customize a consent banner for activity tracking on your website.

### Create External Tracking Configuration

First, create a website connector that collects activity data from your external site. Then, create the embed code to add to your external site, and associate it with your website connector and a campaign. You can reuse the same website connector for multiple embed codes.

1. Create a website connector.
  - a) From Setup, in the Quick Find box, enter **Web Tracking**, and then select **Website Connectors**.
  - b) Click **New**.
  - c) Name the website connector and click **Create**.
2. Create the embed code.
  - a) From Setup, in the Quick Find box, enter **Web Tracking**, and then select **Webpage Embed Codes**.
  - b) Click **New**.
  - c) Name the embed code and select a website connector.
  - d) In the Configure Tracking Settings section, choose whether to require consent to track external pages that include the embed code. This setting is on by default. You're responsible for complying with privacy laws and regulations applicable to your business.
  - e) Select a campaign to associate with the engagement data.
  - f) Click **Create**.
3. To enable data collection on your website, copy the embed code and add it to your website's head tag.

### Update External Tracking Configuration

If you set up external tracking before Winter '26, update your external tracking configuration to access the latest feature updates. Copy the web tracking script and replace the existing script on your website.

1. From the Website Connectors page, configure your web tracking connector.

**Important:** If you don't see your connectors and you created them before Summer '25, contact Salesforce Customer Support to regain access to your website connectors with required updates.

2. Copy the embed code and replace the existing code in your webpage's head tag.

**Note:** Make sure to replace the script on your website for accurate reporting of your website data.

3. Save your changes.

## Set Up Reporting in Marketing Cloud Next

To get detailed reporting insights and embedded dashboards for your campaigns, install the Marketing Performance app. Marketing Cloud Next also includes preconfigured reports and dashboards that you can customize on the Analytics page.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

## Install and Connect Analytics Objects

Install the analytics packages and add users to analytics folders. Then, head to Digital Experiences to finalize the data connection.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed                  |                                                                                                                  |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| To install data kits and packages:       | View Setup and Configuration<br>OR<br>System Administrator profile<br>OR<br>Marketing Cloud Admin permission set |
| To deploy data streams:                  | permission set                                                                                                   |
| To add Digital Experiences integrations: | Content Admin role                                                                                               |
| To customize the Analytics tab:          | Marketing Cloud Admin permission set<br>OR<br>Marketing Cloud Manager permission set                             |

Before you install the analytics packages, make sure to [install and deploy the required marketing data kits](#).


1. From Setup, in the Quick Find box, enter **Marketing Cloud**. Under Reporting and Optimization, select **Analytics**.
2. From the Analytics Packages section, install the Marketing Engagement Analytics package for all users.
3. (Optional) If you're using the SMS add-on, repeat these steps for the SMS Analytics package.

4. (Optional) Configure tracking and analytics for the default Marketing Landing Pages site.

- a) From Setup, in the Quick Find box, enter `All Sites`. Under Digital Experiences, click **All Sites**.
- b) Next to Marketing Landing Pages, select **Builder**.

Landing pages in Marketing Cloud Next are served using the Data Cloud Sites framework. This site operates behind the scenes—don't add content to it.


- c) Click **Settings** and select **Integrations**.



- d) On the tile, click **Add to Site**.
- e) (Optional) To collect engagement metrics and consent for tracking on landing pages, add the Data Cloud Web Tracking Consent Banner integration. Then, in the site toolbar, click **Publish**.  
If you don't need to track consent, skip this step and see [Activity Tracking for Landing Pages](#).
- f) From Setup, in the Quick Find box, enter `Marketing Cloud`. Under Reporting and Optimization, select **Analytics**.
- g) Install the [Landing Pages and Forms Analytics package](#) for all users.

5. From the Marketing app, make folders available to users.

- a) On the Analytics tab, click **Browse** (1), and select **Folders** (2).



- b) For each report or dashboard folder, click ☐ and select **Share**.  
 c) For Entire Organization, set the access to Viewer.  
 d) To add other users or groups, such as Editors or Managers, search for them in the Name field, and then apply the correct role.  
 e) Save the changes.

To avoid data processing issues, preserve field visibility for the Data Cloud Salesforce Connector permission set. Visibility can change when you delete a field, change the permissions on a field, or change the API name for a custom field.

## Set Up Marketing Performance

Marketing Performance uses Data Cloud and Tableau Next to present detailed metrics about your campaigns and content. Get embedded reporting in your campaign records, and access a comprehensive dashboard with insights and trends about your overall marketing efforts.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Foundations and with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed                   |                                                        |
|-------------------------------------------|--------------------------------------------------------|
| To turn on Marketing Performance:         | and Marketing Cloud Admin permission sets              |
| To view Marketing Performance dashboards: | Tableau Next Included App Business User permission set |

**Note:** Using the Marketing Performance feature consumes Data Cloud credits, which can increase your bill. Learn more about [the billing impact of Data Cloud-powered features](#).

### Install Marketing Performance

Set up Marketing Performance for the first time with Data Cloud integration, data kits, and analytics workspace.

1. From Setup, in the Quick Find box, enter Marketing Performance and click **Marketing Performance**.

2. Confirm that you have these prerequisites:
  - a) Make sure that you've installed the [required Marketing data kits](#).
  - b) To personalize marketing content with data, [set up Personalization](#).
  - c) To include web tracking data in reports, such as custom tracked link activity, [configure web tracking](#).
  - d) To view embedded analytics for Flow elements, [install Flow Performance](#).
3. In the Install Marketing Performance section, click **Install**.  
 To start the installation, you must have both the and Marketing Cloud Admin permission sets. Monitor the progress of the installation on the new Marketing Performance tab. To view the success or failure messages associated with your install, under Monitoring, click the event name.
4. Assign the Tableau Next Included App Business User permission set to any users who require access to Marketing Performance data. See [Assign Marketing Permission Sets](#).
5. In the Marketing app, go to the Marketing Performance tab to view the main dashboard and confirm that your install is complete.  
 To learn more about Marketing Performance dashboards, see [Measure Success](#).

### Get the Latest Marketing Performance Dashboard

To access the latest features and dashboards, update your Marketing Performance app by first removing and then reinstalling the current version. Salesforce regularly updates Marketing Performance reports and dashboards with new features, fields, and enhancements. You can find these updates in the release notes.

1. From Setup, in the Quick Find box, enter `Marketing Performance`, and then click **Marketing Performance**.
2. Go to the Marketing Performance tab.

3. Delete the existing app.

 **SETUP**  
**Marketing Performance**

Setup

**Marketing Performance**

|                       |                   |                  |                   |             |
|-----------------------|-------------------|------------------|-------------------|-------------|
| Template Name:        | Template Version: | Status:          | Created By:       | Created On: |
| Marketing Performance | 1.0               | <b>✓ Success</b> | Marketing Manager | 04/17/20    |

**Monitoring**

Resources

Settings


Status

All ▼

4. Make sure that you've updated the [required Marketing data kits](#).



5. After the data kits update and show a Deployed status, reinstall the Marketing Performance app from the Setup tab.



6. To view the updated dashboard, open the Marketing Performance tab in the Marketing app.

Set Up Analytics Reports and Dashboards

Marketing analytics packages include preconfigured dashboards and folders with reporting data about your marketing efforts.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

This table lists the main analytics packages that you install to access reporting tools. The Setup label is used on marketing setup pages, and the package names appear on the installation and data stream deployment pages.

To install the Marketing Analytics package, you need at least two available dynamic dashboard licenses. If you've reached the limit, reduce the number of dynamic dashboards in use or purchase more licenses, then retry the installation. See [Find the Dynamic Dashboards in my Organization](#).

| Setup Label                       | Package Name                                  | Details                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Marketing Engagement Analytics    | Marketing Analytics                           | <p>This package contains these Analytics folders for dashboards and reports:</p> <ul style="list-style-type: none"> <li>• Email Engagement Dashboard</li> <li>• Email Engagement Dashboard V2</li> <li>• Email Engagement Reports</li> <li>• Email Engagement Reports V2</li> </ul> <p>Both dashboards are dynamic, and you can add users to each folder on the Analytics tab.</p>                             |
| Flow Reports Analytics            | Salesforce Data Cloud - Flow Reports          | <p>This package contains these Analytics folders for dashboards and reports:</p> <ul style="list-style-type: none"> <li>• Flow Reports</li> </ul> <p>You can add users to each folder on the Analytics tab.</p>                                                                                                                                                                                                |
| SMS Analytics                     | Marketing Analytics - SMS                     | <p>This package contains these Analytics folders for dashboards and reports:</p> <ul style="list-style-type: none"> <li>• SMS UMA Dashboards</li> <li>• SMS UMA Reports</li> </ul> <p>This package is available only when using the SMS add-on.</p>                                                                                                                                                            |
| Landing Pages and Forms Analytics | Marketing Analytics - Landing Pages and Forms | <p>This package contains these Analytics folders for dashboards and reports:</p> <ul style="list-style-type: none"> <li>• Forms Engagement Dashboards</li> <li>• Forms Engagement Reports</li> <li>• Landing Page Engagement Dashboards</li> <li>• Landing Page Engagement Reports</li> </ul> <p>Before you install this package, add Data Cloud integrations to the default Marketing Landing Pages site.</p> |

## Customize the Analytics Page

To help users find and interact with Marketing Cloud Next reports and dashboards, create collections and filters.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed         |                                        |
|---------------------------------|----------------------------------------|
| To customize the Analytics tab: | Marketing Cloud Admin permission set   |
|                                 | OR                                     |
|                                 | Marketing Cloud Manager permission set |

- To simplify how users find reports and dashboards, create a collection on the Analytics tab.
  - In Marketing Cloud Next, open the Analytics tab.
  - In the Collections widget, click +, and give the collection a name.
  - Search and select the reports and dashboards to include in the collection.
- To further customize the dashboards, add filters.
  - From the Analytics tab, open a dashboard, and then click + **Filter** in the toolbar.
  - Select a field to filter, and give the filter a name.
  - Add filter values as needed. When you finish, click **Apply**.
  - To save the filter, click **Add**, and then save the dashboard.

## Score People and Accounts in Marketing Cloud Next

Score leads, contacts, prospects, and accounts based on how engaged they are with your marketing efforts, how closely they resemble your ideal customer, or how likely an account is to buy from you. Customize default scoring rules and decide how engagement and fit scores factor into the overall marketing scores for individuals and accounts. Use the scores to build segments and create targeted content.

Scoring on people objects is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Scoring on the Account object is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

For an overview of scoring in Marketing Cloud Next, check out this video.

## Considerations for Scoring in Marketing Cloud Next

When working with scoring, keep these considerations in mind.

Scoring on people objects is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Scoring on the Account object is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

- Before you publish a scoring model for the first time, you can edit its rules and save the scoring model as a draft. Always republish a scoring rule after making any changes.
- After you publish a scoring model, records are scored retroactively on any relevant data stored in Data Cloud.
- If you change the scoring object, it can take some time to process your scoring models and apply their rules to records related to the new object.

- When you customize or add a rule, enter exact attribute values and use the correct capitalization style. For example, to specify an unsubscribe from an email, you must enter “UNSUBSCRIBE”.
- To make sure attribute values are exact, enable value suggestions for Text data type fields. See [Edit Data Model Object Properties](#).
- Many attribute values are unique to your org or are variable depending on the lead or contact. For example, SMS short codes or a person’s email address. To determine the correct values for those types of attributes, review your data model objects in Data Explorer.
- You can have up to 30 engagement rules and 30 fit rules.
- You can have up to 10 conditions per rule. Each condition that is nested in a condition group counts toward this limit.
- An individual's engagement, fit, and overall marketing scores are normalized to provide a number from 0 to 100. For engagement and fit scores, you can also see the raw aggregate data used to calculate the normalized scores.

## Configure Scoring Models in Marketing Cloud

To begin scoring leads, contacts, prospects, and accounts, select the Unified Individual or Account object to score on. Then, create scoring models and use default scoring rules or customize them. You can also add or delete rules, and create complex rules with multiple conditions.

Scoring on people objects is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Scoring on the Account object is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

| User Permissions Needed               |                                                                                                                                                                                                                       |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| To manage and publish scoring models: | Configure Marketing Cloud Scoring Models<br>AND<br>One of these permission sets: <ul style="list-style-type: none"> <li>•</li> <li>• Data Cloud for Marketing Admin</li> <li>• Data Cloud Aware Specialist</li> </ul> |

To see a walkthrough of scoring model setup, check out this video:

### Create Identity Resolution Rulesets

Before setting up Scoring Models, first [create Identity Resolution Rulesets for Individuals and Accounts](#).

### Turn On Scoring Models

1. From Setup, in the Quick Find box, enter Marketing Cloud, and select **Reporting and Optimization > Customer Engagement**.
2. Next to Customize Scoring Rules, click **Enable Scoring**, and then turn on all scoring features.
3. After Scoring is enabled, click **Go to Scoring Setup**, and create a Scoring Model.

### Create a Scoring Model

To segment scores based on different needs, products, regions, or communication channels, and to manage scoring frequency, set up a scoring model. Leads, contacts, and prospects receive scores based on their unified profiles.

1. From Setup, in the Quick Find box, enter Scoring, select **Scoring Models**, and then click **New**.

2. Enter your Scoring Model details.
  - a) Add a Model Name, and then select a business unit.
  - b) Select **People**, **Account**, or both, and then click **Next**.
3. Select the **People** or **Account** tab.
4. In the Overall Score section, decide how to weigh engagement and fit.
  - a) To edit the ratio, click **Edit Score Ratio**, make your adjustments, and then click **Save**.
  - b) (Optional) For account scoring models, enable intent scoring, change the score ratio to equal 100%, and click **Save**.

If you enable account intent scoring, republish the scoring model.
5. Review or edit the default Engagement Score Rules and Fit Score Rules, or create your own custom scoring rules for unified individuals.
6. To start scoring your leads, contacts, prospects, and accounts, click **Publish**.
7. Select the frequency schedule from the dropdown, and then click **Publish**.
 

You can adjust the schedule frequency after publishing.

Scores are immediately applied to records related to the unified individual and unified account objects selected and can be used to build segments.

To show scores on lead and contact pages, add the [Data Cloud Profile Insights](#) component to your page layouts. Account scores can't be added to account pages.

### Create a Custom Scoring Rule

You can create custom scoring rules to fit your needs. When you create a rule, each attribute represents a record field and the value is the data you're interested in. For example, Engagement Channel Action is an attribute, and CLICK is a value.

1. From the Scoring Models page, select a scoring model.
 

To add custom scoring rules, a scoring model must be in an Inactive or Draft status.
2. Under the Engagement Score Rules section or Fit Score Rules section, click **New**, and then add a Description.
3. On the Match dropdown menu, select **All conditions are met (AND)** or **Any conditions are met (ANY)** logic for your rule.
4. To complete the first condition, use the dropdowns for Attribute, Operator, and Value.
 

Enter the exact attribute value including capitalization. To make sure attribute values are exact, we recommend enabling value suggestion for Text data type fields that you reference most often. See [Edit Data Model Object Properties](#).

5. Add more conditions as needed.

- To add a top-level condition, click **Add Condition**.
- To create a condition group, click **Add to Group**.

The screenshot shows the 'New engagement rule' interface. At the top, there's a 'Match' dropdown set to 'All Conditions'. Below this, the first condition is defined with the resource 'Email Engagement'. It has a 'WHERE' clause with 'All Conditions' selected. The condition itself is: Attribute 'Ad ...t Channel Action' is Equal To the value 'CLICK'. There is a '+ Add to Group' button below this condition. The second condition is added below the first, connected by an 'AND' operator. Its resource is 'Website Engagement'. It also has a 'WHERE' clause with 'All Conditions' selected. The condition is: Attribute 'Ad ...ent > Page URL' is Equal To the value 'https://ursasolar.my.s'. There is another '+ Add to Group' button below this condition.

6. Enter the number of points to add or subtract when someone meets the rule conditions.

7. When you're ready, click **Done**.

8. To add more rules, click **New Rule**.

### Edit a Scoring Schedule


To manage consumption costs and scoring usage, you can choose how often a scoring model runs by editing its scoring schedule. You can choose from one of four different run frequencies, from every 1 hour to every 24 hours. The more often a scoring model runs, the more actionable it is, but the more credits it consumes.

1. From the Scoring Models page, click on a scoring model.
2. Click **Edit** under Schedule.
3. In the Schedule dropdown, select a run frequency for the scoring model, and then click **Save**.

4. Publish the updates.
  - a) Click **Republish**.
  - b) Confirm your schedule frequency selection.
  - c) Click **Publish**.

### Delete a Scoring Model

1. Before you delete the scoring model, remove any Calculated Insights scoring references.
  - a) From Data Cloud, go to the **Calculated Insights** tab.
  - b) The four-digit ID in parenthesis next to each Calculated Insight relates to the scoring model ID. Find the matching ID in the URL of the scoring model you want to delete.



2. Due to dependencies, you must delete any Calculated Insights related to a scoring model in this order.
  - a. Overall Marketing Score
  - b. Account Score
  - c. Marketing Engagement Score
  - d. Account Engagement Score
  - e. Lead Engagement Score
  - f. Contact Engagement Score
  - g. Marketing Fit Score
  - h. Account Fit Score
  - i. Account Intent Score
  - j. Individual Engagement Score
3. From the Scoring Models page, make sure the scoring model you want to delete has a status of Draft or Inactive.
  - a) If the scoring model has a status of Active, click the dropdown to the right of the scoring model, and select **Deactivate**.
4. After you delete every Calculated Insight that's related to the scoring model, click the dropdown to the right of the scoring model, and then select **Delete**.

## Enable AI Features in Marketing Cloud Next

Marketing Cloud Next includes features that use generative AI and predictive AI to save time and improve your key performance indicators (KPIs). These features aren't dependent on each other, so you can choose the features that best fit the needs of your business.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed                     |                                      |
|---------------------------------------------|--------------------------------------|
| To enable AI features, including Agentforce | Marketing Cloud Admin permission set |
| To access the marketing agents              | Marketing Team Agent Access          |

## Set up AI in Marketing Cloud Next

To jumpstart a new marketing effort, AI can draft a campaign brief, a campaign, and campaign components. AI can also suggest a relevant segment. When you use AI, the security of your business and customer data is protected by the Einstein Trust Layer.

1. Set up [Salesforce Foundations](#), which is required to enable marketing agent templates and access the latest Agentforce innovations for Marketing Cloud.
2. Set up generative AI in Salesforce. See [Set Up Einstein Generative AI](#). For guidance on deploying the Agentforce Employee Agent, see the [Agentforce Implementation Guide for Employee-Facing Agents](#).
3. Enable the [Agentforce Employee Agent](#) and make sure that users have the required permissions.
4. Enable Marketing Cloud features and agents.
  - a) In Setup, search for Einstein & Agentforce.
  - b) Enable all the AI features that you want to use, and set up the applicable marketing agent templates.

After you turn on these features, they're immediately available.

## Agentforce Agents and Standard Actions

Agentforce uses several marketing-specific agents and standard actions to create briefs, campaigns, campaign content, and journey selections.

After you enable Einstein generative AI and Agentforce, verify that the standard actions are there, and create any custom agents you need. For a full list of Agentforce actions, see the [Standard Agent Action Reference](#). You can [customize the standard actions](#), and [add custom actions](#) to the agents.

| Agent Name                                             | Associated Standard Actions                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Campaign Creation                                      | <ul style="list-style-type: none"> <li>Marketing Cloud: Draft a campaign Brief</li> <li>Marketing Cloud: Refine Campaign Preview</li> <li>Marketing Cloud: Save Campaign Brief</li> <li>Marketing Cloud: Create a Campaign from a Brief</li> <li>Marketing Cloud: Save Campaign</li> <li>Identify Record by Name</li> <li>Marketing Cloud: Summarize a Campaign</li> <li>Marketing Cloud: Generate Campaign Insights</li> <li>Marketing Cloud: Identify Business Unit</li> </ul> |
| Content Builder                                        | <ul style="list-style-type: none"> <li>Marketing Cloud: Draft Content</li> <li>Marketing Cloud: Create Section with Content</li> <li>Marketing Cloud: Create Section</li> </ul>                                                                                                                                                                                                                                                                                                  |
| Journey Decisioning (for Marketing Cloud Engagement +) | <ul style="list-style-type: none"> <li>Marketing Cloud: Select Journey</li> <li>Marketing Cloud: Create Journey Content</li> </ul>                                                                                                                                                                                                                                                                                                                                               |

See the [Agentforce Marketing: Campaign Creation Onboarding Guide](#) for information about setting up and using the campaign creation agent.

To ground your results, enter your company's brand identity and select a default tone in the branding section of the Content Builder.



## Optimize Email Send Times

Einstein Send Time Optimization is a predictive AI feature that uses historical data to help you send emails on the days and times when your customers are most likely to open them. To use this feature in Marketing Cloud Next Growth Edition, opt in to the Global Data Model for Einstein. In Advanced edition, you can enable global models or disable them to opt out.

1. Verify that you have an identity resolution ruleset that uses Individual as the primary data model object.  
This ruleset must be one of the first two identity resolution rulesets that you create for Marketing Cloud Next.
2. From Setup, in the Quick Find box, enter `Send Time`, and select **Einstein Send Time Optimization (STO) with Global Models**.
3. Review the global model information, and click **Enable**.

Einstein Send Time Optimization needs some time to gather data and build a model that's specific to your data. To check on the model status, return to the setup page. If you disable this feature, new messages can't use it, but existing email sends still include optimized send times.

For more information about data, review [the Einstein Send Time Optimization Model Card](#).

You can [build and use a data graph](#) to capture, automate, and personalize Einstein Send Time Optimization scores for your flows.

## Filter Non-Human Clicks from Your Report

Einstein Metrics Guard uses predictive AI to filter bot activity from your org's engagement metrics. It removes most clicks and opens generated by security scanner bots without filtering out legitimate visitor activity.

1. From Setup, in the Quick Find box, enter `Messaging`.
2. Under Email, select **Email Feature Settings**.
3. Turn on the feature.

For more information about data, review the [Einstein Metrics Guard model card](#).

## Increase Customer Engagement with Einstein Engagement Scoring

Einstein Engagement Scoring is a predictive AI feature that uses historical data to help you increase customer engagement. It assigns individual contact-level scores to determine the most efficient way to message recipients. This feature is available only in Marketing Cloud Next Advanced Edition.

1. Verify that you have an identity resolution ruleset that uses Individual as the primary data model object.
2. From Setup, in the Quick Find box, enter `Scoring`, and select **Einstein Engagement Scoring**.
3. Review the information, and click **Enable**.

Einstein Engagement Scoring needs some time to gather data and build a model that's specific to your campaign. If you disable this feature, Einstein doesn't score new contacts, but previously scored contact data remains available.

For more information about data, review the [Einstein Engagement Scoring model card](#).

Using Einstein Engagement Scoring with the Einstein Decision element in a flow requires configuration of a data graph. In the configuration pane of the Einstein Decision element, select any of the data graph fields as the Resource in a condition.

## Analyze Behavioral Data with Einstein Engagement Frequency

Einstein Engagement Frequency is a predictive AI feature that aggregates behavior data to determine how frequently to contact customers and improve the likelihood of customer engagement. This feature is available only in Marketing Cloud Next Advanced edition.

1. Verify that you have an identity resolution ruleset that uses Individual as the primary data model object.
2. From Setup, in the Quick Find box, enter `Frequency`, and select **Einstein Engagement Frequency**.
3. Review the information, and click **Enable**.

If you disable this feature, your engagement metrics are more likely to include bot activity.

For more information about data, review the [Einstein Engagement Frequency model card](#).

Using Einstein Engagement Frequency with the Einstein Decision element in a flow requires configuration of a data graph. In the configuration pane of the Einstein Decision element, select any of the data graph fields as the resource in a condition.

## Recommended Page Customization

To help marketers find related information on frequently used pages, add components to Lightning record pages in the Marketing app. A Salesforce or marketing admin can access the Lightning App Builder from the Setup menu on any record page or from the Object Manager.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

For more information, see [Create and Configure Lightning Experience Record Pages](#).

| Lightning Component           | Description                                                           | Available on...          |
|-------------------------------|-----------------------------------------------------------------------|--------------------------|
| Privacy Consent Status        | A list of subscriptions and consent values                            | Lead and Contact records |
| Data Cloud Profile Engagement | A table of engagement metrics from automations and messaging channels | Lead and Contact records |
| Data Cloud Profile Insights   | A numerical score that indicates someone's level of engagement        | Lead and Contact records |

### Data Cloud Profile Engagement Settings

To configure the engagement component, select these values for each field.

- Match On: Lead ID or Contact ID (or a custom field that stores the Unified Individual ID)
- Data Space: default
- Unified Individual DMO: Unified Individual
- Unified Individual Link: Unified Link Individual

Lastly, select one or more Engagement DMOs. Flow Runs are related to campaigns, and Messaging Engagement refers to SMS messaging.

### Data Cloud Profile Insights Settings

Configure this component for each score that you want to show: Marketing Engagement Score, Marketing Fit Score, and Overall Marketing Score. Select these values for each component.

- Match On: Lead ID or Contact ID (or a custom field that stores the Unified Individual ID)
- Data Space: default
- Unified Individual DMO: Unified Individual
- Unified Individual Link: Unified Link Individual
- Calculated Insight: Marketing Engagement Score OR Marketing Fit Score OR Overall Marketing Score

For the Measure field, use the value for the calculated insight you selected.

- Marketing Engagement Score: Engagement\_\_Score\_\_c
- Marketing Fit Score: Fit\_Score\_\_c
- Overall Marketing Score: People\_Score\_\_c

## Test Marketing Cloud Next in a Sandbox

A sandbox is a copy of your Salesforce org that you can use for development, testing, and training without compromising the data and apps in your production org. Marketing Cloud Next supports every sandbox type: Developer, Developer Pro, Partial Copy, and Full Copy.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

| User Permissions Needed       |                                                                                                      |
|-------------------------------|------------------------------------------------------------------------------------------------------|
| To create a sandbox:          | Manage Dev Sandboxes (Developer or Developer Pro only)<br>OR<br>Manage Sandboxes (all sandbox types) |
| To deploy Data Cloud objects: |                                                                                                      |

Use a sandbox for:

- Training and product support—Bring new employees up to speed, and respond to urgent issues faster with data in testing and development environments.
- Parallel development—Create and collaborate with multiple teams that build and test in their own environments.
- App development and org customization—Modify objects, content, flows, decisions, forms, and so on. If a test fails, it fails in a safe environment.
- App testing and automation—Conduct user-acceptance testing, staging, and integration to make apps more robust.
- Implementing new features—Set up a new channel, third-party app, or integration, or create a proof of concept and customize it for your team's workflow and business needs.

## Supported Features and Objects

When you create a sandbox, most Marketing Cloud Next features are available for customization and testing. If an object isn't replicated from the production org, you can re-create it in the sandbox org.

The table lists the Marketing Cloud Next objects that are replicated to and deployable from a sandbox. To learn how specific platforms work in a sandbox org, see [Sandboxes: Staging Environments for Customizing and Testing](#).

| Feature                      | Functional in Sandbox | Replicated in developer/ developer pro Sandbox | Replicated in partial copy sandbox | Replicated in Full sandbox | Deployable from sandbox |
|------------------------------|-----------------------|------------------------------------------------|------------------------------------|----------------------------|-------------------------|
| Brief                        | Yes                   | No                                             | Yes                                | Yes                        | No                      |
| Brand content                | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Campaign                     | Yes                   | No                                             | Yes                                | Yes                        | No                      |
| CMS Marketing Workspace      | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Content block (email)        | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Content block (landing page) | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Communication Subscription   | Yes                   | No                                             | Yes                                | Yes                        | No                      |

| Feature                      | Functional in Sandbox | Replicated in developer/ developer pro Sandbox | Replicated in partial copy sandbox | Replicated in Full sandbox | Deployable from sandbox |
|------------------------------|-----------------------|------------------------------------------------|------------------------------------|----------------------------|-------------------------|
| Email content                | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Email template               | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Event-triggered flow         | Yes                   | Yes                                            | Yes                                | Yes                        | Yes                     |
| Expression content           | Yes                   | No                                             | No                                 | Yes                        | No                      |
| Form content                 | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Form handler content         | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Image content                | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Landing page content         | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Landing page template        | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Mobile App Messaging content | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Segment-triggered flow       | Yes                   | Yes                                            | Yes                                | Yes                        | Yes                     |
| SMS content                  | Yes                   | No                                             | No                                 | Yes                        | Yes                     |
| Tracked link content         | Yes                   | No                                             | No                                 | Yes                        | No                      |
| WhatsApp content             | Yes                   | No                                             | No                                 | Yes                        | Yes                     |

## Considerations for Marketing Cloud Next in a Sandbox

Refer to these considerations when creating a sandbox and deploying changes from a sandbox in Data Cloud.

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Billing | <ul style="list-style-type: none"> <li>Using Marketing Cloud Next in a sandbox consumes credits for Data Cloud, Unified Messaging, and Salesforce Personalization. See <a href="#">Billing Considerations for Data Cloud Sandbox</a>, <a href="#">Billing Considerations for Unified Messaging</a>, and <a href="#">Billable Usage Type for Salesforce Personalization</a>.</li> <li>Usage of credits in each sandbox org is visible in the production org's Digital Wallet. To determine which org generated usage, view the usage type and filter by org.</li> </ul> |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unified Messaging                   | <ul style="list-style-type: none"> <li>When testing an SMS campaign in a sandbox, don't use the same sender code that you use in production. Instead, in your production org, acquire a dedicated sender code for sandbox testing. See <a href="#">Set Up an SMS Unified Messaging Channel</a>.</li> <li>A sender code can't be active in more than one org at a time.</li> <li>You can activate or deactivate a sender code from within each sandbox.</li> <li>Email, mobile app messaging, and WhatsApp require unique configurations in each sandbox. For example, a sandbox requires its own authenticated domain and from addresses for email, as well as its own tracking domains, WhatsApp number, and blockout windows. These settings can't be deployed from one org to another.</li> </ul> |
| Marketing content                   | Due to storage limits in Developer, Developer Pro, and Partial Copy sandboxes, content and digital assets in the CMS Marketing Workspace aren't copied over when a sandbox is created or refreshed. To move content, use <a href="#">change sets</a> or <a href="#">create an import</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Tests with customer engagement data | To test custom reports or event-based flows, add behavior and messaging events to your sandbox. Create a CSV file with the necessary fields mapped to Data Cloud DMOs, and import it by using the File Upload data stream. See <a href="#">Ingest Data by Uploading a File</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Set Up Marketing Cloud in a Sandbox

To use Marketing Cloud Next in a sandbox, create a sandbox org, turn on Data Cloud, and then set up Marketing Cloud Next the same way you would in a production org.

Before you begin, make sure that Marketing Cloud Next and Data Cloud are turned on in your production org.

1. Prepare a sandbox.

If you're using an existing sandbox, make sure that the Marketing Cloud licenses are in the sandbox by [matching production licenses](#) or [refreshing your sandbox](#). Otherwise, [create a sandbox](#).

2. Turn on Data Cloud in the sandbox.

See [Create a Data Cloud Sandbox](#).

3. Confirm that the required Data Cloud connectors are active, including the Salesforce CRM connector, the Websites and Mobile Apps connector, and the Ingestion API connectors. See [Check Connector Status](#).

4. Set up Marketing Cloud Next and applicable Unified Messaging channels.

See [Getting Started with Marketing Cloud Next Setup](#).

5. To test landing pages in your sandbox, publish the Marketing Landing Pages site.

The Marketing Landing Pages site supports landing pages with Experience Cloud tools but isn't designed to contain content. Don't add content directly to this site.

- a) From Setup, in the Quick Find box, enter **All Sites**, and select **All Sites** under Digital Experiences.
- b) Next to Marketing Landing Pages, select **Builder**.
- c) Click **Publish**.

**Note:** Replicated flows always have a Draft status in the target org, even if the status was Active in the source org.

## Set Up a Blackhole for Email

When you test email in a sandbox, a blackhole prevents the accidental sending of test messages to real customer email addresses. Enable the use of a blackhole in a full or partial sandbox, and then add exceptions for domains that need to receive test emails.

1. Log in to a sandbox org that includes Marketing Cloud.
2. From Setup, in the Quick Find box, enter **Blackhole**, and then select **Sandbox Blackhole**.
3. Turn on the blackhole feature.

It takes about 10 minutes for the changes to take effect.

4. (Optional) In the Add Allowed Email Domains section, add up to five email domains that can receive test emails. For example, if you add `example.org`, a sandbox email sent to any address with the `example.org` domain will reach the recipient.

**Note:** Blackhole doesn't suppress sends from the Preview and Test window of the email editor or the Debug flow window of Flow Builder.

## Deploy Changes

After you make changes in a sandbox, deploy those changes back to the production org by using Salesforce Platform DevOps features. When event-triggered flows, segment-triggered flows, or marketing content have queries or expressions that reference Data Cloud objects, deploy the Data Cloud objects first.

1. Deploy Data Cloud objects by using one of the provided deployment methods.
  - a) Select these objects for deployment: segments, DMOs, DLOs, data graphs, calculated insights, data actions, Personalization Points, recommenders, and engagement signals. See [Deploy Data Cloud Changes from a Sandbox](#).
  - b) After deploying to the target org, activate or publish the objects.
2. Deploy Marketing Cloud Next objects by using one of the provided deployment methods.
  - a) In the Digital Experience component, select content records, email templates, brand, and images.
  - b) In the Digital Experience Bundle component, select the CMS workspace.
 

Deploy content records to the same CMS workspace in the target org. If the CMS workspace is already available in the production org, skip this step.
  - c) In the Flow Definition component, select Flows.
  - d) After deploying to the target org, activate or publish the objects.

You can use any of these methods to move changes from sandbox to production.

| Method                       | resources                                                                                                                                                                                                                                      |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Change Sets                  | <ul style="list-style-type: none"> <li>• <a href="#">Change Sets</a></li> <li>• <a href="#">Connect Organizations for Deployment</a></li> <li>• <a href="#">Outbound Change Sets</a></li> <li>• <a href="#">Inbound Change Sets</a></li> </ul> |
| DevOps Center                | <a href="#">Improve Release Quality with DevOps Testing</a>                                                                                                                                                                                    |
| Metadata Retrieve and Deploy | <ul style="list-style-type: none"> <li>• <a href="#">Understanding Metadata API</a></li> <li>• <a href="#">File-Based Calls</a></li> <li>• <a href="#">Digital Experience Bundle</a></li> </ul>                                                |
| CLI Retrieve and Deploy      | <a href="#">Salesforce CLI Setup Guide</a>                                                                                                                                                                                                     |

**Note:** Deployed flows and content always have a Draft status in the target org, even if the status was Active or Published in the source org.

## Helpful Resources

Reference lists and tables are available to help you learn terminology, identify available options, troubleshoot issues, and other admin tasks.

### Allocations and Limits in Marketing Cloud Next

Some features have limits that impact how much of something you can store or how frequently you can do certain tasks.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

#### Campaigns and Flows

| Resource           | GROWTH EDITION                  | ADVANCED EDITION                |
|--------------------|---------------------------------|---------------------------------|
| Total active flows | 500 simultaneously active flows | 750 simultaneously active flows |
| Total saved flows  | 50,000 saved flows              | 50,000 saved flows              |
| Versions per flow  | 50 versions                     | 50 versions                     |

#### Segments

For more information about limits that apply to segments, see [Data Cloud Limits and Guidelines](#).

To estimate your Data Cloud consumption, see [Data Cloud Pricing Calculator](#).

#### Content and Messaging

For the latest information about message credits and rates, review [Multipliers for Salesforce Message Credits](#). This chart shows credits based on a yearly contract, but the total number of credits depends on the actual contract length. You can use credits at any time over the course of your contract.

SMS credits aren't included with any Marketing Cloud Next edition, but can be purchased as an add-on.

| Resource                           | GROWTH EDITION           | ADVANCED EDITION         |
|------------------------------------|--------------------------|--------------------------|
| Salesforce Message Credits - Email | 180,000 credits per year | 360,000 credits per year |
| CMS storage                        | 10 GB plus 2 GB per user | 10 GB plus 2 GB per user |

#### Scoring and Data

| Resource                 | GROWTH EDITION | ADVANCED EDITION |
|--------------------------|----------------|------------------|
| Fit scoring rules        | 30 rules       | 30 rules         |
| Engagement scoring rules | 30 rules       | 30 rules         |
| Scoring models           | 1 model        | 2 models         |

### User Permissions in Marketing Cloud Next

Marketing Cloud Next comes with two permission sets: Marketing Cloud Admin and Marketing Cloud Manager. Many individual permissions are available for managing access more granularly throughout the app. The permissions list can help you build a custom permission set or troubleshoot access issues.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

First, [create your users](#), and then assign permissions.

## Permission Sets

Assign permission sets on the Permission Sets page in Salesforce Setup. These permission sets are based on a standard user profile.

| Name                    | Description                                                                                                                    |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Marketing Cloud Admin   | Access to Salesforce Setup, Agentforce Admin, Prompt Template Manager, and full control on campaigns, segments, and flows.     |
| Marketing Cloud Manager | Full control to manage campaigns, segments, and campaign (non-admin) flows, and access to use Agentforce and Prompt Templates. |

## General Marketing Permissions

These permissions are available in the System Permissions list for a permission set.

| Name                                    | Description                                          |
|-----------------------------------------|------------------------------------------------------|
| Access the Marketing App                | Access to the Marketing app in Lightning Experience. |
| Allows user access segments             | Access to the Segments tab in the Marketing app.     |
| Configure Marketing Cloud Scoring Rules | Review and publish lead scoring rules.               |
| Manage Campaigns                        | Create, edit, and delete permissions on campaigns.   |

## CMS Content Roles

These roles are assigned on the Administration pages in sites and workspaces.

| Name            | Description                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------|
| Viewer          | View content published on the Marketing Landing Pages site.                                     |
| Content Admin   | Full access to all content in a workspace, contributor, and sharing management for a workspace. |
| Content Manager | Full access to all content in a workspace.                                                      |
| Content Author  | Create, edit, and view content in a workspace.                                                  |

## Consent Permissions in Marketing Cloud Next

These permissions are available in the System Permissions list for a permission set.

| Name                            | Description                                                         |
|---------------------------------|---------------------------------------------------------------------|
| Edit Marketing Consent Settings | Edit the consent settings in Salesforce Setup.                      |
| Manage Consent Banner Setup     | Edit styles for the consent banner used on marketing landing pages. |
| Manage Preference Manager       | Create, edit, and delete Preference Manager configurations.         |

## Content and Publishing Permissions

These permissions are available in the System Permissions list for a permission set.



| Name                         | Description                                                                                                                 |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Manage Email Content         | View, create, edit, and delete email content. You can also send, preview, and test your email content with this permission. |
| Manage Email Messaging Setup | Create, generate, view, edit, and delete email objects in Salesforce Setup.                                                 |
| Manage SMS Messaging Setup   | Create, view, edit, and delete SMS objects in Salesforce Setup.                                                             |
| Query CMS Email Content      | Prepare CMS email content for sending from campaigns and Flow Builder. Email sending also requires Create on Flow object.   |
| Send Test Email              | Send test emails from the preview and test operation via Messaging Service.                                                 |
| Send Test SMS                | Send test SMS messages for the preview and test operation via Messaging Service.                                            |
| Send Unified Messaging Email | Send email via Messaging Service.                                                                                           |
| Send Unified Messaging SMS   | Send SMS via Messaging Service.                                                                                             |
| View Email Messaging Setup   | View email objects in Salesforce Setup.                                                                                     |
| View SMS Messaging Setup     | View SMS objects in Salesforce Setup.                                                                                       |

### Flow Permissions in Marketing Cloud Next

These permissions are available in the App Permissions list for a permission set.

| Name                                   | Description                                                                                                                            |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Activate or Deactivate Flows           | Allow users without the Manage Flow user permission to activate and deactivate flows in the Automation or Marketing apps.              |
| Add Assignment Element to Flows        | Allow users without the Manage Flow user permission to add the Assignment element to flows in the Automation or Marketing apps.        |
| Add Collection Filter Element to Flows | Allow users without the Manage Flow user permission to add the Collection Filter element to flows in the Automation or Marketing apps. |
| Add Collection Sort Element to Flows   | Allow users without the Manage Flow user permission to add the Collection Sort element to flows in the Automation or Marketing apps.   |
| Add Create Records Element to Flows    | Allow users without the Manage Flow user permission to add the Create Records element to flows in the Automation or Marketing apps.    |
| Add Decision Element to Flows          | Allow users without the Manage Flow user permission to add the Decision element to flows in the Automation or Marketing apps.          |
| Add Delete Records Element to Flows    | Allow users without the Manage Flow user permission to add the Delete Records element to flows in the Automation or Marketing apps.    |

| Name                                                  | Description                                                                                                                                                                                                    |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Add Get Records Element to Flows                      | Allow users without the Manage Flow user permission to add the Get Records element to flows in the Automation or Marketing apps.                                                                               |
| Add Loop Element to Flows                             | Allow users without the Manage Flow user permission to add the Loop element to flows in the Automation or Marketing apps.                                                                                      |
| Add Path Experiment Element to Flows                  | Allow users without the Manage Flow user permission to add the Path Experiment element to flows in the Automation or Marketing apps.                                                                           |
| Add Subflow Element to Flows                          | Allow users without the Manage Flow user permission to add the Subflow element to flows in the Automation or Marketing apps.                                                                                   |
| Add Transform Element to Flows                        | Allow users without the Manage Flow user permission to add the Transform element to flows in the Automation or Marketing apps.                                                                                 |
| Add Update Records Element to Flows                   | Allow users without the Manage Flow user permission to add the Update Records element to flows in the Automation or Marketing apps.                                                                            |
| Add Wait Element to Flows                             | Allow users without the Manage Flow user permission to add the Wait for Amount of Time element, the Wait Until Date element, and the Wait for Conditions element to flows in the Automation or Marketing apps. |
| Can Marketing User Debug Marketing Flows              | Allow Marketing Cloud users to debug flows.                                                                                                                                                                    |
| Create or Edit Flows                                  | Allow users without the Manage Flow user permission to create and edit flows in the Automation or Marketing apps.                                                                                              |
| Create or Modify Automation Event-Triggered Flows     | Allow users without the Manage Flow user permission to create, edit, and delete automation event-triggered flows in the Automation or Marketing apps.                                                          |
| Create or Modify Flows with Data Graph Event Triggers | Allow users without the Manage Flow user permission to create, edit, and delete automation event-triggered flows with data graph change triggers in the Automation or Marketing apps.                          |
| Create or Modify Form-Triggered Flows                 | Allow users without the Manage Flow user permission to create, edit, and delete form-triggered flows in the Automation or Marketing apps.                                                                      |
| Create or Modify Segment-Triggered Flows              | Allow users without the Manage Flow user permission to create, edit, and delete segment-triggered flows in the Automation or Marketing apps.                                                                   |
| Delete Flows                                          | Allow users without the Manage Flow user permission to delete flows in the Automation or Marketing apps.                                                                                                       |
| Run Flows                                             | Allow users in the org to run any active flow. In Experience Builder sites, run any active flow that's distributed with the Flow Lightning component.                                                          |

| Name                     | Description                                                                                                                                                                              |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| View All Non-Admin Flows | Allow users without the Manage Flow or View All Data user permissions to see all flows with associated flow records in the Automation or Marketing apps, regardless of sharing settings. |
| View Flows               | Allow users without the Manage Flow user permission to view flows shared with them in the Automation or Marketing apps.                                                                  |

## Objects Access

These permissions are available in the System Permissions list for a permission set.

| Name                                     | Related Cloud or Feature          |
|------------------------------------------|-----------------------------------|
| Calculated Insight Fields                | Data Cloud                        |
| Calculated Insight Object                | Data Cloud                        |
| Calculated Insight Object Definitions    | Data Cloud                        |
| Campaigns                                | Marketing Cloud Next, Sales Cloud |
| Communication Subscription Channel Types | Privacy Center, consent settings  |
| Communication Subscription               | Privacy Center, consent settings  |
| Data Connections                         | Data Cloud                        |
| Data Connector Credentials               | Data Cloud                        |
| Data Connectors for GCS                  | Data Cloud                        |
| Data Connectors for Interaction Studio   | Data Cloud                        |
| Data Connectors for Marketing Cloud      | Data Cloud                        |
| Data Connectors for S3                   | Data Cloud                        |
| Data Connectors for Sftp                 | Data Cloud                        |
| Data Connectors for Upload               | Data Cloud                        |
| Data Lake Fields                         | Data Cloud                        |
| Data Lake Object Definitions             | Data Cloud                        |
| Data Model Domain Capability Usage       | Data Cloud                        |
| Data Model Fields                        | Data Cloud                        |
| Data Model Objects                       | Data Cloud                        |
| Data Model Relation Constraints          | Data Cloud                        |
| Data Model Taxonomies                    | Data Cloud                        |
| Data Object Categories                   | Data Cloud                        |
| Data Platforms                           | Data Cloud                        |
| Data Source Objects                      | Data Cloud                        |
| Data Sources                             | Data Cloud                        |
| Data Source Tenants                      | Data Cloud                        |
| Data Space Definitions                   | Data Cloud                        |

| Name                              | Related Cloud or Feature         |
|-----------------------------------|----------------------------------|
| Data Spaces                       | Data Cloud                       |
| Data Transport Fields             | Data Cloud                       |
| Data Transport Object             | Data Cloud                       |
| Engagement Channel Types          | Privacy Center, consent settings |
| External Data Connectors          | Data Cloud                       |
| Field Source Target Relationships | Data Cloud                       |
| Ingestion API Data Connectors     | Data Cloud                       |
| Internal Data Connectors          | Data Cloud                       |
| Market Segment Definitions        | Data Cloud                       |
| Mobile App Data Connectors        | Data Cloud                       |

## Domain Settings in Marketing Cloud Next

Depending on your business needs, you can configure one or more domains to handle different jobs. You can choose My Domain to use a Salesforce subdomain or configure your own custom domain for hosting content. You can also create a tracking domain if you plan to use SMS messaging. Configuring DKIM (DomainKeys Identified Mail) authentication for sending emails is required.

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition and the Salesforce Message Credits - SMS add-on

### Default Domains

Marketing Cloud Next provides some default domains that support various content assets. This table outlines the default values that are used. Values in brackets indicate a variable that a marketing admin can configure. For further control over these URLs, you can configure custom domains for each usage type.

| Usage                   | Domain Type               | Default Values                                                                                                                            |
|-------------------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Salesforce login URL    | My Domain                 | [mydomain].salesforce.com<br>After an admin configures the preferred My Domain for your org, its <a href="#">used in many locations</a> . |
| Email Links             | Tracker Domain            | cdp3.tracking.e360.salesforce.com                                                                                                         |
| Email Images            | My Domain                 | https://[mydomain].cdn.salesforce-experiences.com                                                                                         |
| Email Preference Center | My Domain                 | https://[mydomain].salesforce.com                                                                                                         |
| Landing Pages           | Custom Domain             | https://[mydomain].cdn.salesforce-experiences.com                                                                                         |
| SMS Links               | Tracker Domain, Shortener | https://[a].sfmsg.co                                                                                                                      |

Email sending domains for Marketing Cloud Next aren't provided by default.

## My Domain

My Domain allows you to showcase your company's brand with a custom subdomain name in your Salesforce org login, application URLs, and [some other locations](#).

An admin can access My Domain setup pages here: **Salesforce Setup > Company Settings > My Domain**.

## Tracker Domain

A tracking domain monitors opens and link clicks in emails and SMS messages. The default tracking domain is owned by Salesforce, but you can configure a branded domain that your organization manages.

This process is sometimes called link rewriting, because we "rewrite" the original URLs in your message with the tracker domain. The page loads quickly through that domain where we capture the engagement, and then forwards them to the target URL.

To use tracking, an admin must configure the domains on these pages, and then marketers can enable tracking on individual messages.

- Email: **Salesforce Setup > Unified Messaging > Email > Email Links**
- SMS: **Salesforce Setup > Unified Messaging > Branded Domain > URL Shortening Domain**

Separately, marketers can create a Marketing Tracked Link in the Content tab. These marketing links also support UTM parameters. See [Create and Manage a Custom Tracked Link](#).

## Email Sending Domain

You can use a custom domain to use for email sending, as long as you have access to the web registrar. Add the domain in Unified Messaging Setup, and then work with a IT or web administrator to apply DKIM and DMARC authentication methods to the DNS records. The authenticated sending domain is also used in your From email addresses and reply mail management.

DKIM (DomainKeys Identified Mail) is a method of email authentication that protects email recipients from messages that use spoofed email addresses. It can improve the deliverability of your emails by defining you as a legitimate sender.

DMARC (Domain-Based Message Authentication, Reporting & Conformance) is a toolset that tells receiving message servers how to handle messages that have failed authentication checks. An admin can get started here:

- **Salesforce Setup > Unified Messaging > Email > Authenticated Domains**

## Custom Domains

For control over the page and asset URLs that appear to customers, configure a custom domain. Then, you can use it with subdomains for various purposes throughout Marketing Cloud Next. If you configure email link tracking, SMS, and landing pages, you must authenticate a different domain or subdomain for each use case.

If you plan to use a custom domain with marketing landing pages, we recommend that you select serving content with the Salesforce Content Delivery Network (CDN) during setup. To track activity on a landing page that uses a custom domain, add a custom URL for that domain in Setup and define the path as /lp.

To configure a custom domain for landing pages, visit **Salesforce Setup > User Interface > Sites and Domains > Domains**.

## Default Scoring System in Marketing Cloud Next

Leads, contacts, prospects, and accounts are scored based on the rules that you publish. You can use the default rules for both engagement and fit, or you can customize them to fit your needs. All engagement rules are available for the Account object and all people objects. Fit rules are available only for the object that they're listed under.

Scoring on people objects is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Scoring on the Account object is available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Advanced** Edition

### People Scoring

| Rule Type  | Condition Details                                     | Value         | Points |
|------------|-------------------------------------------------------|---------------|--------|
| Engagement | Website Engagement   Engagement Channel Action   Is   | error         | -5     |
| Engagement | Website Engagement   Engagement Channel Action   Is   | form-submit   | +10    |
| Engagement | Website Engagement   Engagement Channel Action   Is   | anchor-click  | +3     |
| Engagement | Website Engagement   Engagement Channel Action   Is   | button-click  | +3     |
| Engagement | Website Engagement   Engagement Channel Action   Is   | search        | +3     |
| Engagement | Website Engagement   Engagement Channel Action   Is   | page-view     | +1     |
| Engagement | Message   Engagement   Engagement Channel Action   Is | SUBSCRIBE     | +5     |
| Engagement | Message   Engagement   Engagement Channel Action   Is | CLICK         | +3     |
| Engagement | Message   Engagement   Engagement Channel Action   Is | UNSUBSCRIBE   | -5     |
| Engagement | Email   Engagement   Engagement Channel Action   Is   | CLICK         | +3     |
| Engagement | Email   Engagement   Engagement Channel Action   Is   | UNSUBSCRIBE   | -5     |
| Fit        | Contact Point Address   Country   Is                  | United States | +3     |

**Account Scoring**

| Rule Type  | Condition Details                                                                                                                                                                              | Value                                                                | Points |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|--------|
| Engagement | Account Contact   Activity Participant   Activity   Email Message   Is   Incoming   Is Equal To<br><br>AND<br>Account Contact   Activity Participant   Activity Participant Role   Is Equal To | <ul style="list-style-type: none"> <li>true</li> <li>From</li> </ul> | +50    |
| Engagement | Party   Lead   Activity Participant   Activity   Email Message   Is   Incoming   Is Equal To<br><br>AND<br>Lead   Activity Participant   Activity Participant Role   Is Equal To               | <ul style="list-style-type: none"> <li>true</li> <li>From</li> </ul> | +50    |
| Fit        | Account Type   Is Equal To                                                                                                                                                                     | <ul style="list-style-type: none"> <li>Prospect</li> </ul>           | +30    |

**Agents and Einstein Data Usage in Marketing Cloud Next**

AI is built on data. When using Marketing Cloud Next, review this table to understand the type of data used by AI agents and Einstein features.

The table lists the Customer Data that is used, which is data submitted by the Customer to our services as defined in our [Main Services Agreement \(MSA\)](#), and the usage data that is used, which is data relating to users' interactions with Salesforce. Data submitted to an AI feature can be used to train AI models, to improve your services and features, or to develop new features that you can access without additional cost.

| Product                                            | Feature                                | Customer Data and Salesforce Objects Used                             | Generative AI MODEL Used | Global Model Used |
|----------------------------------------------------|----------------------------------------|-----------------------------------------------------------------------|--------------------------|-------------------|
| Marketing Cloud Next: Growth and Advanced Editions | Agentforce - Campaign Creation Agent   | Campaigns, Briefs, Engagement Data from Data Cloud, CMS Assets, Flows | Yes                      | No                |
|                                                    | Agentforce - Content Creation Agent    | Campaigns, Briefs, CMS Assets                                         | Yes                      | No                |
|                                                    | Agentforce - Journey Decisioning Agent | Journeys, subscriber content                                          | Yes                      | No                |
|                                                    | Segment Creation                       | Segments in Data Cloud                                                | Yes                      | No                |

| Product                               | Feature                         | Customer Data and Salesforce Objects Used                                                                                                                                                   | Generative AI MODEL Used | Global Model Used                |
|---------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------------------------------|
| Marketing Cloud Next Advanced Edition | Einstein Send Time Optimization | Engagement behavior (sends, clicks, opens, unsubscribes, spam complaints) and associated timestamps<br><br>Data and metadata about customer sending patterns and how campaigns are executed | No                       | Yes (required in Growth Edition) |
|                                       | Einstein Metrics Guard          | Email engagement (email sends, opens, clicks, unsubscribes, bounces, spam complaints)<br><br>Data and metadata about customer sending patterns                                              | No                       | Yes (required)                   |
|                                       | Einstein Engagement Scoring     | Email engagement (email sends, opens, clicks, unsubscribes, bounces, spam complaints)<br><br>Data, and metadata about customer sending patterns                                             | No                       | No                               |
|                                       | Einstein Engagement Frequency   | Email engagement (email sends, opens, clicks, unsubscribes, bounces, spam complaints)<br><br>Data, and metadata about customer sending patterns                                             | No                       | No                               |
|                                       |                                 |                                                                                                                                                                                             |                          |                                  |
|                                       |                                 |                                                                                                                                                                                             |                          |                                  |

### Model Card: Einstein Metrics Guard

In Marketing Cloud Next, Einstein Metrics Guard analyzes email open and click events and calculates the likelihood that each event is real. The model primarily focuses on filtering emails through large-scale email providers that open messages before the customer opens them. The model is also effective for opens and clicks from email scanners on private, corporate email servers.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

Marketing Cloud Next for Marketing Cloud Engagement **Pro**, **Corporate**, and **Enterprise** Editions

Einstein Metrics Guard is available as a real-time filter on inbound email activity for Marketing Cloud Next email sends. It's also available as a calculated score on email activity from Marketing Cloud Engagement+ that's loaded into the Email Engagement DMO in Data Cloud. Each version addresses the same problem by using a different model.

#### Model Details

To analyze message opens and clicks and distinguish between bots and humans, the Einstein Metrics Guard model analyzes message opens and clicks to distinguish between bots and humans by using training algorithms, parameters, fairness constraints, features, and other applied approaches.

#### Person or Organization

Salesforce Marketing Cloud Next Growth and Advanced Editions

#### Model Data and Version

- February 2024



- Minor changes can occur throughout the release
- Major changes are communicated via release notes

### Model Types

Bayesian based calculation and linear regression are used for the real-time prediction service. Logistic regression and isolation forest are used for the batch prediction service.

### General Information

For each email open and click event, Einstein Metrics Guard assigns a confidence score that assesses human-initiated real opens or clicks. The score ranges from 0% to 100%. Lower scores represent higher confidence that the open or click is real. Higher scores represent a higher chance that the open or click event is machine-generated.

The model analyzes an individual's historical engagement events and patterns to predict the chance that an open or click is real. The model monitors behavior changes by using event association and attribution. When building the predictions, the most recent behavior changes and engagement patterns are weighted more heavily.

Compared to a standard filtering-based approach, Einstein Metrics Guard reduces the risk of false positive and false negative results and minimizes information loss.

**Note:** Customers that have Data Cloud One enabled and use Marketing Cloud Next Growth or Advanced edition operate from, store, and process customer data in the same location as the customer's Data Cloud home organization, without reference to companion organization locations.

### Intended Use

The Einstein Metrics Guard model is intended for these use cases. Anything else is out of scope and not recommended.

- The model provides a layer of information that helps Einstein calculate how trustworthy each email open or click is. Einstein Metrics Guard is in place in response to mail privacy protection implemented by some email client providers. Einstein can build more accurate models and provide better recommendations.
- When using the real-time service that's embedded in Marketing Cloud Next sends, events that score poorly aren't included in marketing statistics, and aren't used to trigger follow-up actions.
- When using the batch service for Marketing Cloud Engagement+ data in Data Cloud, all events receive a predictive score for customers to analyze and use in their marketing strategy.

### Relevant Factors

These factors are associated with the Einstein Metrics Guard model.

#### Model Input

The engagement history includes email sends and engagement events, including opens, clicks, user agent, IP subnet, and associated timestamps.

The engagement history that Einstein Metrics Guard analyzes excludes these factors.

- Data purchased or collected from third parties
- Demographic data
- Specific content in an email template or rendered email body

#### Model Output

To measure the likelihood that an open or click is real, the model produces a probabilistic metric score for each event. The messaging service uses the score to filter out low-scoring activity.

#### Environment

The model is trained and deployed in the Salesforce Marketing Cloud Next environment.

## Metrics

Einstein evaluates and monitors model performance metrics to improve the model quality. Performance measures include data such as model mean absolute error score.

## Training Data

Einstein Metrics Guard is trained using a global model of in-house data and outsourced data. Data from one Salesforce customer doesn't affect the behavior for another Salesforce customer. Each version of the model uses the global model data with optimized sample weights customized for each customer.

## Ethical Considerations

Review the ethical factors associated with the Einstein Metrics Guard model in Marketing Cloud Next. To avoid bias and other ethical risks, the model doesn't include demographic data.

As you interpret your data, be aware of making assumptions based on the scores generated. Scenarios with potential adverse outcomes can occur in certain circumstances.

The model predicts low engagement, so you choose not to send a marketing communication to a set of customers. If the prediction was erroneous, there could be a negative impact to excluding some of those customers from access to benefits or opportunities.

## Model Card: Einstein Send Time Optimization

In Marketing Cloud Next, Einstein Send Time Optimization analyzes the optimal time to send a message to an individual to maximize the probability of the individual engaging with the message.

Available in: Salesforce **Enterprise** and **Unlimited** Editions with Marketing Cloud Next **Growth** or **Advanced** Edition

## Model Details

The Einstein Send Time Optimization model for Marketing Cloud Next maximizes customer engagement using optimal send times for email content using these training algorithms, parameters, fairness constraints, features, and other applied approaches.

## Person or Organization

Salesforce Marketing Cloud Next Growth and Advanced Editions

## Model Data and Version

- February 2024
- Minor changes can occur throughout the release
- Major changes are communicated via release notes.

## Model Type

Recommendation and prediction, latent factor matrix factorization

## Supported Channels

Currently only email is supported.

## General Information

Einstein Send Time Optimization is the Salesforce solution to maximize the engagement rate of email sends based on the send time.

The model chooses the optimal time to send an email to an individual that maximizes the probability of the individual engaging with the message. Because customer sending patterns vary greatly, we developed parameter sets that are suited for different patterns. During training, a parameter selector determines the chosen set for a particular business.

Einstein Send Time Optimization uses global model data to train the model. Contributed data is anonymized and aggregated at both the business unit and contact levels before being used in local orgs. In this way, the global model can be used without sharing personal data, such as email addresses, between customer business units. When you enable Einstein Send Time Optimization, you automatically are opted-in to use global models.

Einstein Send Time Optimization analyzes the past 90 days of email engagement history.

**Note:** Customers that have Data Cloud One enabled and use Marketing Cloud Next Growth or Advanced edition operate from, store, and process customer data in the same location as the customer's Data Cloud home organization, without reference to companion organization locations.

## Intended Use

The primary intended use for the Einstein Send Time Optimization model is for marketing professionals to increase effectiveness in their email marketing campaigns and maximize customer engagement. Anything else is out of scope and not recommended. For example, reducing overall send latency for reservation booking emails isn't an intended use case.

## Relevant Factors

These factors are associated with the Einstein Send Time Optimization model.

### Model Input

The engagement history includes these values.

- Email sends, bounces, and engagement events including opens, clicks, unsubscribes, spam complaints, and associated timestamps
- Data and metadata about customer sending patterns, including how campaigns are executed

The engagement history that Einstein Send Time Optimization analyzes excludes these factors.

- Data purchased or collected from third parties
- Demographic data
- Specific content in an email template or rendered email body
- Transactional emails, such as purchase confirmations, password resets, and others

### Environment

The model is trained and deployed in the Salesforce Marketing Cloud Next environment.

## Metrics

Einstein evaluates and monitors model performance metrics to ensure and improve the model quality. Customers are responsible for monitoring the model's accuracy.

### Model Performance Measures

Aggregated model performance metrics are gathered to monitor, ensure, and improve the quality of the model. Model performance metrics include the spread and sparsity of input metrics and the correlation of output scores to historical observations. All metrics are aggregated and anonymized.

## Training Data

Einstein Send Time Optimization is trained using a global model of in-house data and outsourced data. Data from one Salesforce customer doesn't affect the behavior for another Salesforce customer. Each version of the model uses the global model data with optimized sample weights customized for each customer.

## Ethical Considerations

To avoid bias and other ethical risks, the Einstein STO model doesn't include demographic data.

## Refresh Cadence

Einstein Send Time Optimization scores and models for email are updated approximately weekly. The refresh cadence varies by one to several days based on a customer's individual business unit.

## Marketing Cloud Next Glossary

Here are the most common terms you encounter while using Marketing Cloud Next.

|                                     |                                                                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Audience</b>                     | Any collection of people who can receive marketing, transactional, or operational content.                                                                                                                                                          |
| <b>Campaign</b>                     | A record that helps organize the audience, assets, and metrics for a specific marketing effort.                                                                                                                                                     |
| <b>Campaign Flow</b>                | A container for the automated marketing activities that are related to a campaign.                                                                                                                                                                  |
| <b>Connector</b>                    | A self-contained component that enables you to integrate third-party applications with Salesforce.                                                                                                                                                  |
| <b>Consent</b>                      | Indicates a person's willingness to receive promotional content from a business or organization.                                                                                                                                                    |
| <b>Consent Status</b>               | Whether someone is opted in to receive email marketing.                                                                                                                                                                                             |
| <b>Data Cloud</b>                   | A platform that stores and consolidates large amounts of different data types. You can then use the data in other Salesforce apps.                                                                                                                  |
| <b>Data Kit</b>                     | A data kit contains specific Data Cloud objects, such as metadata, relationships, and other components, to streamline package creation and the installation process.                                                                                |
| <b>Data Model</b>                   | A way to organize and standardize data elements and to add and edit data relationships.                                                                                                                                                             |
| <b>Email</b>                        | A content type that contains text and images and is distributed to email addresses.                                                                                                                                                                 |
| <b>Email Preference Center Page</b> | The page where people can subscribe to and unsubscribe from your public lists.                                                                                                                                                                      |
| <b>Email Template</b>               | An email template is a reusable design that you can base new emails on. After you build a template, you can personalize the email for each recipient. You can also modify a template and limit what kind of changes users can make to the template. |
| <b>Form</b>                         | A content type that contains one or more fields for capturing data.                                                                                                                                                                                 |
| <b>Identity Resolution</b>          | The process of matching multiple records to create a comprehensive view called a unified profile.                                                                                                                                                   |
| <b>Identity Resolution Ruleset</b>  | The criteria used to identify and match related records, such as name or email address.                                                                                                                                                             |

|                           |                                                                                                                                |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Landing Page</b>       | A content type that's hosted online and can contain text, images, or a form.                                                   |
| <b>Segment</b>            | A group of unified individual IDs in Marketing Cloud that's based on filtering rule criteria that you set.                     |
| <b>SMS Message</b>        | A content type that contains only text and is distributed to subscriber phone numbers via the core messaging service.          |
| <b>Unification</b>        | The process of matching lead and contact records to create a unified individual record and make it available for segmentation. |
| <b>Unified Individual</b> | A consolidated record of metadata related to multiple prospect, lead, and contact records for the same person.                 |