





Welcome
index.html
app.js
app.js > ...
1 console.log('first task')
2 console.time()
3 for (let i = 0; i < 10000000; i++) {
4 const h3 = document.querySelector('h3')
5 h3.textContent = `Hey, everyone is waiting on me`
6 }
7 console.timeEnd()
8
9 console.log('next task')
10
Ln 3, Col 29 Spaces: 1 UTF-8 LF JavaScript Prettier
Examples
localhost:8080/index.html
Javascript Is Synchronous And Single Threaded
Hey, Everyone Is Waiting On Me
Elements Console Sources Network
top
Filter
Default levels
1 hidden
first task app.js:1
default: 2066.090087890625 ms app.js:7
next task app.js:9


Welcome
index.html
app.js
app.js > ...
1 console.log('first task')
2 setTimeout(() => {
3 console.log('second task')
4 }, 0)
5
6 console.log('next task')
7
Ln 7, Col 1 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier
Examples
localhost:8080/index.html
Javascript Is Synchronous And Single Threaded
Elements Console Sources Network
top
Filter
Default levels
first task app.js:1
next task app.js:6
second task app.js:3


Bertie Yates
Hesters Hogan
Larry Little
Lola Gardner
Sean Walsh
Jack Daniels
Betty Draper
Sarah Sloan
Register CB
Requests
EVENT LOOP
Complete
Execute CB
Database
File System
Networks
Others


HTTP MESSAGES
Node/Express
Request
DATA
Response

Request Message



Request URL: https://www.course-api.com/slides/
Request Method: GET
Status Code: 200 OK
Remote Address: 138.68.239.6:443
Referrer Policy: strict-origin-when-cross-origin

Headers

Pragma: no-cache
Referer: https://www.course-api.com/

Body

Request Payload view source
{email: "hello@hello.com"}
email: "hello@hello.com"

Response Message



Request URL: https://serverless-functions-course.netlify.app/api/6-newsletter
Request Method: POST
Status Code: 400
Remote Address: 104.248.78.24:443
Referrer Policy: strict-origin-when-cross-origin

Headers

Content-Type: text/html; charset=UTF-8

Content-Type: application/json; charset=utf-8

Body


```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-wi
    <title>Slides</title>
    <link rel="stylesheet" href="./styles.css" />
  </head>
  <body>
```

```
"rec6dGT3q5EBIdCfD", name: "Best of Paris in 7 Days Tour",…},…]
{id: "rec6dGT3q5EBIdCfD", name: "Best of Paris in 7 Days Tour",…}
{id: "recIwxrvU9HfJR3B4", name: "Best of Ireland in 14 Days Tour",…}
{id: "recJLWcH5cdUtI3ny", name: "Best of Salzburg & Vienna in 8 Days Tc
{id: "recK2AOoVhIhPLUwn", name: "Best of Rome in 7 Days Tour",…}
{id: "recnAEzz86KzWQpvM", name: "Best of Poland in 10 Days Tour",…}
```

HTTP METHODS

GET	Read Data
POST	Insert Data
PUT	Update Data
DELETE	Delete Data

GET	*www.store.com/api/orders*	get all orders
POST	*www.store.com/api/orders*	place an order (send data)
GET	*www.store.com/api/orders/:id*	get single order (path params)
PUT	*www.store.com/api/orders/:id*	update specific order (params + send data)
DELETE	*www.store.com/api/orders/:id*	delete order (path params)


JWT
Login Request
Response + Signed JWT
Request + Signed JWT
Response