

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015

ULR No. : TC781125000000732F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025


Sample Description

1. Sample Name : Cholesterol Care Juice
2. Date of receipt of sample : 15/02/2025
3. Mfgd. By : Briovinegars
4. Sample quantity : 1 Ltr.
5. Submitted by : By Party
6. Mfg. Date : 02/01/2025

7. Brand Name : My Nutrify
8. Batch / Lot No. : CCJ08JAN
9. Batch Size : Not Specified
10. Exp. Date : 01/07/2026

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
DISCIPLINE - CHEMICAL, GROUP - FOOD & AGRICULTURAL PRODUCT					
<u>Physico-chemical Parameters</u>					
1	Foreign Substances	-	Complies	It shall be free from any foreign Substances	HTH/FD/STP-05
2	Added colouring matter	-	Complies	It shall be free from added colouring matter	FSSAI Lab Manual Food Additives, Method No. 4.2 Page no. 82: 2016
3	Energy	kcal/100ml	109.64	Not Specified	HTH/FD/STP-07
4	Fat	g/100ml	BLQ(LOQ-0.1)	Not Specified	HTH/FD/STP-12
5	Carbohydrate	g/100ml	26.43	Not Specified	HTH/FD/STP-06
6	Total Sugar	g/100ml	18.57	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
7	Added Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
8	Protein	g/100ml	0.98	Not Specified	IS 7219 : 1973
9	Dietary Fibre	g/100ml	BLQ(LOQ-1.0)	Not Specified	AOAC 985.29
10	Sodium	mg/100ml	87.50	Not Specified	HTH/FD/STP-01
11	Calcium	mg/100ml	62.07	Not Specified	IS 5049 : 1990
12	Filled capacity of container	g/100ml	99.95	Min. 90	FSSAI Lab Manual Fruit and Vegetable Products, Method No 1.3 Page No.1: 2016
13	Saturated fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
14	Monounsaturated fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
15	Polyunsaturated fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
16	Trans fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
17	Cholesterol	g/100ml	BLQ(LOQ: 1.0)	Not Specified	HTH/INS-02/STP-20



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015

ULR No. : TC78112500000732F

Party's Ref No. : Nil


Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
DISCIPLINE - CHEMICAL, GROUP - RESIDUES IN FOOD PRODUCTS					
1	Vitamin C	mg/100ml	15.10	Not Specified	HTH/INS-04/STP-03
2	Vitamin A	mg/100ml	BLQ(LOQ: 0.5)	Not Specified	HTH/INS-04/STP-01
3	Iron	mg/100ml	0.810	Not Specified	HTH/INS-03/STP-16
Heavy Metal					
4	Lead	mg/l	BLQ(LOQ: 0.02)	Max. 1.0 for Fruit and vegetable juice, Max. 0.05 for Fruit Juices and Max. 2.5 for other, Max 0.01 for Vinegar	HTH/INS-03/STP-03
5	Mercury	mg/l	BLQ(LOQ: 0.05)	Max. 1.0	HTH/INS-03/STP-03
6	Arsenic	mg/l	BLQ(LOQ: 0.05)	Max. 0.2 for Juice of orange, grape, apple, tomato, pineapple and lemon and Max.1.1 For Other, Max 0.1 for Vinegar	HTH/INS-03/STP-03
7	Cadmium	mg/l	BLQ(LOQ: 0.05)	Max. 1.5	HTH/INS-03/STP-03
8	Copper	mg/l	0.27	Max. 5.0 for Juice of orange, grape, apple, tomato and Max.30.0 for others, Max 0.01 for Vinegar	HTH/INS-03/STP-03
9	Tin	mg/l	BLQ(LOQ: 0.1)	Max. 250 for Juice of orange, apple, tomato, pineapple and lemon and others	HTH/INS-03/STP-03
Preservatives					
10	Benzoic acid	mg/kg	721.87	Not Specified	HTH/INS-04/STP-17
Other Contaminants					
11	Melamine	mg/kg	BLQ(LOQ: 0.05)	Max. 2.5	HTH/INS-01/STP-24
Pesticide Residue					
12	1 Nephthyl Acetic Acid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
13	2,4-D	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
14	Abamectine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
15	Acephate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousesecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015

ULR No. : TC781125000000732F

Party's Ref No. : Nil


Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
16	Acetamidrid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
17	Ametoctradin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
18	Ametryn	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
19	Anilophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
20	Azimsulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
21	Azoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
22	Sum of benomyl & carbendazim expressed as carbendazim	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
23	Bensulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
24	Bispyribac Sodium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
25	Bitertanol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
26	Boscalid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
27	Buprofezin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
28	Carbaryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
29	Carbendazime	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
30	Carbofuran (sum of carbofuran & 3-hydroxy carbofuran express as carbofuran)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
31	Carfentazone-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
32	Carpropamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
33	Cartrap Hydrochloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
34	Chlorantriliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
35	Chlorfluazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
36	Chlorimuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
37	Chlorpropham	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
38	Chromafenozide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
39	Cinmethyline	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
40	Clodinofof Propargyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
41	Clothianidin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
42	Cyantraniliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
43	Cyazofamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
44	Cyflumetofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
45	Cyhalop Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
46	Cymoxanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
47	Diafenthion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:**Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015**ULR No.** : TC781125000000732F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
48	Diclosulam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
49	Difenoconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
50	Diflubenzuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
51	Dimethoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
52	Dimethomorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
53	Dinotefuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
54	Dithianon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
55	Diuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
56	Dodin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
57	Edifenphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
58	Emamectin Benzoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
59	Epoxyconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
60	Ethoxy Sulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
61	Etofenprox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
62	Etiozazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
63	Famoxadone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
64	Fenamidone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
65	Fenarimol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
66	Fenazaquine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
67	Fenobucarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
68	Fenpyroximate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
69	Fenthion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
70	Fenthion Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
71	Fenthion Sulphon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
72	Flonicamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
73	Flubendiamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
74	Flucetosulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
75	Flufenacet	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
76	Fluopicolide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
77	Fluopyram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
78	Flupyradifuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
79	Flusilazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
80	Fluxapyroxad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
81	Fluzifop-P-Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
82	Fomesafen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 4 of 10


Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.

5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.

6. Sample not drawn by HTH unless otherwise specified.

7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015

ULR No. : TC781125000000732F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
83	Fenchlorfenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
84	Formothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
85	Halosulfurone-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
86	Haloxypop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
87	Haloxypop-R-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
88	Hexaconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
89	Hexazonone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
90	Hexythiazox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
91	Imazamox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
92	Imazethapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
93	Imidacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
94	Indoxacarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
95	Iodosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
96	Iprobenfos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
97	Isoprotolane	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
98	Isoproturon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
99	Kesugamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
100	Kresoxim Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
101	Linuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
102	Lufenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
103	Malaoxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
104	Mandipropomid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
105	Methylchlorophenoxy Acetic Acid (MCPA)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
106	Mesosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
107	Metaflumizone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
108	Metalaxyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
109	Metalaxyl-M	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
110	Methabenzthiazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
111	Methomyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
112	Metolachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
113	Metrafenone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
114	Metribuzine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
115	Metsulfuran Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
116	Milbemycine / Milbemectin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 5 of 10


Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.

5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.

7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.

6. Sample not drawn by HTH unless otherwise specified.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT

Issued To:**Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015**ULR No.** : TC781125000000732F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS


S.N. Test Parameter	Units	Results	Specifications	Test Method
117 Monocrotophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
118 Myclobutanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
119 Novaluron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
120 Orthosulfamuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
121 Oxadiargril	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
122 Oxadiazon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
123 Oxydemeton Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
124 Paclobutrazol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
125 Paraoxon Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
126 Penconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
127 Pencycuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
128 Penoxsulum	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
129 Phorate Sulphoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
130 Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
131 Phosphamidon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
132 Picoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
133 Pinoxaden	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
134 Pretilachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
135 Primiphos Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
136 Profenophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
137 Prohexadione Calcium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
138 Propanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
139 Propaquizafop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
140 Propargite	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
141 Propiconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
142 Pymetrozine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
143 Pyraclostrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
144 Pyrazosulfuraon Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
145 Pyridalyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
146 Pyriproxyfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
147 Pyriothiobac	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
148 Quizalofop-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
149 Quizalofop-P-Tefuryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
150 Qunalphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
151 Simazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 6 of 10

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 6. Sample not drawn by HTH unless otherwise specified.

5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousesecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015

ULR No. : TC781125000000732F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025


TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
152	Sodium Acefloufen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
153	Spinetoram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
154	Spinosad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
155	Spiromesifen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
156	Spirotetramat	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
157	Sulfentrazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
158	Sulfosulfuran	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
159	Sulfoxaflor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
160	Tebuconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
161	Tembotrione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
162	Thiacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
163	Thifluzamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
164	Thiodicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
165	Thiomethoxam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
166	Thiometon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
167	Thiometon Sulfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
168	Thiometon Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
169	Thiophanate Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
170	Tolfenpyrad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
171	Topramezone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
172	Trichlorfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
173	Triadimefon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
174	Triallate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
175	Triasulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
176	Triazophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
177	Tricyclazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
178	Tridemorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
179	Thioclam Hydrogen oxalate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
180	Tryfloxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
181	Validamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
182	Glufosinate Ammonium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
183	Glyphosate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
184	Paraquat Dichloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
185	Alachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
186	Aldicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03

Page No.: 7 of 10

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 6. Sample not drawn by HTH unless otherwise specified.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT


Issued To:**Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015**ULR No.** : TC781125000000732F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
187	Aldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
188	Atrazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
189	Benfuracarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
190	Bentazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
191	BHC-Alpha (Benzene Hexachloride)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
192	BHC-Beta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
193	BHC-Delta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
194	BHC-Gamma (Lindane, Gamma Hch)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
195	Bifenthrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
196	Butachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
197	Captafol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
198	Captan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
199	Carbosulfan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
200	Chlordane-Cis	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
201	Chlordane-Trans	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
202	Chlorfenapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
203	Chlorothalonil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
204	Chlorpyrifos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
205	Clomazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
206	Cyfluthrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
207	Cyfluthrin II	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
208	Cyfluthrin III	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
209	Cyfluthrin IV	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
210	Cyhalothrin (Lambda)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
211	Cypermethrin (sum of isomers)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
212	Cypermethrin, Alpha-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
213	DDD- O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
214	DDD-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
215	DDE-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
216	DDE-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
217	DDT-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
218	DDT-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
219	Deltamethrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
220	Diazinon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
221	Dichlorvos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT

Issued To:


Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015**ULR No.** : TC781125000000732F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
222 Diclofop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
223 Diclofop-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
224 Dicofol, O, P ¹ -	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
225 Dicofol, P, P ¹ -	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
226 Dieldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
227 Dithiocarbamates as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
228 Endosulfan I (Alpha Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
229 Endosulfan II (Beta Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
230 Endosulfan Sulfate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
231 Ethion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
232 Fenitrothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
233 Fenoxaprop-P-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
234 Fenpropathrin	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-03
235 Fenvalerate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
236 Ferbam	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
237 Fipronil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
238 Fluchloralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
239 Fluvalinate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
240 Heptachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
241 Heptachlor Exo-Epoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
242 Iprodione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
243 Malathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-13
244 Mancozeb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
245 Maneb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
246 Metiram as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-03
247 Oxyfluorfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
248 Paraoxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
249 Parathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
250 Parathion-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
251 Pendimethalin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
252 Permethrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
253 Permethrin II	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
254 Phenthoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
255 Phorate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
256 Phorate Sulfone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouse@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215015

ULR No. : TC78112500000732F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
257 Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
258 Propineb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
259 Tetraconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
260 Thiram	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
261 Trifluralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
262 Zineb as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13

DISCIPLINE-BIOLOGICAL, GROUP-FOOD & AGRICULTURAL PRODUCTS

Microbial Test

1 Aerobi Plate Count	cfu per ml	75	NMT 1000	FSSAI 15.001:2024
2 Yeast & Mould Count	cfu per ml	< 1	NMT 100	FSSAI 15.023:2024
3 Staphylococcus aureus	Per 25 ml	Absent	Absent	FSSAI 15.020:2024
4 Enterobacteriaceae	per ml	Absent	Absent	FSSAI 15.010:2024
5 Salmonella	Per 25 ml	Absent	Absent	FSSAI 15.016:2024
6 E. coli	Per 25 ml	Absent	Absent	FSSAI 15.012:2024
7 Vibrio cholerae	Per 25 ml	Absent	Absent	FSSAI 15.022:2024
8 Listeria monocytogenes	Per 25 ml	Absent	Absent	FSSAI 15.014:2024

End of Report

Remarks : The above Sample is confirms as per FSSR Regulation 2011 w.r.t. the above test parameters.

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification.

Chandran
28/02/2025
Review by

HTH LABORATORIES PVT. LTD.
Auth. Sign. 28/02/2025
PANIPAT
Nao Jyoti Gupta
H.O.D. (Biological)

HTH LABORATORIES PVT. LTD.
Auth. Sign. 28/02/2025
PANIPAT
Basudev Singh
Tech. Manager

Page No.: 10 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
2. The results contained in this test report pertains only to the sample tested not for the whole lot.
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
6. Sample not drawn by HTH unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.