

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

### Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215011

ULR No. : TC781125000000726F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025


### Sample Description

- Sample Name : Wheat Grass Juice
- Date of receipt of sample : 15/02/2025
- Mfgd. By : Briovinegars
- Sample quantity : 1 Ltr.
- Submitted by : By Party
- Mfg. Date : 02/01/2025

- Brand Name : My Nutriify
- Batch / Lot No. : WGJ08JAN
- Batch Size : Not Specified
- Exp. Date : 01/07/2026

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
<b>DISCIPLINE - CHEMICAL, GROUP - FOOD &amp; AGRICULTURAL PRODUCT</b>					
<u>Physico-chemical Parameters</u>					
1	Foreign Substances	-	Complies	It shall be free from any foreign Substances	HTH/FD/STP-05
2	Added colouring matter	-	Complies	It shall be free from added colouring matter	FSSAI Lab Manual Food Additives, Method No. 4.2 Page no. 82: 2016
3	Energy	kcal/100ml	115.88	Not Specified	HTH/FD/STP-07
4	Fat	g/100ml	BLQ(LOQ-0.1)	Not Specified	HTH/FD/STP-12
5	Carbohydrate	g/100ml	27.1	Not Specified	HTH/FD/STP-06
6	Total Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
7	Added Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
8	Protein	g/100ml	1.87	Not Specified	IS 7219 : 1973
9	Dietary Fibre	g/100ml	BLQ(LOQ-1.0)	Not Specified	AOAC 985.29
10	Filled capacity of container	g/100ml	99.88	Min. 90	FSSAI Lab Manual Fruit and Vegetable Products, Method No 1.3 Page No.1: 2016
<b>DISCIPLINE - CHEMICAL, GROUP - RESIDUES IN FOOD PRODUCTS</b>					
<u>Heavy Metal</u>					
1	Lead	mg/kg	BLQ(LOQ: 0.02)	Max. 1.0 for Fruit and vegetable juice, Max. 0.05 for Fruit Juices and Max. 2.5 for other, Max 0.01 for	HTH/INS-03/STP-03



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

## TEST REPORT

**Issued To:**

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215011**ULR No.** : TC781125000000726F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025


### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
1				Vinegar	
2	Mercury	mg/kg	BLQ(LOQ: 0.05)	Max. 1.0	HTH/INS-03/STP-03
3	Arsenic	mg/kg	BLQ(LOQ: 0.05)	Max. 0.2 for Juice of orange, grape, apple, tomato, pineapple and lemon and Max.1.1 For Other, Max 0.1 for Vinegar	HTH/INS-03/STP-03
4	Cadmium	mg/kg	BLQ(LOQ: 0.05)	Max. 1.5	HTH/INS-03/STP-03
5	Copper	mg/kg	0.29	Max. 5.0 for Juice of orange, grape, apple, tomato and Max.30.0 for others, Max 0.01 for Vinegar	HTH/INS-03/STP-03
6	Tin	mg/kg	BLQ(LOQ: 0.1)	Max. 250 for Juice of orange, apple, tomato, pineapple and lemon and others	HTH/INS-03/STP-03
<u>Preservatives</u>					
7	Benzoic acid	mg/kg	798.25	Not Specified	HTH/INS-04/STP-17
<u>Other Contaminants</u>					
8	Melamine	mg/kg	BLQ(LOQ: 0.05)	Max. 2.5	HTH/INS-01/STP-24
<u>Pesticide Residue</u>					
9	1 Nephthyl Acetic Acid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
10	2,4-D	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
11	Abamectine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
12	Acephate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
13	Acetamiprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
14	Ametoctradin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
15	Ametryn	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
16	Anilophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
17	Azimsulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
18	Azoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
19	Sum of benomyl & carbendazim expressed as carbendazim	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
20	Bensulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 2 of 10

- Note: 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.





# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

**Issued To:**

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215011

ULR No. : TC78112500000726F

Party's Ref No. : Nil


Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
21	Bispyribac Sodium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
22	Bitertanol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
23	Boscalid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
24	Buprofezin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
25	Carbaryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
26	Carbendazime	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
27	Carbofuran (sum of carbofuran & 3-hydroxy carbofuran express as carbofuran)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
28	Carfentazone-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
29	Carpropamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
30	Cartrap Hydrochloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
31	Chlorantriliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
32	Chlorfluazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
33	Chlorimuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
34	Chlorpropham	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
35	Chromafenozide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
36	Cinmethyline	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
37	Clodinofof Propargyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
38	Clothianidin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
39	Cyantraniliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
40	Cyazofamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
41	Cyflumetofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
42	Cyhalop Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
43	Cymoxanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
44	Diafenthiuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
45	Diclosulam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
46	Difenoconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
47	Diflubenzuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
48	Dimethoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
49	Dimethomorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
50	Dinotefuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
51	Dithianon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
52	Diuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
53	Dodin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:**

Briovinegars


Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215011**ULR No.** : TC781125000000726F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
54	Edifenphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
55	Emamectin Benzoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
56	Epoxyconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
57	Ethoxy Sulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
58	Etofenprox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
59	Etozazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
60	Famoxadone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
61	Fenamidone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
62	Fenarimol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
63	Fenazaquine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
64	Fenobucarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
65	Fenpyroximate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
66	Fenthion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
67	Fenthion Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
68	Fenthion Sulphon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
69	Flonicamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
70	Flubendiamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
71	Flucetosulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
72	Flufencet	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
73	Fluopicolide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
74	Fluopyram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
75	Flupyradifuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
76	Flusilazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
77	Fluxapyroxad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
78	Fluzifop-P-Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
79	Fomesafen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
80	Forchlorfenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
81	Formothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
82	Halosulfurone-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
83	Haloxypop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
84	Haloxypop-R-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
85	Hexaconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
86	Hexazonone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
87	Hexythiazox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
88	Imazamox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:**

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215011**ULR No.** : TC781125000000726F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
89 Imazethapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
90 Imidacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
91 Indoxacarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
92 Iodosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
93 Iprobenfos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
94 Isoprotiolane	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
95 Isoproturon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
96 Kesugamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
97 Kresoxim Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
98 Linuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
99 Lufenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
100 Malaoxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
101 Mandipropomid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
102 Methylchlorophenoxy Acetic Acid (MCPA)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
103 Mesosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
104 Metaflumizone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
105 Metalaxyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
106 Metalaxyl-M	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
107 Methabenzthiazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
108 Methomyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
109 Metolachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
110 Metrafenone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
111 Metribuzine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
112 Metsulfuran Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
113 Milbemycine / Milbemectin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
114 Monocrotophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
115 Myclobutanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
116 Novaluron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
117 Orthosulfamuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
118 Oxadiargril	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
119 Oxadiazon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
120 Oxydemeton Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
121 Paclobutrazol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
122 Paraoxon Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 5 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousesecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.

## TEST REPORT

**Issued To:**

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215011

ULR No. : TC781125000000726F

Party's Ref No. : Nil

Booking Date : 15/02/2025


Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
123	Penconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
124	Pencycuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
125	Penoxsulum	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
126	Phorate Sulphoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
127	Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
128	Phosphamidon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
129	Picoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
130	Pinoxaden	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
131	Pretilachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
132	Primiphos Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
133	Profenophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
134	Prohexadione Calcium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
135	Propanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
136	Propaquizafop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
137	Propargite	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
138	Propiconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
139	Pymetrozine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
140	Pyraclostrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
141	Pyrazosulfuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
142	Pyridalyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
143	Pyriproxyfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
144	Pyriothiobac	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
145	Quizalofop-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
146	Quizalofop-P-Tefuryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
147	Quinalphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
148	Simazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
149	Sodium Aceflurofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
150	Spinetoram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
151	Spinosad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
152	Spiromesifen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
153	Spirotetramat	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
154	Sulfentrazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
155	Sulfosulfuran	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
156	Sulfoxaflo	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
157	Tebuconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula


**Report No.** : HTH/FD/250215011**ULR No.** : TC781125000000726F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
158 Tembotrione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
159 Thiocloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
160 Thifluzamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
161 Thiodicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
162 Thiomethoxam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
163 Thiometon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
164 Thiometon Sulfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
165 Thiometon Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
166 Thiophanate Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
167 Tolfenpyrad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
168 Topramezone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
169 Trichlorfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
170 Triadimefon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
171 Triallate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
172 Triasulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
173 Triazophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
174 Tricyclazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
175 Tridemorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
176 Thioclam Hydrogen oxalate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
177 Tryfloxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
178 Validamycin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
179 Glufosinate Ammonium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
180 Glyphosate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
181 Paraquat Dichloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
182 Alachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
183 Aldicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
184 Aldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
185 Atrazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
186 Benfuracarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
187 Bentazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
188 BHC-Alpha (Benzene Hexachloride)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
189 BHC-Beta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
190 BHC-Delta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
191 BHC-Gamma (Lindane, Gamma Hch)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
192 Bifenthrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03

Page No.: 7 of 10

- Note: 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousesecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarawala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215011**ULR No.** : TC781125000000726F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025


### TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
193 Butachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
194 Captafol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
195 Captan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
196 Carbosulfan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
197 Chlordane-Cis	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
198 Chlordane-Trans	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
199 Chlorfenapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
200 Chlorothalonil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
201 Chlorpyrifos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
202 Clomazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
203 Cyfluthrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
204 Cyfluthrin II	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
205 Cyfluthrin III	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
206 Cyfluthrin IV	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
207 Cyhalothrin (Lambda)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
208 Cypermethrin (sum of isomers)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
209 Cypermethrin, Alpha-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
210 DDD- O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
211 DDD-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
212 DDE-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
213 DDE-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
214 DDT-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
215 DDT-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
216 Deltamethrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
217 Diazinon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
218 Dichlorvos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
219 Diclofop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
220 Diclofop-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
221 Dicofol, O, P'-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
222 Dicofol, P, P'-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
223 Dieldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
224 Dithiocarbamates as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
225 Endosulfan I (Alpha Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
226 Endosulfan II (Beta Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
227 Endosulfan Sulfate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03

Page No.: 8 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:**


Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215011**ULR No.** : TC781125000000726F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
228	Ethion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
229	Fenitrothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
230	Fenoxaprop-P-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
231	Fenpropathrin	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-03
232	Fenvalerate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
233	Ferbam	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
234	Fipronil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
235	Fluchloralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
236	Fluvalinate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
237	Heptachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
238	Heptachlor Exo-Epoide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
239	Iprodione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
240	Malathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
241	Mancozeb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
242	Maneb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
243	Metiram as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
244	Oxyfluorfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
245	Paraaxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
246	Parathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
247	Parathion-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
248	Pendimethalin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
249	Permethrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
250	Permethrin li	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
251	Phenthoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
252	Phorate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
253	Phorate Sulfone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
254	Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
255	Propineb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
256	Tetraconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
257	Thiram	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
258	Trifluralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
259	Zineb as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
<b>DISCIPLINE-BIOLOGICAL, GROUP-FOOD &amp; AGRICULTURAL PRODUCTS</b>					
<b>Microbial Test</b>					
1	Aerobi Plate Count	cfu per ml	92	NMT 1000	FSSAI 15.001:2024



# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.



TC-7811



## TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215011

ULR No. : TC78112500000726F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
2	Yeast & Mould Count	cfu per ml	< 1	NMT 100	FSSAI 15.023:2024
3	Staphylococcus aureus	Per 25 ml	Absent	Absent	FSSAI 15.020:2024
4	Enterobacteriaceae	per ml	Absent	Absent	FSSAI 15.010:2024
5	Salmonella	Per 25 ml	Absent	Absent	FSSAI 15.016:2024
6	E. coli	Per 25 ml	Absent	Absent	FSSAI 15.012:2024
7	Vibrio cholerae	Per 25 ml	Absent	Absent	FSSAI 15.022:2024
8	Listeria monocytogenes	Per 25 ml	Absent	Absent	FSSAI 15.014:2024

\*\*\*End of Report\*\*\*

Remarks : The above Sample is confirms as per FSSR regulation 2017 w.r.t. the above test parameters.

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification.

*Chandana*  
28/02/2025  
Review by

*Auth Sign.*  
28/02/2025  
H.O.D. (Biological)

*Auth Sign.*  
28/02/2025  
Tech. Manager

Page No.: 10 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
6. Sample not drawn by HTH unless otherwise specified.  
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.