

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To: Briovinegars Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula	Report No. : HTH/FD/250215008 ULR No. : TC781125000000723F Party's Ref No. : Nil Booking Date : 15/02/2025 Period of Testing : 15/02/2025 To 28/02/2025 Reporting Date : 28/02/2025
--	--


Sample Description

- Sample Name** : Wild Amla Juice
- Date of receipt of sample** : 15/02/2025
- Mfgd. By** : Briovinegars
- Sample quantity** : 1 Ltr.
- Submitted by** : By Party
- Mfg. Date** : 02/01/2025

- Brand Name** : My Nutrify
- Batch / Lot No.** : AMJ08JAN
- Batch Size** : Not Specified
- Exp. Date** : 01/07/2026

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
DISCIPLINE - CHEMICAL, GROUP - FOOD & AGRICULTURAL PRODUCT					
Physico-chemical Parameters					
1	Foreign Substances	-	Complies	It shall be free from any foreign Substances	HTH/FD/STP-05
2	Added colouring matter	-	Complies	It shall be free from added colouring matter	FSSAI Lab Manual Food Additives, Method No. 4.2 Page no. 82: 2016
3	Energy	kcal/100ml	45.2	Not Specified	HTH/FD/STP-07
4	Fat	g/100ml	BLQ(LOQ-0.1)	Not Specified	HTH/FD/STP-12
5	Carbohydrate	g/100ml	10.85	Not Specified	HTH/FD/STP-06
6	Total Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
7	Added Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
8	Protein	g/100ml	0.45	Not Specified	IS 7219 : 1973
9	Dietary Fibre	g/100ml	BLQ(LOQ-1.0)	Not Specified	AOAC 985.29
10	Potassium	mg/100ml	149.5	Not Specified	HTH/FD/STP-02
11	Calcium	mg/100ml	13.48	Not Specified	IS 5049 : 1990
12	Filled capacity of container	g/100ml	99.85	Min. 90	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 1.3 Page No.1: 2016
DISCIPLINE - CHEMICAL, GROUP - RESIDUES IN FOOD PRODUCTS					
1	Vitamin C	mg/100ml	131.85	Not Specified	HTH/INS-04/STP-03
Heavy Metal					
2	Lead	mg/kg	BLQ(LOQ: 0.02)	Max. 1.0 for Fruit and	HTH/INS-03/STP-03



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215008

ULR No. : TC781125000000723F

Party's Ref No. : Nil


Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
2				vegetable juice, Max. 0.05 for Fruit Juices and Max. 2.5 for other, Max 0.01 for Vinegar	
3	Mercury	mg/kg	BLQ(LOQ: 0.05)	Max. 1.0	HTH/INS-03/STP-03
4	Arsenic	mg/kg	BLQ(LOQ: 0.05)	Max. 0.2 for Juice of orange, grape, apple, tomato, pineapple and lemon and Max.1.1 For Other, Max 0.1 for Vinegar	HTH/INS-03/STP-03
5	Cadmium	mg/kg	BLQ(LOQ: 0.05)	Max. 1.5	HTH/INS-03/STP-03
6	Copper	mg/kg	0.27	Max. 5.0 for Juice of orange, grape, apple, tomato and Max.30.0 for others, Max 0.01 for Vinegar	HTH/INS-03/STP-03
7	Tin	mg/kg	BLQ(LOQ: 0.1)	Max. 250 for Juice of orange, apple, tomato, pineapple and lemon and others	HTH/INS-03/STP-03
Preservatives					
8	Benzoic acid	mg/kg	787.21	Not Specified	HTH/INS-04/STP-17
Other Contaminants					
9	Melamine	mg/kg	BLQ(LOQ: 0.05)	Max. 2.5	HTH/INS-01/STP-24
Pesticide Residue					
10	1 Nephthyl Acetic Acid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
11	2,4-D	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
12	Abamectine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
13	Acephate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
14	Acetamidrid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
15	Ametoctradin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
16	Ametryn	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
17	Anilophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
18	Azimsulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
19	Azoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:**Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215008**ULR No.** : TC781125000000723F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
20	Sum of benomyl & carbendazim expressed as carbendazim	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
21	Bensulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
22	Bispyribac Sodium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
23	Bitertanol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
24	Boscalid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
25	Buprofezin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
26	Carbaryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
27	Carbendazime	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
28	Carbofuran (sum of carbofuran & 3-hydroxy carbofuran express as carbofuran)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
29	Carfentazone-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
30	Carpropamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
31	Cartrap Hydrochloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
32	Chlorantriliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
33	Chlorfluazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
34	Chlorimuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
35	Chlorpropham	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
36	Chromafenozide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
37	Cinmethyline	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
38	Clodinofof Propargyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
39	Clothianidin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
40	Cyantraniliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
41	Cyazofamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
42	Cyflumetofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
43	Cyhalop Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
44	Cymoxanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
45	Diafenthiuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
46	Diclosulam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
47	Difenoconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
48	Diffubenzuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
49	Dimethoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
50	Dimethomorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
51	Dinotefuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 3 of 10


Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.

5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.

7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.

6. Sample not drawn by HTH unless otherwise specified.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT

Issued To:**Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215008**ULR No.** : TC781125000000723F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025


TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
52	Dithianon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
53	Diuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
54	Dodin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
55	Edifenphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
56	Emamectin Benzoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
57	Epoxyconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
58	Ethoxy Sulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
59	Etofenprox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
60	Etoxadole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
61	Famoxadone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
62	Fenamidone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
63	Fenarimol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
64	Fenazaquine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
65	Fenobucarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
66	Fenpyroximate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
67	Fenthion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
68	Fenthion Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
69	Fenthion Sulphon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
70	Flonicamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
71	Flubendiamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
72	Flucetosulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
73	Flufencet	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
74	Fluopicolide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
75	Fluopyram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
76	Flupyradifuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
77	Flusilazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
78	Fluxapyroxad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
79	Fluzifop-P-Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
80	Fomesafen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
81	Forchlorfenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
82	Formothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
83	Halosulfurone-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
84	Haloxifyop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
85	Haloxifyop-R-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
86	Hexaconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 4 of 10

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
3. This report is only for your guidance, and not for legal purposes: commercial decision, and for advertisement.
5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.
4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
6. Sample not drawn by HTH unless otherwise specified.



HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215008

ULR No. : TC781125000000723F

Party's Ref No. : Nil


Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
87 Hexazonone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
88 Hexythiazox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
89 Imazamox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
90 Imazethapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
91 Imidacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
92 Indoxacarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
93 Iodosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
94 Iprobenfos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
95 Isoprothiolane	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
96 Isoproturon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
97 Kesugamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
98 Kresoxim Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
99 Linuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
100 Lufenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
101 Malaoxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
102 Mandipropomid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
103 Methylchlorophenoxy Acetic Acid (MCPA)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
104 Mesosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
105 Metaflumizone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
106 Metalaxyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
107 Metalaxyl-M	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
108 Methabenzthiazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
109 Methomyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
110 Metolachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
111 Metrafenone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
112 Metribuzine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
113 Metsulfuran Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
114 Milbemycine / Milbemectin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
115 Monocrotophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
116 Myclobutanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
117 Novaluron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
118 Orthosulfamuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
119 Oxadiargril	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
120 Oxadiazon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.

TEST REPORT

Issued To:

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215008

ULR No. : TC781125000000723F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
121 Oxydemeton Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
122 Paclobutrazol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
123 Paraoxon Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
124 Penconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
125 Pencycuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
126 Penoxsulum	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
127 Phorate Sulphoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
128 Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
129 Phosphamidon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
130 Picoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
131 Pinoxaden	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
132 Pretilachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
133 Primiphos Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
134 Profenophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
135 Prohexadinone Calcium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
136 Propanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
137 Propaquizafop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
138 Propargite	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
139 Propiconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
140 Pymetrozine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
141 Pyraclostrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
142 Pyrazosulfuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
143 Pyridalyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
144 Pyriproxyfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
145 Pyriothobac	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
146 Quizalofop-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
147 Quizalofop-P-Tefuryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
148 Qunalphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
149 Simazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
150 Sodium Aceflurofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
151 Spinetoram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
152 Spinosad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
153 Spiromesifen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
154 Spirotetramat	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
155 Sulfentrazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 6 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT

Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No.

: HTH/FD/250215008

ULR No.

: TC781125000000723F

Party's Ref No.

: Nil

Booking Date

: 15/02/2025

Period of Testing


: 15/02/2025 To 28/02/2025

Reporting Date

: 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
156 Sulfosulfuran	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
157 Sulfoxaflor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
158 Tebuconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
159 Tembotrione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
160 Thiacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
161 Thifluzamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
162 Thiodicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
163 Thiometon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
164 Thiometon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
165 Thiometon Sulfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
166 Thiometon Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
167 Thiophanate Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
168 Tolfenpyrad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
169 Topramezone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
170 Trichlorfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
171 Triadimefon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
172 Triallate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
173 Triasulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
174 Triazophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
175 Tricyclazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
176 Tridemorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
177 Thioclam Hydrogen oxalate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
178 Tryfloxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
179 Validamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
180 Glufosinate Ammonium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
181 Glyphosate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
182 Paraquat Dichloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
183 Alachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
184 Aldicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
185 Aldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
186 Atrazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
187 Benfuracarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
188 Bentazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
189 BHC-Alpha (Benzene Hexachloride)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
190 BHC-Beta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT

Issued To:**Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula


Report No. : HTH/FD/250215008**ULR No.** : TC781125000000723F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
191 BHC-Delta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
192 BHC-Gamma (Lindane, Gamma Hch)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
193 Bifenthrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
194 Butachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
195 Captafol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
196 Captan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
197 Carbosulfan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
198 Chlordane-Cis	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
199 Chlordane-Trans	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
200 Chlorfenapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
201 Chlorothalonil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
202 Chlorpyrifos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
203 Clomazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
204 Cyfluthrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
205 Cyfluthrin II	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
206 Cyfluthrin III	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
207 Cyfluthrin IV	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
208 Cyhalothrin (Lambda)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
209 Cypermethrin (sum of isomers)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
210 Cypermethrin, Alpha-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
211 DDD- O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
212 DDD-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
213 DDE-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
214 DDE-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
215 DDT-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
216 DDT-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
217 Deltamethrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
218 Diazinon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
219 Dichlorvos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
220 Diclofop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
221 Diclofop-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
222 Dicofol, O, P'-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
223 Dicofol, P, P'-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
224 Dieldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
225 Dithiocarbamates as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13

Page No.: 8 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory**

TEST REPORT

Issued To:

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula


Report No. : HTH/FD/250215008**ULR No.** : TC781125000000723F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
226 Endosulfan I (Alpha Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
227 Endosulfan li (Beta Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
228 Endosulfan Sulfate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
229 Ethion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
230 Fenitrothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
231 Fenoxaprop-P-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
232 Fenpropathrin	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-03
233 Fenvalerate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
234 Ferbam	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
235 Fipronil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
236 Fluchloralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
237 Fluvalinate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
238 Heptachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
239 Heptachlor Exo-Epoide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
240 Iprodione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
241 Malathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
242 Mancozeb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
243 Maneb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
244 Metiram as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
245 Oxyfluorfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
246 Paraoxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
247 Parathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
248 Parathion-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
249 Pendimethalin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
250 Permethrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
251 Permethrin li	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
252 Phenthoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
253 Phorate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
254 Phorate Sulfone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
255 Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
256 Propineb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
257 Tetraconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
258 Thiram	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
259 Trifluralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
260 Zineb as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13

Page No.: 9 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

TEST REPORT

Issued To:

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215008

ULR No. : TC781125000000723F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
DISCIPLINE-BIOLOGICAL, GROUP-FOOD & AGRICULTURAL PRODUCTS					
Microbial Test					
1	Aerobi Plate Count	cfu per ml	81	NMT 1000	FSSAI 15.001:2024
2	Yeast & Mould Count	cfu per ml	< 1	NMT 100	FSSAI 15.023:2024
3	Staphylococcus aureus	Per 25 ml	Absent	Absent	FSSAI 15.020:2024
4	Enterobacteriaceae	per ml	Absent	Absent	FSSAI 15.010:2024
5	Salmonella	Per 25 ml	Absent	Absent	FSSAI 15.016:2024
6	E. coli	Per 25 ml	Absent	Absent	FSSAI 15.012:2024
7	Vibrio cholerae	Per 25 ml	Absent	Absent	FSSAI 15.022:2024
8	Listeria monocytogenes	Per 25 ml	Absent	Absent	FSSAI 15.014:2024

End of Report

Remarks : The above Sample is confirms as per FSSR regulation 2011 w.r.t. the above test parameters.

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification.

Chandran
28/02/2025
Review by



Nao Jyoti Gupta
H.O.D. (Biological)



Basudev Singh
Tech. Manager

Page No.: 10 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.
 6. Sample not drawn by HTH unless otherwise specified.
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.