

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House & Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.

## TEST REPORT

### Issued To:

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215010

ULR No. : TC78112500000725F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025


### Sample Description

- Sample Name : B P Care Juice
- Date of receipt of sample : 15/02/2025
- Mfgd. By : Briovinegars
- Sample quantity : 1 Ltr.
- Submitted by : By Party
- Mfg. Date : 02/01/2025

- Brand Name : My Nutrify
- Batch / Lot No. : BPJ08JAN
- Batch Size : Not Specified
- Exp. Date : 01/07/2026

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
<b>DISCIPLINE - CHEMICAL, GROUP - FOOD &amp; AGRICULTURAL PRODUCT</b>					
<b>Physico-chemical Parameters</b>					
1	Foreign Substances	-	Complies	It shall be free from any foreign Substances	HTH/FD/STP-05
2	Added colouring matter	-	Complies	It shall be free from added colouring matter	FSSAI Lab Manual Food Additives, Method No. 4.2 Page no. 82: 2016
3	Energy	kcal/100ml	46.32	Not Specified	HTH/FD/STP-07
4	Fat	g/100ml	BLQ(LOQ-0.1)	Not Specified	HTH/FD/STP-12
5	Carbohydrate	g/100ml	10.96	Not Specified	HTH/FD/STP-06
6	Total Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
7	Added Sugar	g/100ml	BLQ(LOQ-1.0)	Not Specified	FSSAI Lab Manual Fruit and Vegetable Products, Method No. 2.4 Page no. 12: 2016
8	Protein	g/100ml	0.62	Not Specified	IS 7219 : 1973
9	Dietary Fibre	g/100ml	BLQ(LOQ-1.0)	Not Specified	AOAC 985.29
10	Potassium	mg/100ml	150.37	Not Specified	HTH/FD/STP-02
11	Calcium	mg/100ml	14.38	Not Specified	IS 5049 : 1990
12	Filled capacity of container	g/100ml	99.92	Min. 90	FSSAI Lab Manual Fruit and Vegetable Products, Method No 1.3 Page No.1: 2016
13	Saturated fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
14	Monounsaturated fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
15	Polyunsaturated fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
16	Trans fat	g/100ml	Not Detected	Not Specified	HTH/INS-02/STP-18
17	Cholesterol	g/100ml	BLQ(LOQ: 1.0)	Not Specified	HTH/INS-02/STP-20



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

**Issued To:**

Briovinegars

Khasra No. 251, Qasampur, Pyarawala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215010

ULR No. : TC781125000000725F

Party's Ref No. : Nil

Booking Date : 15/02/2025


Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
<b>DISCIPLINE - CHEMICAL, GROUP - RESIDUES IN FOOD PRODUCTS</b>					
1	Iron	mg/30ml	0.181	Not Specified	HTH/INS-03/STP-16
<u>Heavy Metal</u>					
2	Lead	mg/l	BLQ(LOQ: 0.02)	Max. 1.0 for Fruit and vegetable juice, Max. 0.05 for Fruit Juices and Max. 2.5 for other, Max 0.01 for Vinegar	HTH/INS-03/STP-03
3	Mercury	mg/l	BLQ(LOQ: 0.05)	Max. 1.0	HTH/INS-03/STP-03
4	Arsenic	mg/l	BLQ(LOQ: 0.05)	Max. 0.2 for Juice of orange, grape, apple, tomato, pineapple and lemon and Max.1.1 For Other, Max 0.1 for Vinegar	HTH/INS-03/STP-03
5	Cadmium	mg/l	BLQ(LOQ: 0.05)	Max. 1.5	HTH/INS-03/STP-03
6	Copper	mg/l	0.35	Max. 5.0 for Juice of orange, grape, apple, tomato and Max.30.0 for others, Max 0.01 for Vinegar	HTH/INS-03/STP-03
7	Tin	mg/l	BLQ(LOQ: 0.1)	Max. 250 for Juice of orange, apple, tomato, pineapple and lemon and others	HTH/INS-03/STP-03
<u>Preservatives</u>					
8	Benzoic acid	mg/kg	BLQ(LOQ: 10)	Not Specified	HTH/INS-04/STP-17
<u>Other Contaminants</u>					
9	Melamine	mg/kg	BLQ(LOQ: 0.05)	Max. 2.5	HTH/INS-01/STP-24
<u>Pesticide Residue</u>					
10	1 Nephthyl Acetic Acid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
11	2,4-D	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
12	Abamectine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
13	Acephate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
14	Acetamiprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
15	Ametoctradin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.

## TEST REPORT

**Issued To:**

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215010

ULR No. : TC781125000000725F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025


Reporting Date : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
16	Ametryn	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
17	Anilophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
18	Azimsulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
19	Azoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
20	Sum of benomyl & carbendazim expressed as carbendazim	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
21	Bensulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
22	Bispyribac Sodium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
23	Bitertanol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
24	Boscalid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
25	Buprofezin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
26	Carbaryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
27	Carbendazime	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
28	Carbofuran (sum of carbofuran & 3 - hydroxy carbofuran express as carbofuran)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
29	Carfentazone-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
30	Carpropamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
31	Cartrap Hydrochloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
32	Chlorantriliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
33	Chlorfluazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
34	Chlorimuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
35	Chlorpropham	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
36	Chromafenozide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
37	Cinmethyline	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
38	Clodinofof Propargyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
39	Clothianidin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
40	Cyantraniliprole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
41	Cyazofamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
42	Cyflumetofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
43	Cyhalop Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
44	Cymoxanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
45	Diafenthiuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
46	Diclosulam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
47	Difenoconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 3 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215010**ULR No.** : TC781125000000725F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025


### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
48	Diflubenzuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
49	Dimethoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
50	Dimethomorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
51	Dinotefuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
52	Dithianon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
53	Diuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
54	Dodin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
55	Edifenphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
56	Emamectin Benzoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
57	Epoxyconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
58	Ethoxy Sulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
59	Etofenprox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
60	Etoxazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
61	Famoxadone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
62	Fenamidone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
63	Fenarimol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
64	Fenazaquine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
65	Fenobucarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
66	Fenpyroximate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
67	Fenthion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
68	Fenthion Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
69	Fenthion Sulphon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
70	Flonicamid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
71	Flubendiamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
72	Flucetosulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
73	Flufencet	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
74	Fluopicolide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
75	Flupyrpyram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
76	Flupyradifuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
77	Flusilazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
78	Fluxapyroxad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
79	Fluzifop-P-Butyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
80	Fomesafen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
81	Forchlorfenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
82	Formothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 4 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula


**Report No.** : HTH/FD/250215010**ULR No.** : TC781125000000725F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
83	Halosulfurone-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
84	Haloxypop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
85	Haloxypop-R-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
86	Hexaconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
87	Hexazonone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
88	Hexythiazox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
89	Imazamox	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
90	Imazethapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
91	Imidacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
92	Indoxacarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
93	Iodosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
94	Iprobenfos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
95	Isoprothiolane	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
96	Isoproturon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
97	Kesugamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
98	Kresoxim Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
99	Linuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
100	Lufenuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
101	Malaoxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
102	Mandipropomid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
103	Methylchlorophenoxy Acetic Acid (MCPA)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
104	Mesosulfuron Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
105	Metaflumizone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
106	Metalaxyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
107	Metalaxyl-M	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
108	Methabenzthiazuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
109	Methomyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
110	Metolachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
111	Metrafenone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
112	Metribuzine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
113	Metsulfuran Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
114	Milbemycine / Milbemectin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
115	Monocrotophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
116	Myclobutanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 5 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

**Report No.** : HTH/FD/250215010**ULR No.** : TC781125000000725F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025


### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
117	Novaluron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
118	Orthosulfamuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
119	Oxadiazon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
120	Oxadiazon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
121	Oxydemeton Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
122	Paclobutrazol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
123	Paraoxon Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
124	Penconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
125	Pencycuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
126	Penoxsulum	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
127	Phorate Sulphoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
128	Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
129	Phosphamidon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
130	Picoxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
131	Pinoxaden	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
132	Pretilachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
133	Primiphos Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
134	Profenophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
135	Prohexadione Calcium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
136	Propanil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
137	Propaquizafop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
138	Propargite	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
139	Propiconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
140	Pymetrozine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
141	Pyraclostrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
142	Pyrazosulfuron Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
143	Pyridalyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
144	Pyriproxyfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
145	Pyriothiobac	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
146	Quizalofop-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
147	Quizalofop-P-Tefuryl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
148	Qunalphos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
149	Simazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
150	Sodium Aceflurofen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
151	Spinetoram	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03

Page No.: 6 of 10

- Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula


**Report No.** : HTH/FD/250215010**ULR No.** : TC781125000000725F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
152 Spinosad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
153 Spiromesifen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
154 Spirotetramat	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
155 Sulfentrazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
156 Sulfoxsulfuran	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
157 Sulfoxaflor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
158 Tebuconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
159 Tembotrione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
160 Thiacloprid	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
161 Thifluzamide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
162 Thiodicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
163 Thiomethoxam	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
164 Thiometon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
165 Thiometon Sulfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
166 Thiometon Sulfoxide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
167 Thiophanate Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
168 Tolfenpyrad	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
169 Topramezone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
170 Trichlorfon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
171 Triadimefon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
172 Triallate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
173 Triasulfuron	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
174 Triazophos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
175 Tricyclazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
176 Tridemorph	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
177 Thioclam Hydrogen oxalate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
178 Tryfloxystrobin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
179 Validamycine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
180 Glufosinate Ammonium	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
181 Glyphosate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
182 Paraquat Dichloride	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-01/STP-03
183 Alachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
184 Aldicarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
185 Aldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
186 Atrazine	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03

Page No.: 7 of 10

- Note: 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169  
Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com

An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.

## TEST REPORT

**Issued To:**

Briovinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215010

ULR No. : TC781125000000725F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

### TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
187 Benfuracarb	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
188 Bentazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
189 BHC-Alpha (Benzene Hexachloride)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
190 BHC-Beta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
191 BHC-Delta	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
192 BHC-Gamma (Lindane, Gamma Hch)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
193 Bifenthrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
194 Butachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
195 Captafol	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
196 Captan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
197 Carbosulfan	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
198 Chlordane-Cis	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
199 Chlordane-Trans	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
200 Chlorfenapyr	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
201 Chlorothalonil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
202 Chlorpyrifos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
203 Clomazone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
204 Cyfluthrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
205 Cyfluthrin II	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
206 Cyfluthrin III	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
207 Cyfluthrin IV	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
208 Cyhalothrin (Lambda)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
209 Cypermethrin (sum of isomers)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
210 Cypermethrin, Alpha-	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
211 DDD- O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
212 DDD-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
213 DDE-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
214 DDE-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
215 DDT-O,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
216 DDT-P,P	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
217 Deltamethrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
218 Diazinon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
219 Dichlorvos	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
220 Diclofop	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
221 Diclofop-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03

Note : 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.

3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.

5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.


7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.

2. The results contained in this test report pertains only to the sample tested not for the whole lot.

4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.

6. Sample not drawn by HTH unless otherwise specified.





DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthousecs@gmail.com, testing@hthlabs.com



TC-7811

**An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory.**

## TEST REPORT

**Issued To:****Briovinegars**

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula


**Report No.** : HTH/FD/250215010**ULR No.** : TC781125000000725F**Party's Ref No.** : Nil**Booking Date** : 15/02/2025**Period of Testing** : 15/02/2025 To 28/02/2025**Reporting Date** : 28/02/2025

### TEST RESULTS

S.N.	Test Parameter	Units	Results	Specifications	Test Method
222	Dicofol, O, P <sup>1</sup> -	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
223	Dicofol, P, P <sup>1</sup> -	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
224	Dieldrin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
225	Dithiocarbamates as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
226	Endosulfan I (Alpha Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
227	Endosulfan II (Beta Isomer)	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
228	Endosulfan Sulfate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
229	Ethion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
230	Fenitrothion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
231	Fenoxaprop-P-Ethyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
232	Fenpropathrin	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-03
233	Fenvalerate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
234	Ferbam	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
235	Fipronil	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
236	Fluchloralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
237	Fluvalinate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
238	Heptachlor	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
239	Heptachlor Exo-Epoide	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
240	Iprodione	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
241	Malathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
242	Mancozeb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
243	Maneb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
244	Metiram as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
245	Oxyfluorfen	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
246	Paraaxon	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
247	Parathion	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
248	Parathion-Methyl	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
249	Pendimethalin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
250	Permethrin I	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
251	Permethrin II	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
252	Phenthoate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
253	Phorate	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
254	Phorate Sulfone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
255	Phosalone	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
256	Propineb	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13

Page No.: 9 of 10

- Note: 1. Test report shall not be reproduce in whole or in part and cannot be used as an evidence in the court of Law.  
 2. The results contained in this test report pertains only to the sample tested not for the whole lot.  
 3. This report is only for your guidance, and not for legal purposes, commercial decision, and for advertisement.  
 4. Total liability of HTH Laboratories Pvt. Ltd. is limited to the invoiced amount only.  
 5. Samples will be destroyed after one month from the date of issue of test report unless otherwise specified.  
 6. Sample not drawn by HTH unless otherwise specified.  
 7. The details received from customer on its own responsibility. Lab does not confirm about it and hence does not taken any responsibility whatsoever.



DOC No. HTH/QF/7.8

# HTH Laboratories Pvt. Ltd.

(Formerly Known as Haryana Test House &amp; Consultancy Services)

Plot No. 50-C, Sector-25 Part-II, HUDA, PANIPAT-132 103 (HR.)

Contact : (Off.) 86077-70160, 0180-4067223, (Env.) 86077-70164, (BM) 86077-70166, (Food) 86077-70169

Web Site : www.hthlabs.com, e-mail : haryanatesthouseecs@gmail.com, testing@hthlabs.com



An ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified Laboratory

## TEST REPORT

**Issued To:**

Brivinegars

Khasra No. 251, Qasampur, Pyarewala, Rajpurani, Panchkula-134204 Panchkula

Report No. : HTH/FD/250215010

ULR No. : TC781125000000725F

Party's Ref No. : Nil

Booking Date : 15/02/2025

Period of Testing : 15/02/2025 To 28/02/2025

Reporting Date : 28/02/2025

### TEST RESULTS

S.N. Test Parameter	Units	Results	Specifications	Test Method
257 Tetraconazole	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
258 Thiram	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13
259 Trifluralin	mg/kg	BLQ(LOQ: 0.005)	Max. 0.01	HTH/INS-02/STP-03
260 Zineb as Cs2	mg/kg	BLQ(LOQ: 0.01)	Max. 0.01	HTH/INS-02/STP-13

### DISCIPLINE-BIOLOGICAL, GROUP-FOOD & AGRICULTURAL PRODUCTS

#### Microbial Test

1 Aerobi Plate Count	cfu per ml	89	NMT 1000	FSSAI 15.001:2024
2 Yeast & Mould Count	cfu per ml	< 1	NMT 100	FSSAI 15.023:2024
3 Staphylococcus aureus	Per 25 ml	Absent	Absent	FSSAI 15.020:2024
4 Enterobacteriaceae	per ml	Absent	Absent	FSSAI 15.010:2024
5 Salmonella	Per 25 ml	Absent	Absent	FSSAI 15.016:2024
6 E. coli	Per 25 ml	Absent	Absent	FSSAI 15.012:2024
7 Vibrio cholerae	Per 25 ml	Absent	Absent	FSSAI 15.022:2024
8 Listeria monocytogenes	Per 25 ml	Absent	Absent	FSSAI 15.014:2024

\*\*\*End of Report\*\*\*

**Remarks :** The above Sample is confirms as per FSSR regulation 2011 w.r.t. the above test parameters.

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification.

Chander  
98/02/2025  
Review by

HTH LABORATORIES PVT. LTD.  
Auth. Sign. 28/02/2025  
PANIPAT  
Nao Jyoti Gupta  
H.O.D. (Biological)

HTH LABORATORIES PVT. LTD.  
Auth. Sign. 28/02/2025  
PANIPAT  
Basudev Singh  
Tech. Manager

Page No.: 10 of 10