

DecaFlow Referral System - Implementation Spec

Turn Users Into Your Marketing Team (Zero Cost Growth Engine)

Priority: CRITICAL - Build This First

Implementation Time: 2-3 days

Cost: \$0

Expected Impact: 2-5x organic growth rate

WHY THIS MATTERS

Without referrals: You manually recruit each user

With referrals: Users recruit users (exponential growth)

Example:

- You recruit 100 users manually
- Each refers 2 friends = 200 new users
- Those refer 2 friends = 400 new users
- **Total: 700 users from 100 initial**

This is how you hit 1000+ users with zero budget.

SYSTEM OVERVIEW

Core Mechanics

Every user gets:

1. Unique referral code (e.g., DECA-A7X9M)
2. Shareable referral link: `decaflow.xyz?ref=DECA-A7X9M`
3. 10% points bonus on all referrals' transactions

Referred users get:

1. 10% points bonus on their transactions (first 30 days)
2. Welcome message: "You were referred by 0x123...456"

Top referrers get:

1. Weekly prize: 5% of platform fees
 2. Monthly prize: 10% of platform fees
 3. Leaderboard rank: "Top Referrer" badge
 4. Public recognition on Twitter
-

DATABASE SCHEMA

Add to Users Table

```
ALTER TABLE users ADD COLUMN IF NOT EXISTS referral_code VARCHAR(50) UNIQUE;
ALTER TABLE users ADD COLUMN IF NOT EXISTS referred_by VARCHAR(42); -- wallet
address
ALTER TABLE users ADD COLUMN IF NOT EXISTS referral_count INTEGER DEFAULT 0;
ALTER TABLE users ADD COLUMN IF NOT EXISTS referral_points_earned DECIMAL
DEFAULT 0;
ALTER TABLE users ADD COLUMN IF NOT EXISTS referral_bonus_active BOOLEAN
DEFAULT true;
ALTER TABLE users ADD COLUMN IF NOT EXISTS referral_bonus_expires_at TIMESTAMP;

-- Create index for fast lookups
CREATE INDEX IF NOT EXISTS idx_users_referral_code ON users(referral_code);
CREATE INDEX IF NOT EXISTS idx_users_referred_by ON users(referred_by);
```

Add Referrals Tracking Table

```
CREATE TABLE IF NOT EXISTS referrals (
  id SERIAL PRIMARY KEY,
  referrer_wallet VARCHAR(42) NOT NULL,
  referee_wallet VARCHAR(42) NOT NULL,
  referral_code VARCHAR(50) NOT NULL,
  referee_first_transaction_at TIMESTAMP,
  referee_total_points DECIMAL DEFAULT 0,
  referrer_bonus_points DECIMAL DEFAULT 0,
  status VARCHAR(20) DEFAULT 'pending', -- pending, active, expired
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,

  UNIQUE(referee_wallet),
  FOREIGN KEY (referrer_wallet) REFERENCES users(wallet_address),
  FOREIGN KEY (referee_wallet) REFERENCES users(wallet_address)
);

CREATE INDEX IF NOT EXISTS idx_referrals_referrer ON
referrals(referrer_wallet);
CREATE INDEX IF NOT EXISTS idx_referrals_code ON referrals(referral_code);
```

BACKEND IMPLEMENTATION

1. Referral Code Generation

File: backend/src/services/referralService.js

```
const crypto = require('crypto');

class ReferralService {
```

```

// Generate unique referral code
generateReferralCode() {
  const prefix = 'DECA-';
  const random = crypto.randomBytes(4).toString('hex').toUpperCase();
  return `${prefix}${random}`;
}

// Create or get user's referral code
async getOrCreateReferralCode(walletAddress) {
  const query = 'SELECT referral_code FROM users WHERE wallet_address = $1';
  const result = await db.query(query, [walletAddress.toLowerCase()]);

  if (result.rows[0]?.referral_code) {
    return result.rows[0].referral_code;
  }

  // Generate new code
  let code;
  let isUnique = false;

  while(!isUnique) {
    code = this.generateReferralCode();
    const check = await db.query(
      'SELECT COUNT(*) FROM users WHERE referral_code = $1',
      [code]
    );
    isUnique = check.rows[0].count === '0';
  }

  // Update user with code
  await db.query(
    'UPDATE users SET referral_code = $1 WHERE wallet_address = $2',
    [code, walletAddress.toLowerCase()]
  );

  return code;
}

// Record referral when new user connects wallet
async recordReferral(refereeWallet, referralCode) {
  // Check if referee already referred
  const existing = await db.query(
    'SELECT * FROM referrals WHERE referee_wallet = $1',
    [refereeWallet.toLowerCase()]
  );

  if (existing.rows.length > 0) {
    return { success: false, message: 'User already referred' };
  }

  // Find referrer by code
  const referrer = await db.query(

```

```

    'SELECT wallet_address FROM users WHERE referral_code = $1',
    [referralCode]
  );

  if (referrer.rows.length === 0) {
    return { success: false, message: 'Invalid referral code' };
  }

  const referrerWallet = referrer.rows[0].wallet_address;

  // Can't refer yourself
  if (referrerWallet === refereeWallet.toLowerCase()) {
    return { success: false, message: 'Cannot refer yourself' };
  }

  // Create referral record
  await db.query(`
    INSERT INTO referrals
      (referrer_wallet, referee_wallet, referral_code, status)
    VALUES ($1, $2, $3, 'active')
  `, [referrerWallet, refereeWallet.toLowerCase(), referralCode]);

  // Update users table
  await db.query(`
    UPDATE users
    SET referred_by = $1,
        referral_bonus_active = true,
        referral_bonus_expires_at = NOW() + INTERVAL '30 days'
    WHERE wallet_address = $2
  `, [referrerWallet, refereeWallet.toLowerCase()]);

  // Increment referrer's count
  await db.query(`
    UPDATE users
    SET referral_count = referral_count + 1
    WHERE wallet_address = $1
  `, [referrerWallet]);

  return {
    success: true,
    referrer: referrerWallet,
    referee: refereeWallet
  };
}

// Calculate referral bonus when referee earns points
async applyReferralBonus(refereeWallet, pointsEarned) {
  // Check if referee has active referral bonus
  const referee = await db.query(`
    SELECT referred_by, referral_bonus_active, referral_bonus_expires_at
    FROM users
    WHERE wallet_address = $1
  `);

```

```

`, [refereeWallet.toLowerCase()]);

if (referee.rows.length === 0) return;

const { referred_by, referral_bonus_active, referral_bonus_expires_at } =
referee.rows[0];

if (!referred_by || !referral_bonus_active) return;

// Check if bonus expired
if (referral_bonus_expires_at && new Date() > new
Date(referral_bonus_expires_at)) {
  await db.query(
    'UPDATE users SET referral_bonus_active = false WHERE wallet_address =
$1',
    [refereeWallet.toLowerCase()]
  );
  return;
}

// Calculate bonuses (10% each)
const bonusPoints = Math.floor(pointsEarned * 0.1);

// Award bonus to referee
await db.query(`
  UPDATE users
  SET total_points = total_points + $1,
      weekly_points = weekly_points + $1,
      monthly_points = monthly_points + $1
  WHERE wallet_address = $2
`, [bonusPoints, refereeWallet.toLowerCase()]);

// Award bonus to referrer
await db.query(`
  UPDATE users
  SET total_points = total_points + $1,
      weekly_points = weekly_points + $1,
      monthly_points = monthly_points + $1,
      referral_points_earned = referral_points_earned + $1
  WHERE wallet_address = $2
`, [bonusPoints, referred_by]);

// Update referrals table
await db.query(`
  UPDATE referrals
  SET referee_total_points = referee_total_points + $1,
      referrer_bonus_points = referrer_bonus_points + $2
  WHERE referee_wallet = $3
`, [pointsEarned, bonusPoints, refereeWallet.toLowerCase()]);

return {
  refereeBonus: bonusPoints,

```

```

    referrerBonus: bonusPoints
  };
}

// Get referral stats for user
async getReferralStats(walletAddress) {
  const stats = await db.query(`
    SELECT
      u.referral_code,
      u.referral_count,
      u.referral_points_earned,
      COUNT(r.id) as active_referrals,
      COALESCE(SUM(r.referee_total_points), 0) as total_referee_points
    FROM users u
    LEFT JOIN referrals r ON u.wallet_address = r.referrer_wallet
    WHERE u.wallet_address = $1
    GROUP BY u.wallet_address, u.referral_code, u.referral_count,
u.referral_points_earned
  `, [walletAddress.toLowerCase()]);

  if (stats.rows.length === 0) return null;

  return stats.rows[0];
}

// Get top referrers for leaderboard
async getTopReferrers(period = 'all', limit = 100) {
  let pointsColumn = 'total_points';
  if (period === 'weekly') pointsColumn = 'weekly_points';
  if (period === 'monthly') pointsColumn = 'monthly_points';

  const query = `
    SELECT
      wallet_address,
      referral_code,
      referral_count,
      referral_points_earned,
      ${pointsColumn} as points,
      ROW_NUMBER() OVER (ORDER BY referral_count DESC, referral_points_earned
DESC) as rank
    FROM users
    WHERE referral_count > 0
    ORDER BY referral_count DESC, referral_points_earned DESC
    LIMIT $1
  `;

  const result = await db.query(query, [limit]);
  return result.rows;
}
}

```

```
module.exports = new ReferralService();
```

2. API Endpoints

File: backend/src/routes/v1/referrals.js

```
const express = require('express');
const router = express.Router();
const referralService = require('../../services/referralService');

// Get user's referral code and stats
router.get('/user/:walletAddress', async (req, res) => {
  try {
    const { walletAddress } = req.params;

    // Get or create referral code
    const code = await referralService.getOrCreateReferralCode(walletAddress);

    // Get stats
    const stats = await referralService.getReferralStats(walletAddress);

    res.json({
      success: true,
      data: {
        referralCode: code,
        referralLink: `https://decaflow.xyz?ref=${code}`,
        stats: stats || {
          referral_count: 0,
          referral_points_earned: 0,
          active_referrals: 0,
          total_referee_points: 0
        }
      }
    });
  } catch (error) {
    console.error('Error getting referral data:', error);
    res.status(500).json({ success: false, error: error.message });
  }
});

// Record referral (called when new user connects with ref code)
router.post('/record', async (req, res) => {
  try {
    const { refereeWallet, referralCode } = req.body;

    if (!refereeWallet || !referralCode) {
      return res.status(400).json({
        success: false,
        error: 'Missing refereeWallet or referralCode'
      });
    }
  }
});
```

```

    const result = await referralService.recordReferral(refereeWallet,
referralCode);

    res.json(result);
  } catch (error) {
    console.error('Error recording referral:', error);
    res.status(500).json({ success: false, error: error.message });
  }
});

// Get top referrers leaderboard
router.get('/leaderboard', async (req, res) => {
  try {
    const { period = 'all', limit = 100 } = req.query;

    const topReferrers = await referralService.getTopReferrers(period,
parseInt(limit));

    res.json({
      success: true,
      data: topReferrers
    });
  } catch (error) {
    console.error('Error getting referral leaderboard:', error);
    res.status(500).json({ success: false, error: error.message });
  }
});

module.exports = router;

```

Add to server.js:

```

const referralRoutes = require('./routes/v1/referrals');
app.use('/v1/referrals', referralRoutes);

```

3. Update Points Service

File: backend/src/services/pointsService.js

Add after awarding points:

```

// Inside recordTransaction function, after points are awarded:

// Apply referral bonuses
const referralService = require('./referralService');
await referralService.applyReferralBonus(walletAddress, pointsEarned);

```

FRONTEND IMPLEMENTATION

1. Detect Referral Code on Landing

File: app/src/pages/Landing.tsx

```
import { useEffect } from 'react';
import { useSearchParams } from 'react-router-dom';

export function Landing() {
  const [searchParams] = useSearchParams();

  useEffect(() => {
    const refCode = searchParams.get('ref');
    if (refCode) {
      // Store in localStorage for later
      localStorage.setItem('decaflow_ref_code', refCode);

      // Optional: Show welcome message
      console.log('Referred by code:', refCode);
    }
  }, [searchParams]);

  // ... rest of component
}
```

2. Record Referral on Wallet Connect

File: app/src/wagmi.ts or wherever wallet connect logic is

```

import { useEffect } from 'react';
import { useAccount } from 'wagmi';

export function useReferralTracking() {
  const { address, isConnected } = useAccount();

  useEffect(() => {
    if (isConnected && address) {
      const refCode = localStorage.getItem('decaflow_ref_code');

      if (refCode) {
        // Check if already recorded
        const recorded =
localStorage.getItem(`decaflow_ref_recorded_${address}`);

        if (!recorded) {
          // Record referral
          fetch(`${API_BASE_URL}/v1/referrals/record`, {
            method: 'POST',
            headers: { 'Content-Type': 'application/json' },
            body: JSON.stringify({
              refereeWallet: address,
              referralCode: refCode
            })
          })
            .then(res => res.json())
            .then(data => {
              if (data.success) {
                localStorage.setItem(`decaflow_ref_recorded_${address}`, 'true');
                localStorage.removeItem('decaflow_ref_code');

                // Show success message
                alert(`Welcome! You were referred by ${data.referrer}. You'll get
10% bonus points for 30 days!`);
              }
            })
            .catch(err => console.error('Error recording referral:', err));
        }
      }
    }, [isConnected, address]);
  }

  // Use in App.tsx
  function App() {
    useReferralTracking();
    // ... rest of app
  }
}

```

3. Referral Dashboard Component

File: app/src/components/ReferralDashboard.tsx

```
import React, { useState, useEffect } from 'react';
import { useAccount } from 'wagmi';
import { API_BASE_URL } from '@lib/constants';

export function ReferralDashboard() {
  const { address } = useAccount();
  const [referralData, setReferralData] = useState<any>(null);
  const [copied, setCopied] = useState(false);

  useEffect(() => {
    if (address) {
      fetch(`${API_BASE_URL}/v1/referrals/user/${address}`)
        .then(res => res.json())
        .then(data => {
          if (data.success) {
            setReferralData(data.data);
          }
        })
        .catch(err => console.error('Error fetching referral data:', err));
    }
  }, [address]);

  const copyLink = () => {
    if (referralData?.referralLink) {
      navigator.clipboard.writeText(referralData.referralLink);
      setCopied(true);
      setTimeout(() => setCopied(false), 2000);
    }
  };

  if (!referralData) return <div>Loading referral data...</div>;

  const { referralCode, referralLink, stats } = referralData;

  return (
    <div className="space-y-6">
      { /* Referral Link Card */ }
      <div className="bg-gradient-to-br from-purple-500/10 to-pink-500/10 rounded-xl p-6 border border-purple-500/20">
        <h3 className="text-xl font-bold mb-4"> Your Referral Link </h3>

        <div className="space-y-4">
          <div>
            <label className="text-sm text-gray-400 mb-2 block">Referral
Code</label>
            <div className="text-2xl font-mono font-bold text-purple-400">
              {referralCode}
            </div>
          </div>
        </div>
      </div>
    </div>
  );
}
```

```

        <div>
            <label className="text-sm text-gray-400 mb-2 block">Share This
Link</label>
            <div className="flex gap-2">
                <input
                    type="text"
                    value={referralLink}
                    readOnly
                    className="flex-1 bg-black/30 border border-gray-700 rounded-lg
px-4 py-2 text-sm"
                />
                <button
                    onClick={copyLink}
                    className="px-6 py-2 bg-purple-500 hover:bg-purple-600 rounded-
lg font-semibold transition"
                >
                    {copied ? '✓ Copied!' : 'Copy'}
                </button>
            </div>
        </div>
    </div>
</div>
</div>

{/* Stats Grid */}
<div className="grid grid-cols-2 md:grid-cols-4 gap-4">
    <div className="bg-gradient-to-br from-blue-500/10 to-cyan-500/10
rounded-xl p-4 border border-blue-500/20">
        <div className="text-3xl font-bold text-blue-400">
            {stats.referral_count}
        </div>
        <div className="text-sm text-gray-400 mt-1">Total Referrals</div>
    </div>

    <div className="bg-gradient-to-br from-green-500/10 to-emerald-500/10
rounded-xl p-4 border border-green-500/20">
        <div className="text-3xl font-bold text-green-400">
            {stats.active_referrals}
        </div>
        <div className="text-sm text-gray-400 mt-1">Active Referrals</div>
    </div>

    <div className="bg-gradient-to-br from-yellow-500/10 to-orange-500/10
rounded-xl p-4 border border-yellow-500/20">
        <div className="text-3xl font-bold text-yellow-400">
            {Math.floor(stats.referral_points_earned).toLocaleString()}
        </div>
        <div className="text-sm text-gray-400 mt-1">Bonus Points Earned</div>
    </div>

    <div className="bg-gradient-to-br from-pink-500/10 to-rose-500/10
rounded-xl p-4 border border-pink-500/20">
        <div className="text-3xl font-bold text-pink-400">

```

```

        {Math.floor(stats.total_referee_points).toLocaleString()}}
    </div>
    <div className="text-sm text-gray-400 mt-1">Referees' Points</div>
  </div>
</div>

{/* How It Works */}
<div className="bg-gradient-to-br from-indigo-500/10 to-purple-500/10
rounded-xl p-6 border border-indigo-500/20">
  <h3 className="text-xl font-bold mb-4"> How Referrals Work </h3>

  <div className="space-y-3 text-sm">
    <div className="flex items-start gap-3">
      <div className="text-2xl">🔗</div>
      <div>
        <div className="font-semibold text-white">Share Your Link</div>
        <div className="text-gray-400">Send your referral link to
friends</div>
      </div>
    </div>

    <div className="flex items-start gap-3">
      <div className="text-2xl">🔗</div>
      <div>
        <div className="font-semibold text-white">They Get Bonus</div>
        <div className="text-gray-400">They earn 10% bonus points for 30
days</div>
      </div>
    </div>

    <div className="flex items-start gap-3">
      <div className="text-2xl">🔗</div>
      <div>
        <div className="font-semibold text-white">You Get Bonus</div>
        <div className="text-gray-400">You earn 10% of all their points
forever</div>
      </div>
    </div>

    <div className="flex items-start gap-3">
      <div className="text-2xl">🔗</div>
      <div>
        <div className="font-semibold text-white">Win Prizes</div>
        <div className="text-gray-400">Top referrer gets 5% of weekly
fees!</div>
      </div>
    </div>
  </div>

  </div>

  </div>
</div>

{/* Share Buttons */}
<div className="flex gap-3">

```

```

        <a
          href={`https://twitter.com/intent/tweet?text=${encodeURIComponent(
            `I'm earning rewards on @DecaFlowXYZ \ n\nJoin me and get 10% bonus
points:\n${referralLink}`
          )}}`
          target="_blank"
          rel="noopener noreferrer"
          className="flex-1 bg-blue-500 hover:bg-blue-600 text-white font-
semibold py-3 rounded-lg text-center transition"
        >
          Share on Twitter
        </a>

        <a
          href={`https://t.me/share/url?
url=${encodeURIComponent(referralLink)}&text=${encodeURIComponent(
            'Join me on DecaFlow and earn rewards! '
          )}}`
          target="_blank"
          rel="noopener noreferrer"
          className="flex-1 bg-cyan-500 hover:bg-cyan-600 text-white font-
semibold py-3 rounded-lg text-center transition"
        >
          Share on Telegram
        </a>
      </div>
    </div>
  );
}

```

4. Add to Points Dashboard

File: app/src/components/PointsDashboard.tsx

```

import { ReferralDashboard } from './ReferralDashboard';

// Add a new tab for "Referrals"
<Tab>Referrals</Tab>

// Add the panel
<TabPanel>
  <ReferralDashboard />
</TabPanel>

```

5. Referral Leaderboard Section

File: app/src/pages/Leaderboard.tsx

Add a new tab for "Top Referrers":

```

const [activeTab, setActiveTab] = useState<'points' | 'referrals'>('points');

```

```
// Fetch referral leaderboard
const [referralLeaderboard, setReferralLeaderboard] = useState([]);

useEffect(() => {
  if (activeTab === 'referrals') {
    fetch(`${API_BASE_URL}/v1/referrals/leaderboard?period=${period}`)
      .then(res => res.json())
      .then(data => {
        if (data.success) {
          setReferralLeaderboard(data.data);
        }
      });
  }
}, [activeTab, period]);

// UI
<div className="flex gap-4 mb-6">
  <button
    onClick={() => setActiveTab('points')}
    className={activeTab === 'points' ? 'active' : ''}
  >
    Points Leaderboard
  </button>
  <button
    onClick={() => setActiveTab('referrals')}
    className={activeTab === 'referrals' ? 'active' : ''}
  >
    Top Referrers
  </button>
</div>

{activeTab === 'referrals' && (
  <div className="space-y-4">
    <div className="bg-gradient-to-r from-purple-500/20 to-pink-500/20 rounded-
xl p-6 border border-purple-500/30">
      <h3 className="text-2xl font-bold mb-2">🏆 Top Referrer Prize</h3>
      <div className="text-lg text-gray-300">
        This week: <span className="text-green-400 font-bold">5% of platform
fees</span>
      </div>
      <div className="text-lg text-gray-300">
        This month: <span className="text-green-400 font-bold">10% of platform
fees</span>
      </div>
    </div>

    {referralLeaderboard.map((user, index) => (
      <div key={user.wallet_address} className="...">
        <div>#{user.rank}</div>
        <div>{user.wallet_address}</div>
        <div>{user.referral_count} referrals</div>

```

```
        <div>{Math.floor(user.referral_points_earned)} bonus points</div>
      </div>
    )})
  </div>
})}
```

SOCIAL SHARING FEATURES

After Every Swap Success

Add popup:

```
// After successful swap
<Modal>
  <h3> Swap Successful! </h3>
  <p>You earned {points} points</p>

  <button onClick={() => shareOnTwitter()}>
    Share on Twitter for +50 bonus points!
  </button>
</Modal>

function shareOnTwitter() {
  const text = `Just earned ${points} points on @DecaFlowXYZ \n\nCurrent rank:
#${rank}\n\nJoin me: ${referralLink}`;
  window.open(`https://twitter.com/intent/tweet?
text=${encodeURIComponent(text)}`);

  // Award bonus points
  awardBonusPoints(address, 50);
}
```

TOP REFERRER PRIZES

Weekly Distribution

Create: backend/src/scripts/distribute-referral-rewards.js

```
const db = require('../db/connection');

async function distributeWeeklyReferralRewards() {
  // Get top referrer of the week
  const topReferrer = await db.query(`
    SELECT
      wallet_address,
      referral_code,
      referral_count,
      weekly_points as points
    FROM users
    WHERE referral_count > 0
```



```

ORDER BY
  (SELECT COUNT(*) FROM referrals WHERE referrer_wallet =
users.wallet_address
  AND created_at >= NOW() - INTERVAL '7 days') DESC
LIMIT 1
`);

if (topReferrer.rows.length === 0) {
  console.log('No referrers this week');
  return;
}

const winner = topReferrer.rows[0];

// Calculate 5% of weekly platform fees
const fees = await db.query(`
  SELECT COALESCE(SUM(fee_amount_usd), 0) as total_fees
  FROM transactions
  WHERE created_at >= NOW() - INTERVAL '7 days'
`);

const totalFees = parseFloat(fees.rows[0].total_fees);
const rewardAmount = totalFees * 0.05; // 5%

if (rewardAmount > 0) {
  // Record reward
  await db.query(`
    INSERT INTO rewards
    (wallet_address, period_type, period_start, period_end, rank, points,
reward_amount_usd, reward_status)
    VALUES ($1, 'weekly_referral', NOW() - INTERVAL '7 days', NOW(), 1, $2,
$3, 'pending')
    `, [winner.wallet_address, winner.points, rewardAmount]);

  console.log(`Top Referrer: ${winner.wallet_address}`);
  console.log(`Referrals: ${winner.referral_count}`);
  console.log(`Reward: $$${rewardAmount.toFixed(2)}`);

  // Tweet announcement
  console.log(`\nTweet this:`);
  console.log(`
🏆 WEEKLY TOP REFERRER WINNER!

Wallet: ${winner.wallet_address.slice(0,
6)}...${winner.wallet_address.slice(-4)}
Referrals: ${winner.referral_count}
Reward: $$${rewardAmount.toFixed(2)} 💰

Think you can beat this? Get your referral link at decaflow.xyz

#DecaFlow #DeFi
`);

```

```
}  
}  
  
distributeWeeklyReferralRewards();
```

Run weekly: Add to cron jobs

TRACKING & ANALYTICS

Admin Dashboard - Referral Stats

Add to: app/src/pages/Admin.tsx

```
// Fetch referral stats  
const [referralStats, setReferralStats] = useState(null);  
  
useEffect(() => {  
  fetch(`${API_BASE_URL}/v1/admin/referral-stats`)  
    .then(res => res.json())  
    .then(data => setReferralStats(data));  
}, []);  
  
// Display  
<div className="grid grid-cols-3 gap-4">  
  <div className="stat-card">  
    <h4>Total Referrals</h4>  
    <div className="text-4xl">{referralStats?.totalReferrals}</div>  
  </div>  
  
  <div className="stat-card">  
    <h4>Active Referrers</h4>  
    <div className="text-4xl">{referralStats?.activeReferrers}</div>  
  </div>  
  
  <div className="stat-card">  
    <h4>Referral Rate</h4>  
    <div className="text-4xl">{referralStats?.referralRate}%</div>  
  </div>  
</div>
```

MARKETING MESSAGES

Update All Templates

Telegram:

DecaFlow - Earn **as** You Trade

Multi-chain DEX **on** Base

Points **system with** cash prizes

10% bonus **when** you refer friends

Top referrer gets **5%** **of** weekly fees!

Get your referral link: decaflow.xyz

Twitter:

Just discovered @DecaFlowXYZ

- Trade on 6 chains
- Earn points = cash prizes
- Refer friends = 10% bonus FOREVER
- Top referrer wins 5% of fees weekly

Got my referral link, LFG
decaflow.xyz?ref=DECA-XXXX

EXPECTED IMPACT

Conservative Estimates

Week 1:

- You recruit: 50 users manually
- Referrals: 10 (20% referral rate)
- **Total: 60 users**

Week 2:

- You recruit: 50 more
- Week 1 users refer: 15
- Week 2 users refer: 10
- **Total: 135 users (+75)**

Week 3:

- You recruit: 50 more
- Previous users refer: 30
- **Total: 215 users (+80)**

Week 4:

- You recruit: 50 more
- Previous users refer: 50
- **Total: 315 users (+100)**

Without referrals: 200 users

With referrals: 315 users

57% growth boost

Aggressive Estimates (50% referral rate)

Week 4 total: 600+ users (3x without referrals)

IMPLEMENTATION CHECKLIST

Day 1: Backend

- ☐ Create database migration
- ☐ Build referralService.js
- ☐ Create API endpoints
- ☐ Update pointsService to apply bonuses
- ☐ Test with Postman

Day 2: Frontend

- ☐ Add ref code detection on landing
- ☐ Record referral on wallet connect
- ☐ Build ReferralDashboard component
- ☐ Add to PointsDashboard
- ☐ Add referral leaderboard tab
- ☐ Test end-to-end flow

Day 3: Polish

- ☐ Add social sharing buttons
 - ☐ Create share-to-earn feature
 - ☐ Build admin referral stats
 - ☐ Create weekly distribution script
 - ☐ Update marketing materials
 - ☐ Write announcement tweet
 - ☐ Deploy to production
-

LAUNCH ANNOUNCEMENT

Twitter Thread:

HUGE UPDATE: Referral System **is** LIVE!

Earn **10%** of ALL your referrals' points. FOREVER.

Here's how it works 📌

1/ Every DecaFlow user now gets a unique referral link

Visit decaflow.xyz → Connect wallet → **Get** your link

2/ When someone uses your link:

- They **get 10%** bonus points **for 30** days
- You **get 10%** of their points FOREVER

- Both climb the leaderboard faster ↗

3/ But wait, there's more...

The TOP REFERRER **each** week gets **5% of** ALL platform fees 💰

Last week that would've been \$XXX

4/ Example:

You refer **10** friends

They **each** trade \$**1,000** (= **1,000** points)

They **get**: **1,000** + **100** bonus = **1,100** points

You **get**: **1,000** (your own) + **1,000** (**10% from** them) = **2,000** points

5/ This **is** CRAZY **for** leaderboard climbing

Instead **of** competing against friends, now you WIN TOGETHER

Refer **5** active traders = effectively **6x** your own points

6/ Top Referrer Prizes:

Weekly: **5% of** platform fees

Monthly: **10% of** platform fees

Last month fees: \$X,XXX

Top referrer would've earned: \$XXX

7/ **Get** started:

1. Visit decaflow.xyz
2. Connect wallet
3. Click "**Referrals**" tab
4. Copy your link
5. Share everywhere

Let's gooo

#DecaFlow #DeFi #Base

THIS IS YOUR GROWTH ENGINE. BUILD IT NOW.