



HTML

CSS

Java Script

Web Design and Development I

Mohammad Zafar Shafaq



Agenda

• HTML Basics

• Tags

• Page Structure




VERSION OF HTML

DO CTYPES

Because there have been several versions of HTML, each web page should begin with a DOCTYPE declaration to tell a browser which version of HTML the page is using

HTML5 **<!DOCTYPE html>**

HTML 4 **<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">**





COMMENTS IN HTML

`<!-- -->`

If you want to add a comment to your code that will not be visible in the user's browser, you can add the text between these characters:

`<!-- comment goes here -->`






BLOCK ELEMENTS


Some elements will always appear to start on a new line in the browser window. These are known as **block level** elements.

Examples of block elements are `<h1>`, `<p>`, `<ul>`, and `<li>`.






INLINE ELEMENTS



Some elements will always appear to continue on the same line as their neighboring elements. These are known as **inline** elements.

Examples of inline elements are `<a>`, `<b>`, `<em>`, and `<img>`.






GROUPING TEXT & ELEMENTS IN A BLOCK


div The **<div>** element allows you to group a set of elements together in one block-level box.

Page Layout

deals in the arrangement of visual elements on a page. It generally involves organizational principles of composition to achieve specific communication objectives.



PAGE LAYOUT






CREATE PAGE LAYOUT USING DIV. TAG



DEMO-1





IFRAMES



<iframe> An iframe is like a little window that has been cut into your page — and in that window you can see another page. The term iframe is an abbreviation of inline frame.

Attributes of Iframe


Src: The src attribute specifies the URL of the page to show in the frame.

Height: The height attribute specifies the height of the iframe in pixels.

Width: The width attribute specifies the width of the iframe in pixels.

Scrolling: it indicates whether the iframe should have scrollbars or not

Frameborder : This attribute will not be supported in HTML5. In HTML 4 and XHTML, it indicates whether the frame should have a border or not.






IFRAME



DEMO-2






INFORMATION ABOUT YOUR PAGES



The **<meta>** element exists inside the **<head>** element and contains information about that web page.

It is not visible to users but fulfills a number of purposes such as telling search engines about your page, who created it, and whether or not it is time sensitive(expire).

The **<meta>** element is an empty element so it does not have a closing tag. It uses attributes to carry the information.





THE ATTRIBUTES OF META TAG


The most common attributes are:

Name: This attribute is used to define the name of property.

http-equiv: This attribute is used to get http response message header.

Content: This attribute is used to specify properties value.

Examples:

- `<meta name="description" content="An Essay on Installation Art" />`
 - `<meta http-equiv="author" content="Riaz Ahmad" />`
- 
- 



VALUES OF THE NAME ATTRIBUTES




Description: This contains a description of the page. This description is commonly used by search engines to understand what the page is about and should be a maximum of 155 characters. Sometimes it is also displayed in search engine results.

Keywords: This contains a list of comma separated words that a user might search on to find the page. In practice, this no longer has any noticeable effect on how search engines index your site.



Robots: This indicates whether search engines should add this page to their search results or not. A value of **noindex** can be used if this page should not be added. A value of **nofollow** can be used if search engines should add this page in their results but not any pages that it links to.



META

<meta> Tag Attributes

Attributes	Value	Description
content	"text"	Specifies the content of the web page.
http-equiv	"content-type" "content-style-type" "expires" "refresh" "set-cookie"	Specify HTTP header Information. Specify the time of expires. Specify the time of refresh. Specify the limit of the cookie.
name	author description keywords	Specify the name for the author information. Specify the website content. Specify the website content keyword.




VALUES OF THE HTTP-EQUIV ATTRIBUTE

Author: This defines the author of the web page.

Pragma This prevents the browser from caching the page. (That is, storing it locally to save time downloading it on subsequent visits.)

Expires Because browsers often cache the content of a page, the **expires** option can be used to indicate when the page should expire (and no longer be cached). Note that the date must be specified in the format shown.





EXAMPLE

```
<!DOCTYPE html>
```

```
<head>
```

```
<title>Information About Your Pages</title>
```

```
<meta name="description" content="An Essay on Installation Art" />
```

```
<meta name="keywords" content="installation, art, opinion" />
```

```
<meta name="robots" content="nofollow" />
```

```
<meta http-equiv="author" content="Zafar Shafaq" />
```


```
<meta http-equiv="pragma" content="no-cache" />
```



```
<meta http-equiv="expires" content="Fri, 04 Apr 2014 23:59:59 GMT" />
```

```
</head>
```

```
<body>
```



ESCAPE CHARACTERS

<	Less-than sign < <	¢	Cent sign ¢ ¢	'	Left single quote ‘ ‘
>	Greater-than sign > &	£	Pound sign £ £	'	Right single quote ’ ’
&	Ampersand & &	¥	Yen sign ¥ ¥	“	Left double quotes “ “

<marquee class="marquee_code" direction="left" behavior="scroll" scrollamount="10"
>This Text Will animate from one side to another side</marquee>



SUMMARY


DOCTYPES tell browsers which version of HTML you are using.

You can add comments to your code between them `<!--` and `-->` markers.

The **<div>** element allow you to group block-level and inline elements together.

<iframes> cut windows into your web pages through which other pages can be displayed.

The **<meta>** tag allows you to supply all kinds of information about your web page. Escape characters are used to include special characters in your pages such as `<`, `>`, and `©`.



Questions?
