



HTML

CSS

Java Script

Web Design and Development I

Mohammad Zafar Shafaq



Agenda

CSS Basics
Selectors




CSS INTRODUCTION

CSS stands for Cascading Style Sheets.

CSS is a standard style sheet language used for describing the presentation (i.e. the layout and formatting) of the web pages.

Prior to CSS, nearly all of the presentational attributes of HTML documents were contained within the HTML markup (specifically inside the HTML tags);

all the font colors, background styles, element alignments, borders and sizes had to be explicitly described within the HTML.





WHAT YOU CAN DO WITH CSS



You can easily apply same style rules on multiple elements.

You can control the presentation of multiple pages of a website with a single style sheet.

You can present the same page differently on different devices.

You can style dynamic states of elements such as hover, focus, etc. that is not possible otherwise.

You can change the position of an element on a web page without changing the markup.


You can alter the display of existing HTML elements.

You can transform elements like scale, rotate, skew, etc. in 2D or 3D space.

You can create animations and transitions effects without using any JavaScript.



You can create print friendly version of your web pages.





ADVANTAGES OF USING CSS


separation of style --- it allows the separation of style and layout from the content of the document.

CSS Save Lots of Time — CSS gives lots of flexibility to set the style properties of an element. it can be reused in multiple HTML pages.

Easy Maintenance — CSS provides an easy mean to update the formatting of the documents, and to maintain the consistency across multiple documents.

Pages Load Faster — CSS enables multiple pages to share the formatting information. It significantly reduces the file transfer size, which results in a faster page loading.

Superior Styles to HTML — CSS has much wider presentation capabilities than HTML and provide much better control over the layout of your web pages.

- **Multiple Device Compatibility** — CSS also allows web pages to be optimized for more than one type of device or media.
- 

UNDERSTANDING CSS SYNTAX

A CSS stylesheet consists of a set of rules that are interpreted by the web browser and then applied to the corresponding elements such as paragraphs, headings, etc. in the document.

A CSS rule have two main parts, a selector and one or more declarations:






CSS SELECTOR


CSS selectors are used *to select the content you want to style*. Selectors are the part of CSS rule set. CSS selectors select HTML elements according to its id, class, type, attribute etc.

There are several different types of selectors in CSS.

- CSS Element Selector `h1,p`
 - CSS Id Selector `<p id="myid">`
 - CSS Class Selector `<p class="myclass">`
 - CSS Universal Selector `*`
 - CSS Group Selector `p,h1,h2,table`
- 
- 



CSS SELECTOR




DEMO-1



HOW TO ADD CSS

Three Ways to Insert CSS

There are three ways of inserting a style sheet:

- External CSS
 - Internal CSS
 - Inline CSS
- 
- 



EXTERNAL CSS




With an external style sheet, you can change the look of an entire website by changing just one file! Each HTML page must include a reference to the external style sheet file inside the `<link>` element, inside the head section.

Example

External styles are defined within the `<link>` element, inside the `<head>` section of an HTML page:

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="mystyle.css">
</head>
```







EXTERNAL CSS



DEMO-2





INTERNAL AND INLINE CSS




Internal CSS

An internal style sheet may be used if one single HTML page has a unique style. The internal style is defined inside the `<style>` element, inside the head section.

Inline CSS

An inline style may be used to apply a unique style for a single element. To use inline styles, add the style attribute to the relevant element. The style attribute can contain any CSS property.






INTERNAL AND INLINE CSS



DEMO-3



Questions?
