










Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

java 25 SDK of 'Lab_T' AfifZaman_Thread

2 10000 true

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Run

OK

Close

Apply

Edit configuration templates...

?

Lab_Thread_Counter > outputs > TC2_safe.txt

8:29 CRLF UTF-8 4 spaces


25°C Mostly clear



Search



2:49 AM 10/11/2026



Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

☐ Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options Alt+M

java 25 SDK of 'Lab_T'

AfifZaman_Thread

2 10000 false

CLI arguments to your application. Alt+R

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Edit configuration templates...

Run

OK

Cancel

Apply

Project

Lab_Thread_Counter

.idea

out

outputs

TC1_safe.txt

TC1_unsafe_run.txt

TC1_unsafe_run.txt

TC1_unsafe_run.txt

TC1_unsafe_run.txt

TC1_unsafe_run.txt

TC2_safe.txt

TC2_unsafe_run.txt

Run ThreadCounterUnsafe

"C:\Program Files\

Threads: 2

Increments per th

Mode: Thread-safe

Expected count: 2

Static count: 200

Non-static total:

Absolute differen

Percentage differ

Process finished

Lab_Thread_Counter > outputs > TC2_safe.txt


8:29 CRLF UTF-8 4 spaces

25°C
Mostly clear

Search

ENG
UK

2:50 AM
10/11/2026



Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

☐ Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options Alt+M

java 25 SDK of 'Lab_T' AfifZaman_Thread

5 10000 true

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

☒ Open run/debug tool window when started

Edit configuration templates...

Run

OK

Close

Apply

Lab_Thread_Counter > outputs > TC3_safe.txt

8:29 CRLF UTF-8 4 spaces

25°C Mostly clear

Search

ENG UK

2:54 AM 10/11/2026

Project

TC2_unsafe_run

TC2_unsafe_run

TC2_unsafe_run

TC2_unsafe_run

TC3_safe.txt

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC4_safe.txt

TC4_unsafe_run

Run

ThreadCounterU

"C:\Program Files

Threads: 5

Increments per th

Mode: Unsafe

Expected count: 5

Static count: 331

Non-static total:

Absolute differen

Percentage differ

Process finished

Run/Debug Configurations

+

-

📄

⬇️

Application

ThreadCounterUnsafe

Name:

ThreadCounterUnsafe

Store as project file

Run on:

Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

Alt+M

java 25 SDK of 'Lab_T

AfifZaman_Thread

5 10000 false

Press Alt for field hints

Working directory:

D:\JAVA\Lab_Thread_Counter

Environment variables:

Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Run

OK

Cancel

Apply

Lab_Thread_Counter > outputs > TC3_unsafe_run5.txt

9:1 CRLF UTF-8 4 spaces

25°C Mostly clear

Search

ENG UK

2:57 AM 10/11/2026

Project

TC2_unsafe_run

TC2_unsafe_run

TC2_unsafe_run

TC2_unsafe_run

TC3_safe.txt

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC4_safe.txt

TC4_unsafe_run

Run

ThreadCounterU

"C:\Program Files

Threads: 5

Increments per th

Mode: Unsafe

Expected count: 5

Static count: 331

Non-static total:

Absolute differen

Percentage differ

Process finished

Run/Debug Configurations

+

-

📄

⬇️

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

Alt+M

java 25 SDK of 'Lab_T

AfifZaman_Thread

10 50000 true

CLI arguments to your application. Alt+R

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Run

OK

Cancel

Apply

TC4_safe.txt

Performance

Lab_Thread_Counter > outputs > TC4_safe.txt

8:29 CRLF UTF-8 4 spaces

25°C Mostly clear

Search

ENG UK

2:59 AM 10/11/2026

Project

TC2_unsafe_run

TC2_unsafe_run

TC2_unsafe_run

TC2_unsafe_run

TC3_safe.txt

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC3_unsafe_run

TC4_safe.txt

TC4_unsafe_run

Run

ThreadCounterU

"C:\Program Files

Threads: 10

Increments per th

Mode: Thread-safe

Expected count: 5

Static count: 500

Non-static total:

Absolute differen

Percentage differ

Process finished

Run/Debug Configurations

+

-

📄

📁

⬇️

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

java 25 SDK of 'Lab_T' AfifZaman_Thread

10 50000 false

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Run

OK

Close

Apply


Lab_Thread_Counter > outputs > TC4_safe.txt

25°C Mostly clear

Search

ENG UK

3:00 AM 10/11/2026



Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

☐ Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options Alt+M

java 25 SDK of 'Lab_T'

AfifZaman_Thread

20 50000 true

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Edit configuration templates...

Run

OK

Close

Apply

Lab_Thread_Counter > outputs > TC5_safe.txt

8:29 CRLF UTF-8 4 spaces

26°C Mostly clear

Search

ENG UK

3:03 AM 10/11/2026

Project

TC4_unsafe_run

TC4_unsafe_run

TC4_unsafe_run

TC4_unsafe_run

TC5_safe.txt

TC5_unsafe_run

TC5_unsafe_run

TC5_unsafe_run

TC5_unsafe_run

TC5_unsafe_run

TC6_safe.txt

TC6_unsafe_run

Run

ThreadCounterU

"C:\Program Files
Threads: 20
Increments per th
Mode: Unsafe
Expected count: 1
Static count: 306
Non-static total:
Absolute differen
Percentage differ
Process finished

Run/Debug Configurations

+

-

📄

⬇️

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

java 25 SDK of 'Lab_T' AfifZaman_Thread

20 50000 false

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Run OK Cancel Apply

Lab_Thread_Counter > outputs > TC5_unsafe_run5.txt


8:30 CRLF UTF-8 4 spaces

26°C Mostly clear

Search

ENG UK

3:06 AM 10/11/2026



Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

java 25 SDK of 'Lab_T'

AfifZaman_Thread

50 50000 true

CLI arguments to your application. Alt+R

Working directory:

D:\JAVA\Lab_Thread_Counter

Environment variables:

Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Edit configuration templates...

Run

OK

Cancel

Apply

Project

- TC4_unsafe_run
- TC4_unsafe_run
- TC4_unsafe_run
- TC4_unsafe_run
- TC5_safe.txt
- TC5_unsafe_run
- TC5_unsafe_run
- TC5_unsafe_run
- TC5_unsafe_run
- TC5_unsafe_run
- TC6_safe.txt
- TC6_unsafe_run

Run ThreadCounterU

"C:\Program Files

Threads: 20
Increments per th
Mode: Unsafe
Expected count: 1
Static count: 306
Non-static total:
Absolute differen
Percentage differ

Process finished


9:1 CRLF UTF-8 4 spaces

26°C
Mostly clear

Search

ENG
UK

3:07 AM
10/11/2026



Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options

java 25 SDK of 'Lab_T' AfifZaman_Thread

50 50000 false

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started

Edit configuration templates...

Run

OK

Close

Apply

Project

TC5_unsafe_run

TC5_unsafe_run

TC5_unsafe_run

TC5_unsafe_run

TC6_safe.txt

TC6_unsafe_run

TC6_unsafe_run

TC6_unsafe_run

TC6_unsafe_run

TC6_unsafe_run

TC6_unsafe_run

TC7_safe.txt

TC7_unsafe_run

Run ThreadCounterU

C:\Program Files

Threads: 50

Increments per th

Mode: Thread-safe

Expected count: 2

Static count: 250

Non-static total:

Absolute differen

Percentage differ

Process finished

Lab_Thread_Counter

outputs

TC6_unsafe_run1.txt

26°C

Mostly clear


Search

8:30 CRLF UTF-8 4 spaces

ENG UK

3:07 AM

10/11/2026



Run/Debug Configurations

Application

ThreadCounterUnsafe

Name: ThreadCounterUnsafe

☐ Store as project file

Run on: Local machine

Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options Alt+M

java 25 SDK of 'Lab_T' AfifZaman_Thread

100 50000 true

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

☒ Open run/debug tool window when started

Edit configuration templates...

Run

OK

Close

Apply

Process finished

Lab_Thread_Counter > outputs > TC7_safe.txt

8:29 CRLF UTF-8 4 spaces

26°C
Mostly clear

Search

ENG
UK

3:10 AM
10/11/2026

Project ▾

- TC7_unsafe_run1.txt
- TC7_unsafe_run1.txt
- TC7_unsafe_run1.txt
- TC7_unsafe_run1.txt
- TC7_unsafe_run1.txt
- src 100% classes, 7
- .gitignore
- Lab_Thread_Count
- External Libraries
- Scratches and Console

Run ThreadCounterUnsa

"C:\Program Files
Threads: 100
Increments per th
Mode: Thread-safe
Expected count: 5
Static count: 500
Non-static total:
Absolute differen
Percentage differ

Process finished

Run/Debug Configurations

Application

- ThreadCounterUnsafe

Name: ThreadCounterUnsafe

Run on: Local machine Manage targets...

Run configurations may be executed locally or on a target: for example, in a Docker Container or on a remote host using SSH.

Modify options ▾ Alt+M

java 25 SDK of 'Lab_T AfifZaman_Thread

100 50000 false

Press Alt for field hints

Working directory: D:\JAVA\Lab_Thread_Counter

Environment variables: Environment variables or .env files

Separate variables with semicolon: VAR=value; VAR1=value1

Open run/debug tool window when started ×

Run OK Close Apply

Edit configuration templates...

Lab_Thread_Counter > outputs > TC7_unsafe_run1.txt

26°C Mostly clear

Search

8:30 CRLF UTF-8 4 spaces

ENG UK

3:11 AM 10/11/2026