

LAB 1 • DETAILED STEP-BY-STEP GUIDE

Claims Intake App

Build a working takaful claims intake app on Microsoft 365 in 90 minutes — from SharePoint list to mobile-ready master-detail layout, (optionally) with an AI-powered document scanner.

DURATION 90 minutes	DIFFICULTY Beginner-friendly	OUTPUT Mobile-ready app
AUDIENCE Takaful ops staff	TOOLS Power Apps • SharePoint • AI Builder	CODING None required

WHAT YOU WILL BUILD

By the end of this lab you will have a functioning Power App with a single responsive screen that shows all submitted claims in a sidebar list, lets the agent select or create a claim, and edits it in the right pane — all driven by a SharePoint list. The form will use AI Builder to scan an identity document or policy card and auto-fill several fields, saving claimants from typing the same details that already exist on paper.

TWO APP TEMPLATES — PICK THE RIGHT PATH

Power Apps now generates a single-screen master-detail layout when you start from data — one MainScreen1 containing a sidebar gallery and a right-hand form pane, managed by state variables.

If your version generated three separate screens (BrowseScreen1, DetailScreen1, EditScreen1), you're on the older template. The data-layer steps (Parts 0, 1, 6, 7, 8, 10) still apply, but Parts 3–5 will look slightly different. Check 'Working with the legacy three-screen template' in Part 8.

What's in this guide

Work through the parts in order. Each part is self-contained and ends with a verification checkpoint.

Part	Topic	Time
0	Before you begin — pre-flight checks and what to have open	5 min
1	Build the SharePoint list (your data layer)	15 min
2	Generate the Power App and tour the new template	10 min
3	Customize the sidebar (claims list)	15 min
4	Customize the form pane	20 min
5	Polish the submit experience	10 min
6	Add the AI Builder document scanner	10 min
7	Polish, publish and test on mobile	5 min
8	Troubleshooting reference	as needed
9	Stretch goals (optional)	post-workshop
10	Self-check before you call it done	5 min

HOW TO USE THIS GUIDE

Every Power Fx formula and SharePoint setting is written out exactly as you should type it. Copy them rather than retyping where possible — even one stray space breaks a formula.

Verification checkpoints at the end of each part tell you what you should be able to see or do before moving on. If you can't tick the checkpoint, fix it before continuing — later parts depend on it.

Part 0 — Before you begin

Five-minute pre-flight check. Skip nothing here; the labs depend on it.

Confirm your access

Before opening anything else, confirm you can sign in to all three properties. If any are blocked, raise it with the facilitator NOW, not later.

1. Sign in to office.com with your organisation's account. You should see the Microsoft 365 app launcher.
2. Open a new tab and go to make.powerapps.com. You should see a list of environments in the top right.
3. Open a new tab and go to make.powerautomate.com. You'll need this later in Lab 2.
4. Open SharePoint from the M365 app launcher. You should see at least one site you have permission to edit.

Pick the right environment

Power Apps environments are separate containers — what you build in one isn't visible in another. Most organisations have a 'Default' environment that's safe for the workshop. Confirm you're in it before you create anything.

1. In Power Apps, look at the top-right environment selector.
2. If you see multiple environments, pick the one labelled **Default** or the one the facilitator named.
3. Anything you build will live in this environment. Don't switch later.

Have these tabs open

- SharePoint site (where you'll create the list)
- Power Apps maker portal — make.powerapps.com
- This guide
- Sample data file (provided by the facilitator) — for the AI Builder step

COMMON STUMBLE

If office.com loads but make.powerapps.com gives you a 'no licence' message, you do not have a Power Apps licence assigned. Stop here — pair with someone who does. The labs cannot proceed without it.

Verify Part 0

BEFORE MOVING ON

- ✓ You can sign in to office.com.
- ✓ make.powerapps.com loads without a licence error.
- ✓ You know which environment you're working in.
- ✓ You have a SharePoint site you can create lists in.

Part 1 — Build the SharePoint list

Your app needs somewhere to put the data. We start with the data layer because the app generator works best when it has data to inspect.

Step 1.1 — Open your SharePoint site

1. From **office.com**, click the app launcher (waffle icon, top left) and choose **SharePoint**.
2. Pick the site you'll use for the workshop. If you don't have one, click **+ Create site**, choose **Team site**, name it **Takaful Workshop**, and finish the wizard.
3. Copy the site URL from your browser's address bar. It should look like:

```
https://yourcompany.sharepoint.com/sites/TakafulWorkshop
```

4. Paste this URL somewhere you can grab it later — you'll need it in Part 2.

Step 1.2 — Create the list

1. On the site's home page, click **+ New → List**.
2. Choose **Blank list**.
3. Name: **TakafulClaims**
4. Description (optional): **Workshop list – claims intake**
5. Toggle **Show in site navigation** on so you can find it again.
6. Click **Create**. You should land on an empty list with one default column called Title.

Step 1.3 — Add the columns

You'll add seven columns. For each one, click **+ Add column**, pick the type from the table below, name it exactly as shown, then configure the settings.

Column name	Type	Settings
ClaimantName	Single line of text	Required: Yes. Max length: 100.
CertificateNo	Single line of text	Required: Yes. Max length: 50.
ClaimType	Choice	Choices: Medical, Motor, Family, Other. Default: Medical. Required: Yes.
IncidentDate	Date and time	Format: Date only. Default: Today's date. Required: Yes.
ClaimAmount	Currency	Currency: RM (Malaysian Ringgit). Min: 0. Default: 0. Required: Yes.
Description	Multiple lines	Plain text (not rich). Number of lines for editing: 6.

Column name	Type	Settings
Status	Choice	Choices: Submitted, Under Review, Approved, Rejected. Default: Submitted. Required: Yes.

COLUMN-NAME DISCIPLINE

Use the exact names shown — no spaces, no special characters. Power Apps generates field references from these names; renaming them later breaks every formula you've written.

If you accidentally type a space, delete the column and recreate it. Editing the name keeps the original internal identifier with the space — it stays broken under the surface.

Step 1.4 — Rename the default Title column

SharePoint's default Title column is still there and is still mandatory. You'll repurpose it as a quick-reference field so it doesn't get in the way.

1. Click the **Title** column header → **Column settings** → **Rename**.
2. Rename it to: **ClaimRef**
3. Open Column settings again → **Edit** → make it NOT required.
4. You can hide it from the default view if you like (Settings → List settings → Views → All Items → uncheck ClaimRef).

Step 1.5 — Confirm attachments are enabled

SharePoint attachments are how Power Apps will let claimants attach evidence (photos, receipts, documents).

1. From the list, click the gear icon (top right) → **List settings**.
2. Under **General settings**, click **Advanced settings**.
3. Confirm **Attachments to list items are** is set to **Enabled**. Save.

Step 1.6 — Add three sample records

Adding sample data now means the app's gallery will have something to show when you generate it. Without sample data, the auto-generated app shows an empty screen and looks broken.

ClaimantName	CertificateNo	ClaimType	Incident	Amount	Description
Ahmad Yusof	CERT-001	Medical	12/05/2026	1,200.00	Hospital visit, KL
Siti Nabilah	CERT-002	Motor	08/05/2026	8,500.00	Minor accident, Penang
Razali Hashim	CERT-003	Family	30/04/2026	25,000.00	Funeral expenses

Set Status = Submitted for all three. Leave ClaimRef empty (or type any short reference).

Verify Part 1

BEFORE MOVING ON

- ✓ The list is named exactly 'Takaful Claims Intake'.
- ✓ All seven columns exist with the exact spelling above.
- ✓ At least three sample records are visible.
- ✓ You have the SharePoint site URL noted down.

Part 2 — Generate the Power App

Power Apps will inspect your list and hand you a working master-detail starter app in under a minute. Modern tenants generate a single-screen layout; older ones still generate three separate screens.

Step 2.1 — Start a new app from data

1. Go to `make.powerapps.com`.
2. Confirm the environment selector (top right) shows the environment you chose in Part 0.
3. In the left navigation, click **+ Create**.
4. Choose the **SharePoint** tile (sometimes shown under 'Start from data' or 'Start with a template'). The exact label varies by tenant version.
5. If prompted, pick the SharePoint connection associated with your account. If multiple connections exist, use the one that matches your sign-in email.

CONNECTION MISMATCH

If Power Apps offers more than one SharePoint connection, pick the same one every time. Multiple connections look identical but each has its own auth — using a different one later causes 'no data' errors that are very hard to diagnose.

Step 2.2 — Connect to your list

1. Paste your SharePoint site URL into the **Choose a SharePoint site** field and click **Connect**.
2. From the list of lists shown, tick **Takaful Claims Intake**.
3. Click **Connect**. Power Apps will spend about 30 seconds generating the app.

Step 2.3 — Tour the generated app

Power Apps generates a single screen called `MainScreen1` with a two-pane layout. The names and structure are consistent across tenants; only the exact numeric suffixes may differ.

The high-level layout

- Top blue bar — `TableNameLabel1` — shows the data source name.
- Left sidebar — `SidebarContainer1` — search box, an 'Add new' button, and the records gallery.
- Right pane — `RightContainer1` — action icons (back, save, cancel, edit, delete) and the form for the selected record.
- On phones, only one pane shows at a time — the right pane appears when an item is selected or being created.

Key controls you'll work with

Control	Lives in	Purpose
TableNameLabel1	Top header bar	App title text
SearchInput1	Sidebar	Live search filter for the gallery
NewRecordAddIcon1	Sidebar	The + icon that starts a new claim
RecordsGallery1	Sidebar	Vertical list of all claims
SelectedRecordTitle1	Right header	Title shown above the form
SubmitFormButton1	Right header	Check icon — submits the form
ResetFormButton1	Right header	Cancel icon — discards changes
EditIconButton1	Right header	Pencil icon — enters edit mode
DeleteIconButton1	Right header	Trash icon — opens the delete dialog
Form1	Right pane	The form, with one DataCard per column

STATE IS MANAGED BY CONTEXT VARIABLES, NOT NAVIGATION

Instead of moving between screens, the new template uses four context variables to flip panels on and off:

newMode — true when a new claim is being created.

editMode — true when an existing claim is being edited.

itemSelected — true when an item is selected in the gallery.

deleteMode — true when the delete-confirmation dialog is showing.

Power Apps sets these for you when the user taps the + icon, the pencil icon, etc. You'll only edit them when you wire validation or a custom button.

Step 2.4 — Save with a clear name

1. Press **Ctrl + S** (or **Cmd + S** on Mac).
2. Name the app: **Claims Intake – [Your Name]** (replace [Your Name] with yours so you can find it in the maker portal later).
3. Click **Save**. Power Apps will keep auto-saving every few minutes after this.

Step 2.5 — Test the generated app once

1. Click the **Play** arrow (top-right) to run the app in preview mode.
2. Confirm you can see your three sample claims in the sidebar gallery.
3. Click one — the right pane fills with that claim's data in view mode.
4. Click the pencil icon to enter edit mode; click cancel (X) to back out.
5. Click **+ Add new** — the right pane switches to a blank form (newMode = true).
6. Don't submit anything yet — close the preview with the X.

Verify Part 2

BEFORE MOVING ON

- ✓ The app is saved with your name in the title.
- ✓ The sidebar shows three sample claims.
- ✓ Clicking a claim shows its data in the right pane.
- ✓ The pencil icon enters edit mode; the + icon opens a blank new form.

Part 3 — Customize the sidebar (claims list)

The sidebar contains the search box, an add-new button, and the records gallery. We'll tune all three for a takaful audience.

Step 3.1 — Set the top-bar header text

1. In the Tree view (left panel), expand `MainScreen1` → `ScreenContainer1` → `TableNameContainer1` and click `TableNameLabel1`.
2. In the right panel, find the **Text** property.
3. Change it to:

POWER FX — TEXT

"Takaful Claims • Agent View"

THE BLUE BAR IS ONE BIG LABEL

`TableNameLabel1` is a Label with a blue Fill that runs the full width of the header. Change its Text to set the app's headline. Change its Fill to re-brand the bar (e.g. a deep teal to match your operator's brand).

Step 3.2 — Tune the gallery's data

By default the gallery uses `Search()` with the SharePoint Title column as the search target. We'll switch it to search by `ClaimantName` and sort newest-first.

1. In the Tree view, find `RecordsGallery1` (inside `SidebarContainer1`).
2. Click it. Find its **Items** property and replace the formula with:

POWER FX — ITEMS

```
SortByColumns(  
  Search(  
    'TakafulClaims',  
    SearchInput1.Text,  
    ClaimantName  
  ),  
  "Modified",  
  SortOrder.Descending  
)
```

The search box (`SearchInput1`) above the gallery now filters live as you type a claimant's name, and the newest claims appear at the top.

Step 3.3 — Configure the three gallery labels

Each row in the gallery has three text labels by default. Click each label inside the first row of the gallery (it will auto-apply to every row) and set its Text property.

1. Click the largest label in a gallery row — it should be named **Title1**. Set its Text:

```
ThisItem.ClaimantName
```

2. Click the second label, **Subtitle1**. Set its Text:

```
ThisItem.CertificateNo & " • " & ThisItem.ClaimType.Value
```

3. Click the third label, **Body1** (the smallest). Set its Text:

```
Text(ThisItem.ClaimAmount, "RM#,##0.00")
```

CHOICE COLUMNS HAVE A .VALUE

ClaimType and Status are SharePoint Choice columns. Their text value is accessed with `.Value` (e.g. `ThisItem.ClaimType.Value`). Forgetting the `.Value` is the most common Power Fx mistake — you'll see a 'Record' shown in the label instead of the text.

Step 3.4 — Add a colour-coded status pill

Add a small coloured pill to each gallery row showing the claim's current status.

1. Click anywhere inside the first row of **RecordsGallery1** to make the gallery row active.
2. Insert → Label. A new Label appears in the first row of the gallery (and replicates to every row automatically).
3. Rename it to **lblStatusPill**.
4. Position it just left of **NextArrow1** (the chevron at the end of each row). Drag or set X to about 250 and Y so it sits vertically centred in the row.
5. Size: width 110, height 28.
6. Set the following properties:

POWER FX — TEXT

```
ThisItem.Status.Value
```

POWER FX — FILL

```
Switch(  
  ThisItem.Status.Value,  
  "Submitted",    RGBA(11, 79, 74, 1),  
  "Under Review", RGBA(212, 162, 76, 1),  
  "Approved",     RGBA(42, 157, 143, 1),  
  "Rejected",     RGBA(180, 80, 80, 1),  
  RGBA(107, 123, 121, 1)  
)
```

OTHER PROPERTIES

```
Color          = White  
Align          = Center  
Size           = 11  
BorderThickness = 0
```

Step 3.5 — The new-claim button

The + icon in the sidebar (NewRecordAddIcon1) is already wired correctly — it runs `NewForm(Form1); UpdateContext({ newMode: true })` when clicked. Take a look to confirm, but you don't need to change it.

1. Click **NewRecordAddIcon1** in the Tree view.
2. Confirm **OnSelect** reads:

```
NewForm(Form1);  
UpdateContext({ newMode: true })
```

3. Optionally, click **NewRecordLabel1** and set its Text to "Add new claim".

Step 3.6 — Preview

Press Play. You should now see:

- A clean header bar that says 'Takaful Claims · Agent View'.
- The sidebar with three claim rows, each showing name, certificate + type, and amount in RM.
- A coloured status pill on each row (teal for Submitted, gold for Under Review, green for Approved).
- The search box at the top of the sidebar filters live as you type a name.
- The + Add new claim button is visible above the search box.

Verify Part 3

BEFORE MOVING ON

- ✓ The header bar text is updated.
- ✓ Gallery sorts newest-first and filters by ClaimantName.
- ✓ Three labels per row show name, cert + type, and amount in RM.
- ✓ Status pill colour matches the status of each row.
- ✓ The + icon opens a blank form in newMode.

Part 4 — Customize the form pane

The right pane holds the form and a row of action icons. We'll lock down the Status field, reorder the form, add validation, and customise the header title.

Step 4.1 — Make the header title context-aware

By default SelectedRecordTitle1 always shows the SharePoint Title (ClaimRef) column. We'll change it to say 'New claim' in newMode, 'Edit claim' in editMode, and the claimant's name when viewing.

1. Click **SelectedRecordTitle1** in the Tree view.
2. Change its **Text** property to:

POWER FX — TEXT

```
If(
    newMode, "New claim",
    editMode, "Edit: " & RecordsGallery1.Selected.ClaimantName,
    RecordsGallery1.Selected.ClaimantName
)
```

Step 4.2 — Configure the form's fields

By default Power Apps puts every column on the form. We don't want users editing Status — that should always start as 'Submitted' for new claims. We also want a sensible field order.

1. Click **Form1** in the Tree view.
2. In the right panel, click **Edit fields**.
3. Remove these fields from the form: **Status**, **ClaimRef**.
4. Drag the remaining fields into this order, top-to-bottom:
 - ClaimantName
 - CertificateNo
 - ClaimType
 - IncidentDate
 - ClaimAmount
 - Description
 - Attachments (at the bottom)

DATA CARD NAMES IN THE NEW TEMPLATE

The new template uses readable data card names like ClaimantName_DataCard1, CertificateNo_DataCard1, and so on — one per column. The inner control inside each card (the actual text box, number box, or date picker) is still named DataCardValueN with a numeric suffix. Click the inner control to find its exact name; you'll need it for the validation formula in Step 4.4.

Step 4.3 — Set sensible defaults

Inside each data card, find the inner control and set its Default property as listed below. To unlock a data card for editing: click the data card → in the right panel, click the unlock icon next to 'Advanced'.

Field	Default value (Power Fx)
IncidentDate	Today()
ClaimAmount	0
ClaimType	{Value: "Medical"}

Step 4.4 — Add validation to the submit button

SubmitFormButton1 (the check icon in the right-pane header) currently has OnSelect = SubmitForm(Form1). We'll add validation so users can't submit a half-empty form.

1. Click **SubmitFormButton1** in the Tree view (it's the check icon, visible only when editMode or newMode is true).
2. Replace its **OnSelect** property with:

POWER FX — ONSELECT

```
If(
    IsBlank(DataCardValue2.Text) ||
    IsBlank(DataCardValue3.Text) ||
    Value(DataCardValue6.Text) <= 0,
    Notify(
        "Please fill in claimant, certificate and a positive amount.",
        NotificationType.Warning
    ),
    SubmitForm(Form1)
)
```

REPLACE PLACEHOLDERS WITH YOUR ACTUAL INNER-CONTROL NAMES

DataCardValue_ClaimantName, DataCardValue_CertificateNo, and DataCardValue_ClaimAmount above are placeholders. Your actual controls are named DataCardValueN where N is a number. Click into each data card, click the inner control, and copy its real name from the right panel. The formula bar's Intellisense will help — it suggests valid names as you type 'DataCardValue'.

Tip: rename the inner controls to readable names (ClaimantNameInput, CertificateNoInput, ClaimAmountInput) BEFORE writing the formula. Power Apps updates references for you when you rename.

Step 4.5 — Enhance the form's OnSuccess

Form1.OnSuccess is already wired to exit edit/new mode after a successful submit. We'll enhance it to show a success toast and pre-select the new record in the gallery.

1. Click Form1 in the Tree view.
2. Replace its **OnSuccess** property with:

POWER FX — ONSUCCESS

```
UpdateContext({
    CurrentItem: Self.LastSubmit,
    editMode: false,
    newMode: false,
    itemSelected: true
});
Notify(
    "Claim submitted successfully.",
    NotificationType.Success
)
```

Step 4.6 — Verify the cancel button

ResetFormButton1 (the X icon in the right-pane header) already resets the form and clears editMode and newMode. Take a look to confirm — no change needed.

POWER FX — ONSELECT (ALREADY WIRED)

```
ResetForm(Form1);
UpdateContext({ editMode: false, newMode: false })
```

Verify Part 4

BEFORE MOVING ON

- ✓ The right-pane title changes based on mode (New claim / Edit: name / claim name).
- ✓ Form fields appear in the correct order; Status and ClaimRef are removed from the form.
- ✓ IncidentDate defaults to today; ClaimAmount defaults to 0.
- ✓ Tapping submit on an empty form shows a warning toast.
- ✓ A successful submit shows a green 'Claim submitted successfully' toast and returns to view mode.
- ✓ The cancel (X) icon resets the form and returns to view mode.

Part 5 — Polish the submit experience

In the new single-screen template the form returns directly to view mode after a successful submit — no separate confirmation screen needed. We'll polish that moment with a clearer visual confirmation.

Step 5.1 — Add a success overlay (optional but nice)

Power Apps' Notify() toast is a good baseline confirmation, but it disappears after a few seconds. For a more visible 'claim received' moment, add a temporary overlay container that appears for two seconds after a successful submit.

1. Add a context variable to track the success state. Click **App** in the Tree view. Set its **OnStart** property:

POWER FX — APP.ONSTART

```
Set(showSuccessOverlay, false)
```

2. Insert a new Container on top of **RightContainer1**. Name it **SuccessOverlay**.

3. Set its properties:

SUCCESSOVERLAY PROPERTIES

```
Fill      = RGBA(244, 248, 247, 0.95)
X         = RightContainer1.X
Y         = RightContainer1.Y
Width     = RightContainer1.Width
Height    = RightContainer1.Height
```

4. Inside the container, add a Check icon centred at about 30% from the top, size 120, color **RGBA(42, 157, 143, 1)**.
5. Below the icon, add a Label with Text "Claim submitted", size 32, bold, color **RGBA(11, 79, 74, 1)**, align center.
6. Below that label, add a smaller subtitle Label: "We've received your submission. A reviewer will contact you shortly."

Step 5.2 — Show the overlay on submit, hide after a delay

1. Update **Form1**'s **OnSuccess** to ALSO toggle the overlay:

POWER FX — FORM1.ONSUCCESS (UPDATED)

```
UpdateContext({
    CurrentItem: Self.LastSubmit,
    editMode: false,
    newMode: false,
    itemSelected: true
});
Set(showSuccessOverlay, true);
Notify("Claim submitted successfully.", NotificationType.Success)
```

2. Insert a Timer control. Name it **OverlayTimer**. Set:

OVERLAYTIMER PROPERTIES

```
Duration      = 2000          (2 seconds)
Start         = showSuccessOverlay
AutoStart     = false
Visible       = false
OnTimerEnd    = Set(showSuccessOverlay, false); Reset(OverlayTimer)
```

WHY A TIMER INSTEAD OF JUST NOTIFY

Notify() works but feels lightweight. A 2-second full-pane overlay with a large tick icon gives the user clear, satisfying feedback that something happened — especially important on mobile where Notify toasts can be missed.

If you skip this step, the Notify toast from Part 4.5 still works fine. The overlay is polish, not essential.

Step 5.3 — Test the full submit flow

1. Press Play.
2. Click **+ Add new claim** in the sidebar.
3. Fill in a test claim and click the submit (check) icon.
4. You should see: green tick overlay for 3 seconds, then the form returns to view mode with the new claim selected.
5. The new claim now appears at the top of the sidebar gallery (sorted newest-first).
6. Open SharePoint in another tab and confirm the row exists there too.

Verify Part 5

BEFORE MOVING ON

- ✓ Submitting a form shows a green tick overlay for ~3 seconds.
- ✓ The form returns to view mode automatically after the overlay closes.
- ✓ The new claim appears at the top of the sidebar and in the SharePoint list.
- ✓ The new claim's Status is 'Submitted' (the default from the list).

Part 6 — Add the AI Builder document scanner

Auto-fill the claimant name and certificate number from a photograph of an identity card or policy document, so claimants don't have to retype what's already printed in front of them.

TENANT PREREQUISITE

AI Builder requires an AI Builder credit allocation in your environment. If your Insert menu does not show 'AI Builder', your tenant is not licensed for it. Skip to Part 7 and capture this as a stretch goal.

AI Builder daily credits are limited. If you hit the limit mid-lab, stop testing — don't lose momentum debugging credits.

Step 6.1 — Insert the AI Builder control

1. Open MainScreen1.
2. In the Tree view, click **MainContainer1** (inside RightContainer1) — that's where the form lives.
3. Insert → AI Builder. The exact entry depends on your tenant. Pick one of:
 - Form processor — for a custom model trained on takaful policy or claim documents (best result if available).
 - Business card reader — universally available; extracts a Name field that we can use for ClaimantName.
 - Text recogniser — fallback; extracts raw text we can scan for cert numbers.
4. If you're using a custom Form processor model, choose the one the facilitator named.
5. Power Apps drops the control inside MainContainer1. Drag it above Form1 so it sits between the right-pane header and the form.
6. Set its **Visible** property so it only appears when a new claim is being created:

POWER FX — VISIBLE

newMode

Step 6.2 — Wire the recognized fields into the form

Most AI Builder controls expose the recognized values via a .Results or .Fields collection. The exact property path depends on which control you used.

If you used the Business card reader

1. In the form, click the **ClaimantName** data card.
2. Find the inner Text Input control (usually **DataCardValue_ClaimantName**) and set its **Default** property to:

POWER FX — DEFAULT

```
If(IsBlank(BusinessCardReader1.FullName), Parent.Default,  
BusinessCardReader1.FullName)
```

3. This means: if the AI hasn't scanned anything yet, use the original default; otherwise use the scanned name.

If you used a custom Form processor

1. Find out the exact field names your model returns. Click the AI Builder control and look at the **Output** sample in the right panel.
2. Wire each field similarly. For example, if the model returns a field called **PolicyHolderName**:

POWER FX — DEFAULT (CLAIMANTNAME)

```
If(  
    IsBlank(FormProcessor1.Fields.PolicyHolderName.Value),  
    Parent.Default,  
    FormProcessor1.Fields.PolicyHolderName.Value  
)
```

3. And for CertificateNo, if the model returns **CertificateNumber**:

```
If(  
    IsBlank(FormProcessor1.Fields.CertificateNumber.Value),  
    Parent.Default,  
    FormProcessor1.Fields.CertificateNumber.Value  
)
```

Step 6.3 — Test the scan

1. Press Play.
2. Click **+ Add new claim** in the sidebar — **newMode** flips on and the AI Builder control becomes visible.
3. Click the AI Builder control and upload the sample document (provided in the workshop materials).
4. Wait 2-5 seconds. Confirm that ClaimantName (and CertificateNo if you wired it) auto-populate from the document.
5. Edit the values if the AI got something wrong — that's expected. The point is to save typing, not to skip review.

ALWAYS SHOW A CONFIDENCE INDICATOR

For real deployments, add a small label that shows the model's confidence score (most AI Builder controls expose a `.Confidence` property). If confidence is below 0.7, colour the label amber and add a 'please verify' note. This protects you from silently relying on a bad scan.

Verify Part 6

BEFORE MOVING ON

- ✓ The AI Builder control sits above Form1 in the right pane and only shows when newMode is true.
- ✓ Uploading a sample document populates at least one form field.
- ✓ You can still type over the auto-filled value if it's wrong.
- ✓ Submitting after a scan creates a row in SharePoint with the scanned data.

Part 7 — Polish, publish and test on mobile

Five minutes of finishing touches that turn 'a thing I built' into 'a thing my colleagues will actually use'.

Step 7.1 — Set the app icon and colour

1. File → Settings → **Icon + theme**.
2. Pick an icon (shield, document and clipboard are sensible for claims).
3. Pick a colour scheme that matches your operator's brand — or use the default teal.

Step 7.2 — Confirm the start screen

1. File → Settings → **General**.
2. Confirm **Start screen** is set to MainScreen1 (the only screen). If not, change it.
3. Set the app description: `Takaful claims intake – workshop build`

Step 7.3 — Save and publish

1. File → Save.
2. File → **Publish to all environments** (or **Publish this version** depending on your tenant). Confirm.
3. Until you publish, your changes are visible only to you in the maker portal. Publishing makes them visible to anyone you've shared the app with.

Step 7.4 — Share with one tester

1. From the maker portal, find your app in the Apps list.
2. Click **Share**.
3. Add one colleague's email. Permission level: **User** (not co-owner).
4. Important: also share the SharePoint list with the same colleague — the app's permissions and the data's permissions are separate.

Step 7.5 — Test on mobile

1. On your phone, install **Power Apps** (App Store / Play Store).
2. Sign in with the same account.
3. Your Claims Intake app should appear in the list. Open it.
4. Submit a test claim using your phone's camera to scan the sample document. This is the moment that sells the app to your team — capture a screen recording if you can.

Verify Part 7

BEFORE MOVING ON

- ✓ The app has a real icon and a meaningful description.
- ✓ It's published.
- ✓ One colleague has been added as a tester.
- ✓ The app runs and accepts submissions on mobile.

Part 8 — Troubleshooting reference

If something doesn't work as described, scan this table before raising your hand.

Symptom	Most likely cause and how to fix it
The gallery is empty even though there are records in SharePoint.	The Items formula is filtered or pointing to the wrong list. Click the gallery, check Items property — should reference 'Takaful Claims Intake'. Also check the SharePoint connection in View → Data sources.
I get 'Invalid argument type' on the SortByColumns formula.	You probably typed Modified without quotes. Column names inside SortByColumns must be in quotation marks: "Modified", not Modified.
My status pill is grey for every row.	You're missing .Value on a Choice column. Use ThisItem.Status.Value, not ThisItem.Status. The Switch function compares strings, and Status without .Value is a record, not a string.
Submit succeeds but the row doesn't appear in the sidebar gallery.	The gallery's Items formula caches. Pull-to-refresh inside the gallery, or add Refresh('Takaful Claims Intake') to Form1's OnSuccess just before the UpdateContext call.
The form looks broken on mobile — fields overlap.	You're designing in tablet layout. File → Settings → Screen size + orientation → Phone, Portrait. You may need to rebuild some screens — but for this lab the auto-generated app is already in phone layout.
AI Builder scan returns blank for everything.	The model's field names don't match what you typed. Click the AI Builder control, look at the Output sample, copy the exact field names from there.
My defaults aren't applying — the form opens with the previous record's data.	On the new single-screen template, the + button triggers NewForm(Form1); UpdateContext({ newMode: true }) — confirm both parts are present on NewRecordAddIcon1's OnSelect. Without UpdateContext({ newMode: true }), the form stays in view mode and defaults don't apply.
The new-claim icon doesn't navigate.	Check OnSelect on the icon, not on a container. Power Apps wraps icons in invisible containers — make sure you've selected the icon itself.
I see 'screen not found' errors.	You renamed a screen but haven't yet updated formulas that reference it. Use Edit → Find to locate stale references.
My published changes aren't showing for the colleague I shared with.	Did you Publish, not just Save? File → Save makes it work for you in the editor. File → Publish makes the latest version visible to everyone with access.

Symptom	Most likely cause and how to fix it
The right pane is blank when I click + Add new claim.	NewRecordAddIcon1's OnSelect must include both NewForm(Form1) AND UpdateContext({ newMode: true }). Without the UpdateContext, Form1 doesn't enter newMode and the form fields don't appear. Check the OnSelect formula matches Step 3.5.
On my phone, the sidebar disappears when I click a claim.	That's by design — the new template hides the sidebar on small screens whenever an item is selected or being created, so the form gets full width. The back-chevron icon (BackIconButton1) in the right-pane header returns to the list. Test on a wider browser window if you want to see both panes.
My status pill appears in only one row, not all rows.	You inserted the Label outside the gallery, not inside it. Delete it, click into the FIRST ROW of the gallery first, THEN Insert → Label. Power Apps replicates anything inside the first row to all other rows automatically.
Working with the legacy three-screen template.	If your Power Apps generated BrowseScreen1, DetailScreen1 and EditScreen1 separately, use Navigate() instead of UpdateContext for state changes. The data layer (Parts 0, 1), AI Builder (Part 6) and publish/test (Part 7) steps work the same. Refer to the previous version of this guide for the three-screen variants of Parts 3-5.

Part 9 — Stretch goals

Tackle these in your own time, after the workshop. Each one is small enough to ship within an afternoon.

Photo evidence capture

Add a Camera control inside MainContainer1 (above Form1, visible when newMode is true) so claimants can photograph receipts or accident scenes directly from their phone. Use the Camera control's OnSelect to add the captured image to a Collection, then patch the collection into the form's Attachments on submit.

Filter by status

Add a Dropdown above RecordsGallery1 in the sidebar with the four status values and an 'All' option. Update the gallery's Items to AND the search with a status filter.

POWER FX — ITEMS (EXTENDED)

```
SortByColumns(  
  Filter(  
    Search('Takaful Claims Intake', SearchInput1.Text, "ClaimantName"),  
    ddStatus.Selected.Value = "All" ||  
    Status.Value = ddStatus.Selected.Value  
  ),  
  "Modified",  
  Descending  
)
```

'My claims' view for end users

Add a second tab or screen that filters to only the current user's claims. Use User().Email as the comparison key — but first you'll need to add an Email column to the SharePoint list and capture it in the form.

SLA highlight

Add a small clock icon to each gallery row that turns red if the claim has been Submitted for more than 48 hours without progressing. Compute (Now() - ThisItem.Modified) in the icon's Visible property.

Customer notification

Use the Office 365 Outlook connector inside the form's OnSuccess to send a confirmation email to the claimant. Lab 2 covers a more robust version of this using Power Automate.

Part 10 — Self-check

Final checklist before you call this lab done. Tick each item; if any is missing, scroll back to the relevant part.

Data layer

- ☐ 'Takaful Claims Intake' SharePoint list exists with all seven columns.
- ☐ At least three sample records visible in the list.
- ☐ Attachments enabled on the list.

App structure

- ☐ App saved with my name in the title.
- ☐ MainScreen1 contains the sidebar (left) and right pane.
- ☐ Start screen set to MainScreen1.

Sidebar (claims list)

- ☐ Top bar reads 'Takaful Claims · Agent View'.
- ☐ Gallery sorts newest-first and filters live by ClaimantName.
- ☐ Three labels per row: name, certificate + type, amount in RM.
- ☐ Status pill is coloured according to status, replicated to every row.
- ☐ + Add new claim icon opens a blank form (newMode = true).

Form pane

- ☐ Right-pane title is context-aware (New claim / Edit: name / claim name).
- ☐ Form fields in the correct order; Status and ClaimRef removed from the form.
- ☐ IncidentDate defaults to today; ClaimAmount defaults to 0.
- ☐ Validation warns if required fields are blank or amount ≤ 0 .
- ☐ Form1.OnSuccess updates CurrentItem, exits edit/new mode, and shows a success Notify.
- ☐ Cancel (X) icon resets the form and exits edit/new mode.

Submit feedback

- ☐ A green Notify toast appears on successful submit.

- ☐ (Optional) A 3-second success overlay shows a large tick icon and 'Claim submitted' message.
- ☐ The new claim appears at the top of the sidebar gallery and in the SharePoint list.

AI Builder (if available)

- ☐ AI Builder control sits above Form1 in MainContainer1.
- ☐ Uploading a sample document populates at least one form field.
- ☐ The auto-filled value can still be edited before submission.

Production-ready

- ☐ App icon and description set.
- ☐ App is published, not just saved.
- ☐ Shared with at least one tester.
- ☐ Verified working on a mobile device.

IF EVERY BOX IS TICKED

You've built a working takaful claims intake app from scratch in 90 minutes. Take a screen recording of the mobile submission — it's the single most persuasive artefact you can carry into your next conversation with a manager or compliance lead.

Move on to Lab 2 (Power Automate) to add the approval workflow that fires when this app submits a claim.