Nama : Afina Putri Dayanti

NIM : 825200049

Jurusan : Sistem Informasi Mata Kuliah : Applied Statistics

1. Selesaikan linear program berikut ini dengan metode Simplex

Maksimumkan $Z = 400X_1 + 300X_2$

Fungsi kendala/ batasan:


1) $4X_1 + 6X_2 \le 1200$

2) $4X_1 + 2X_2 \le 800$

3) $X_1 \leq 250$

4) $X_2 \leq 300$


					,				2 1200		
* 441	. + . 6	rez =	1200			ne, t	- 67e	2 + S2			
					*> A		*				
* les					4	. 41	7	er + su	= 250		
. *											
Var Dir	Z	re,	lez	2,	Sz	23	P2	NK	inde x		
Z	1	-400	-300	0	0	Ü	0				
 	0	4	6	1	0	0	0	1200	300		
 									and the same of th		
10,	o	(9)	2	0	1	0	6	800	200	-	
	0				Ö	1	0		250		
 , Z3		1	0	0				250	230		
	0	0		0	0	0	i	300	~		
ν2		1000									
						i ar		Kunci			




lar. Osr	Z	re.	162	, S.	. 25	53	Su.	NK.	inde x	
ż	1	Ö	-100	Ö	100	0	0	80.000	- 300	 (
W2	0	Ö	4	i	4	6	o	400	100	
il.	0		1/2	0	1/4	0	0	200	400	
23	0	Ö	-1/2	0	-1/4	1	0	20	-100	
2q	0	· ·	1	ó	Ö	0		300	300	

										7				
*	bane Z													
	barrs lama			[O	-100	O	100	0	0	[000.08				
	NBBK		- 100		i	1/4	Mu	0	O	1007				
	barrs barn		-	0	0	25	- 25	0	. 0	90.000				
														.0
	barrs lei													
				ri	· Vo		1/4	0		2007				
	bans lama		14	+ .		id.	-11.	0	. 0	1007				
	NBBK		71	10	1	· įu	74	-	0		. 77			 . 0
	bans ban.			. 1	. 0	- 1/8	-3/8	0		100				
XI.	bano Ss.													 !
	bans lang.			0 1	-1/2	0	-1/4	7	0	-20]				 . 0
	NBBIC		- 1/2	I O	1	1/4	-1//4	.0.	0	100]	_			
	baris bar			0	0	1/8	-3/8	1	0	100				
*	barry Sq													
	barrs lama			10	13	0	0	0	i	300 7				
	NEBIC		i	To	,	i/u	- Vu	-0	Ö	1007	1. 1.			 0
	bans ban	. 6	-	0	0	-1/4	1/4	0	1	200		-		
	ann ano					/4								 .0
														 .0
	161	. :	120) .										 . 4
														 .0
	Z ma	× :	90	.00)								 	 -

	DAYANTI - 825200049		400	300	0	0	0	0
Cj	Basic Variables	Quantity	X1	X2	slack 1	slack 2	slack 3	slack 4
Iteration 1								
0	slack 1	1,200	4	6	1	0	0	0
0	slack 2	800	4	2	0	1	0	0
0	slack 3	250	1	0	0	0	1	0
0	slack 4	300	0	1	0	0	0	1
	Zj	0	0	0	0	0	0	0
	cj-zj		400	300	0	0	0	0
Iteration 2								
0	slack 1	400	0	4	1	-1	0	0
400	X1	200	1	0.5	0	0.25	0	0
0	slack 3	50	0	-0.5	0	-0.25	1	0
0	slack 4	300	0	1	0	0	0	1
	Zj	80,000	400	200	0	100	0	0
	cj-zj		0	100	0	-100	0	0
	-1-3							
Iteration 3								
300	X2	100	0	1	0.25	-0.25	0	0
400	X1	150	1	0	-0.125	0.375	0	0
0	slack 3	100	0	0	0.125	-0.375	1	0
0	slack 4	200	0	0	-0.25	0.25	0	1
	Zj	90,000	400	300	25	75	0	0
	Cj-Zj		0	0	-25	-75	0	0





2. Selesaikan linear program berikut ini dengan metode Simplex

Maksimumkan $Z = 2X_1 + 3X_2 + X_3$

Dengan fungsi kendala:

1)
$$X_1 + X_2 + X_3 \leq 9$$

2)
$$2X_1 + 3X_2 \le 25$$

3)
$$X_2 + 2X_3 \le 10$$


4)
$$X_1, X_2, X_3 \ge 0$$

0												
2	fungsi Tujuan	re, + 3	70.	+ ie 2		z	- 274,	- 370 -	- 702	. D		
O	. *	œ! 1 3			. =>.			-36.2				
	Funaci Bata											
O	Fungsi Bata		,	9	=>	iei	+70-	+16 2	- 12+	9		
		3262				0.00	. 201		+ 5 - 3	25		
	x 200, 1	7ez + 27		10	=>		1 1 30	1 2763	+52 =	16		
~				0	=>			7.245				
	* 14, 1	2 1.16.	٠									
<u> </u>	Var der Z	1 16,	202	res	5,	22	2 2	NK	index			
							*	*	1		4.0	
0	Z		-3	-1	0	0	0	0			4	
				-								
	2, 0	1	i	i	1	0	O	9	9			
				11/1/1	Add	1/9, 73						
	102 0		(3)	O	0	1	10	25	25/3			12
~			17/10								and the same	
	\$3. 0		/X	2	O	0	1	10	10			
<u> </u>		1 !	11/10									
.								- 25	, 4			
<u> </u>	bans kunci 6	arv : L	2/3	1	0	0	1/3	0 4	/3]		. 8.	
· *	barrs Z								. 7		. = .	
	banz lama		-2	- 3	-1	6	1/3					
	NBBIC	-3 [2/2	1	-1	0	/3		73	-		
	bans ban		0	0					25			
_ *	bans si								j			
()	bans lama	, ,	2/3			,			1/3]			
A	NBBK			0	0		-1/2	0 :	13 1	- ,		1 .
	bans can		13				/ 3	0 :	/3			
	harr (
	barrs s3			,	2	0			6]			
0	bans lama	1 [7/3	1		. 0			1/2			
			-2/3	0	2	0	-1/3	Lancino de la como de	/3			
	barrs barr		.,,									

var der	Z	re	rei	re;	8,	Sz	5,3	MIC	Inole x
Z	i	0	. 0		0	i	Ö	25	, see to
183	10	1/3/	6	0	130	-1/3	6	2/3	2/3
u,	0	2/2	i	0	0	1/3	0	25/3	~
. 2	0	-2/3	Ö	1	0	-1/2	i	†/3	2/4

barrs lounce ban :	[]3]	0 1 1	-1/3 0	2/3]
* bans z				
barts lama	-1 [1/3	0 -1 0	-1/3 0	1/3]
paus pan	1/3	0 0 1		77/3
* barts 162				
bans lama	0 [1/3	0 0	-1/3 0	¹⁵ / ₃]
bans ban	2/3	1 0 0	1/3 0	25/3.
* bans S3				
paus rama	$\begin{bmatrix} -\frac{2}{3} \\ 2 \end{bmatrix}$	0 2 0	-1/3 1	⁵ / ₃]
point pain	- 9/3	0 0 -3	1/3 1	1/3
12 = 0 = 25/3		4		
$\frac{1}{7}$ $\frac{2}{3}$				

AFINA PUTRI DAYANTI - 82		Solution						
Cj	Basic		2	3	1	0	0	0
	Variables	Quantity	X1	X2	Х3	slack 1	slack 2	slack 3
Iteration 1								
0	slack 1	9	1	1	1	1	0	0
0	slack 2	25	2	3	0	0	1	0
0	slack 3	10	0	1	2	0	0	1
	Zj	0	0	0	0	0	0	0
	cj-zj		2	3	1	0	0	0
Iteration 2								
0	slack 1	0.6667	0.3333	0	1	1	-0.3333	0
3	X2	8.3333	0.6667	1	0	0	0.3333	0
0	slack 3	1.6667	-0.6667	0	2	0	-0.3333	1
	Zj	25	2	3	0	0	1	0
	cj-zj		0	0	1	0	-1	0
Iteration 3								
1	Х3	0.6667	0.3333	0	1	1	-0.3333	0
3	X2	8.3333	0.6667	1	0	0	0.3333	0
0	slack 3	0.3333	-1.3333	0	0	-2	0.3333	1
	Zj	25.6667	2.33	3	1	1	.67	0
	Ci-7i		-0.3333	0	0	-1	-0.6667	0



Linear Programming Roar AFINA PUTRI DAYA		49 Solution					
AINAFOIRIDAIA	X1	X2	Х3		RHS	Dual	
Maximize	2	3	1				
Constraint 1	1	1	1	<=	9	1	
Constraint 2	2	3	0	<=	25	.67	
Constraint 3	0	1	2	<=	10	0	
Solution->	0	8.33	.67		25.67		