


SAT UZBEKISTAN

Telegram @satuzbhunters

1

Mark for Review

APC



The graph of the linear function f is shown, where $y = f(x)$. What is the y-intercept of the graph of f ?

(A) $(0, 6)$

(B) $(0, 0)$

(C) $(0, -4)$

2



Mark for Review



Each rock in a collection of 70 rocks was classified as either igneous, metamorphic, or sedimentary, as shown in the frequency table.

Classification	Frequency
igneous	10
metamorphic	38
sedimentary	22

If one of these rocks is selected at random, what is the probability of selecting a rock that is igneous?

(A) $\frac{10}{70}$

(B) $\frac{10}{60}$

(C) $\frac{10}{38}$

(D) $\frac{10}{22}$

3

Mark for Review



Each side of square A has a length of **13** inches. Each side of square A is multiplied by a scale factor of **3** to create square B. What is the length, in inches, of each side of square B?

(A) 10

(B) 13

(C) 16

(D) 39

4



Mark for Review



The function $f(x) = \frac{1}{9}(x - 6)^2 + 3$ gives a toy car's height above the ground $f(x)$, in inches, x seconds after it started moving on an elevated track, where $0 \leq x \leq 10$. Which of the following is the best interpretation of the vertex of the graph of $y = f(x)$ in the xy -plane?

- (A) The toy car's minimum height was **3** inches above the ground.
- (B) The toy car's minimum height was **6** inches above the ground.
- (C) The toy car's height was **3** inches above the ground when it started moving.
- (D) The toy car's height was **6** inches above the ground when it started moving.

5



Mark for Review



If $3x = 8$, what is the value of $21x$?

(A) 1

(B) 15

(C) 31

(D) 56

6



Mark for Review



A car travels at a speed of at least 25 miles per hour but no more than 50 miles per hour for a certain part of a trip. Which inequality represents this situation, where x is the speed of the car, in miles per hour, on this part of the trip?

(A) $x \geq 25$

(B) $x \geq 50$

(C) $25 \leq x \leq 50$

(D) $x \leq 75$

7



Mark for Review



A list of 10 data values is shown.

10, 14, 22, 6, 24, 26, 14, 8, 8, 8

What is the mean of these data?

(A) 8

(B) 12

(C) 14

(D) 20

8



Mark for Review



$$f(x) = 7x + 3$$

The function f gives the estimated height, in feet, of a willow tree x years after its height was first measured. Which statement is the best interpretation of **3** in this context?

- ☐ Ⓐ The tree will be measured each year for **3** years.
- ☐ Ⓑ The tree is estimated to grow to a maximum height of **3** feet.
- ☐ Ⓒ The estimated height of the tree increased by **3** feet each year.
- ☐ Ⓓ The estimated height of the tree was **3** feet when it was first measured.

9



Mark for Review



Which expression is equivalent to $2x^3 + 8x^2y + xy^2 + 4y^3$?

(A) $(2x^2 + 4y)(x + y^2)$

(B) $(2x^2 + y^2)(x + 4y)$

(C) $(2x^3 + y^2)(x^2 + 4y^3)$

(D) $(2x^3 + y^3)(x + 4y)$

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	3 1/2 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

10

Mark for Review

$f(x) = x^3 + 8x + 17$

For the given function f , the graph of $y = f(x)$ in the xy -plane passes through the point $(0, b)$, where b is a constant. What is the value of b ?

- A) 15 B) 21 C) 17 D) 24

Answer Preview:

11



Mark for Review



Scientists collected fallen acorns that each housed a colony of the ant species *P. ohioensis* and analyzed each colony's structure. For any of these colonies, if the colony has x worker ants, the equation $y = 0.67x + 2.6$, where $20 \leq x \leq 110$, gives the predicted number of larvae, y , in the colony. If one of these colonies has 35 worker ants, which of the following is closest to the predicted number of larvae in the colony?

(A) 114

(B) 48

(C) 38

(D) 26

12

 Mark for Review

$$b - 49 = \frac{x}{y}$$

The given equation relates the positive numbers b , x , and y . Which equation correctly expresses x in terms of b and y ?

(A) $x = \frac{by-49}{y}$

(B) $x = by - 49y$

(C) $x = by - 49$

(D) $x = \frac{b-49}{y}$

13

 Mark for Review

$$2y = 5x + 16$$

$$-2y = 7x - 22$$

The solution to the given system of equations is (x, y) . What is the value of $24x$?

(A) -12

(B) -6

(C) 6

(D) 12

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

14

Mark for Review

$19.5x + 24.25y = 583$

Odalys ordered mulch and river rock, which cost a total of \$583, for her home. The given equation represents the relationship between the number of cubic yards of mulch, x , and the number of tons of river rock, y , Odalys ordered. How much more, in dollars, did a ton of river rock cost Odalys than a cubic yard of mulch?

- A) 19.5 B) 24.25 C) 4.75 D) 583

Answer Preview:

15



Mark for Review



James purchased a certain baseball card on January 1. The function $f(x) = 55(1.04)^x$, where $0 \leq x \leq 10$, gives the predicted value, in dollars, of the baseball card x years after James purchased it. What is the best interpretation of the statement “ $f(7)$ is approximately equal to 72” in this context?

- (A) When the baseball card's predicted value is approximately 72 dollars, it is 7% greater than the predicted value, in dollars, on January 1 of the previous year.
- (B) When the baseball card's predicted value is approximately 72 dollars, it is 7 times the predicted value, in dollars, on January 1 of the previous year.
- (C) From the day James purchased the baseball card to 7 years after James purchased the card, its predicted value increased by a total of approximately 72 dollars.
- (D) 7 years after James purchased the baseball card, its predicted value is approximately 72 dollars.

16



Mark for Review



At what value of x does the graph of $y = x^2 + 18x - 23$ reach its minimum in the xy -plane?

(A) -23

(B) -9

(C) 9

(D) 18

17

 Mark for Review

$$P(t) = 260(1.03)^{\left(\frac{3}{2}\right)t}$$

The function P models the population, in thousands, of a certain city t years after 2009. According to the model, the population is predicted to increase by $n\%$ every 8 months. What is the value of n ?

(A) 0.22

(B) 1.03

(C) 2

(D) 3

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

18 Mark for Review

How many centimeters are equivalent to 47 meters? (1 meter = 100 centimeters)

A) 0.47 B) 4.7 C) 470 D) 4700

Answer Preview:

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

19 Mark for Review

Circle A has a radius of $3x$ and circle B has a radius of $135x$. The area of circle B is how many times the area of circle A ?

A) 2000 B) 2045 C) 2225 D) 2025

Answer Preview:

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

20

Mark for Review

The graph of a line in the xy -plane passes through the point $(1, 5)$ and crosses the x -axis at the point $(9, 0)$. The line crosses the y -axis at the point $(0, b)$. What is the value of b ?

A) $45/8$ B) $45/4$ C) $45/16$ D) $45/24$

Answer Preview:

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	3 1/2 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

21 Mark for Review

If $\frac{2a}{b} = 6.5$ and $\frac{a}{bn} = 26$, what is the value of n ?

A) 1/4 B) 1/8 C) 1/16 D) 1/2

Answer Preview:

22

Mark for Review



For two acute angles, $\angle Q$ and $\angle R$, $\cos(Q) = \sin(R)$. The measures, in degrees, of $\angle Q$ and $\angle R$ are $x + 61$ and $4x + 4$, respectively. What is the value of x ?

(A) 5

(B) 19

(C) 23

(D) 29

SAT UZBEKISTAN

Telegram @satuzbhunters

1



Mark for Review

Which expression is equivalent to $14(x^2 - 6)$?

(A) $14x^2 - 84$

(B) $14x^2 - 20$

(C) $14x^2 - 6$

(D) $14x^2 + 8$

2



Mark for Review



A scientist analyzed a soil sample with a mass of 900 grams and determined that it contained 189 grams of water. What is the percentage of water, by mass, in this soil sample?

(A) 9%

(B) 9.9%

(C) 18.9%

(D) 21%

3

Mark for Review



$$x + 5 = 11$$

$$y = 3x^2 + 3$$

At what point (x, y) do the graphs of the equations in the given system intersect?

(A) (6, 108)

(B) (6, 111)

(C) (11, 3)

(D) (11, 366)

Directions ▾

Hide

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

4

Mark for Review

If $\frac{6}{7}p + 42 = 84$, what is the value of $7p$?

A) 343 B) 243 C) 347 D) 361

Answer Preview:

5



Mark for Review



If $5(x + 4) = 4(x + 4) + 58$, what is the value of $x + 4$?

(A) -4

(B) 54

(C) 58

(D) 62

6



Mark for Review



Circle N has a radius of 6 millimeters (mm). Circle M has an area of $121\pi \text{ mm}^2$. What is the total area, in mm^2 , of circles N and M ?

(A) 17π

(B) 133π

(C) 145π

(D) 157π

7



Mark for Review



What is the slope of the graph of $y = \frac{1}{4}(27x + 12) + 7x$ in the xy -plane?

(A) $\frac{27}{4}$

(B) $\frac{55}{4}$

(C) 27

(D) 34

8 Mark for Review



The function f is defined by $f(x) = \frac{x+16}{5}$, and $f(a) = -19$, where a is a constant. What is the value of a ?

(A) -111


(B) -79

(C) $-\frac{79}{5}$

(D) $-\frac{3}{5}$

9

Mark for Review



A data set of the orbital periods, rounded to the nearest whole number of Earth days, for 13 of Jupiter's moons is represented in the dot plot. An additional moon with an orbital period of 251 days is added to the original data set to create a new data set of 14 orbital periods. Which statement best compares the mean and median of the new data set to the mean and median of the original data set?

- (A) The mean of the new data set is equal to the mean of the original data set, and the median of the new data set is equal to the median of the original data set.
- (B) The mean of the new data set is equal to the mean of the original data set, and the median of the new data set is less than the median of the original data set.
- (C) The mean of the new data set is less than the mean of the original data set, and the median of the new data set is less than the median of the original data set.
- (D) The mean of the new data set is less than the mean of the original data set, and the median of the new data set is equal to the median of the original data set.

10



Mark for Review



For the linear function p , $p(c) = -2$, where c is a constant, $p(5) = 34$, and the slope of the graph of $y = p(x)$ in the xy -plane is 6. For the linear function t , $t(c) = -4$ and $t(6) = 52$. What is the slope of the graph of $y = t(x)$ in the xy -plane?

(A) -1

(B) 4

(C) 6

(D) 8

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	3 1/2 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

11

Mark for Review

$18x^2 - 24x + c = 0$

In the given equation, c is a constant. The equation has exactly one solution. What is the value of c ?

- A) 4 B) 9 C) 12 D) 8

Answer Preview:

12



Mark for Review



A conservation specialist hung artificial nesting structures each in the shape of a right rectangular prism for a species of native owl. Each structure has a height of 11 inches. The length of each structure's base is x inches, which is 1 inch more than the width of the structure's base. Which function V gives the volume of each structure, in cubic inches, in terms of the length of the structure's base?

(A) $V(x) = 11x(x - 1)$

(B) $V(x) = 11x(x + 1)$

(C) $V(x) = x(x + 11)(x - 1)$

(D) $V(x) = x(x + 11)(x + 1)$

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	3 1/2 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

13

Mark for Review

$\frac{x+1}{5x^2} = \frac{k}{x}$

In the given equation, k is a constant. The solution to the given equation is $\frac{1}{224}$. What is the value of k ?

- A) 45 B) 42 C) 48 D) 54

Answer Preview:

14



Mark for Review



The function f is defined by $f(x) = -39^x$. The function g is a decreasing linear function. In the xy -plane, the graphs of $y = f(x)$ and $y = g(x)$ intersect at two points, (h, j) and (k, m) , where $j > m$. When $g(x) < f(x)$, which of the following must also be true?

(A) $x > k$

(B) $x < h$

(C) $x > k$ or $x < h$

(D) $h < x < k$

15



Mark for Review



One gallon of sealant costs \$29 and will cover 300 square feet of a surface. A deck has a total surface area of d square feet. Which equation represents the cost c , in dollars, of the sealant needed to cover the deck twice?

(A) $c = \frac{300d}{29}$

(B) $c = \frac{600d}{29}$

(C) $c = 29\left(\frac{d}{150}\right)$

(D) $c = 29\left(\frac{d}{300}\right)$

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

16

Mark for Review

A triangular prism has a height of 9 centimeters (cm) and a volume of 234 cm^3 . What is the area, in cm^2 , of the base of the prism? (The volume of a triangular prism is equal to Bh , where B is the area of the base and h is the height of the prism.)

- A) 24 B) 26 C) 39 D) 52

Answer Preview:

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

17

Mark for Review

An area of 56.00 square nautical miles is equivalent to k square kilometers. To the nearest tenth, what is the value of k ? (1 nautical mile = 1.852 kilometers)

- A) 161.8 B) 192.1 C) 174.8 D) 191.4

Answer Preview:

Student-produced response directions

- If you find **more than one correct answer**, enter only one answer.
- You can enter up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer.
- If your answer is a **fraction** that doesn't fit in the provided space, enter the decimal equivalent.
- If your answer is a **decimal** that doesn't fit in the provided space, enter it by truncating or rounding at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), enter it as an improper fraction ($7/2$) or its decimal equivalent (3.5).
- Don't enter **symbols** such as a percent sign, comma, or dollar sign.

Examples

Answer	Acceptable ways to enter answer	Unacceptable: will NOT receive credit
3.5	3.5 3.50 7/2	$3\frac{1}{2}$ 3 1/2
$\frac{2}{3}$	2/3 .6666 .6667	0.66 .66 0.67

18

Mark for Review

A circle in the xy -plane has its center at $(-7, 3)$ and has a radius of 9. An equation of this circle is $x^2 + y^2 + ax + by + c = 0$, where a , b , and c are constants. What is the value of c ?

A) -27 B) -32 C) -23 D) -26

Answer Preview:

19



Mark for Review



$$y = x - c$$

$$y = -4(x - 6)^2$$

In the given system of equations, c is a constant. The system has two distinct real solutions. Which of the following could be the value of c ?

(A) 1

(B) 5

(C) $\frac{95}{16}$

(D) 11



The functions f and g are defined by the equations shown, where a and b are integer constants, $a < b$ and $b < 0$. If $y = f(x)$ and $y = g(x)$ are graphed in the xy -plane, which of the following equations displays, as a constant or coefficient, the y -coordinate of the y -intercept of the graph of the corresponding function?

I. $f(x) = a(4.2)^{x+b}$

II. $g(x) = a(4.2)^x + b$

(A) I only

(B) II only

(C) I and II

(D) Neither I nor II

21

 Mark for Review

$$\begin{aligned}5x + 4y &= 3 \\ 15x + 12y &= 9\end{aligned}$$

For each real number r , which of the following points lies on the graph of each equation in the xy -plane for the given system?

(A) $\left(r, -\frac{4r}{5} + \frac{3}{5}\right)$

(B) $\left(r, \frac{5r}{4} + \frac{3}{4}\right)$

(C) $\left(-\frac{4r}{5} + \frac{3}{5}, r\right)$

(D) $\left(\frac{r}{3} + 3, -\frac{r}{3} + 9\right)$

In triangle ABC and triangle DEF , sides AB and DE each have a side length of 10 inches, and angles A and D each have an angle measure of 40° . Which of the following additional pieces of information is(are) sufficient to prove whether triangle ABC is congruent to triangle DEF ?

- I. The measures of angles B and C are equal.
- II. The lengths of sides AC and DF are equal.
- III. The lengths of sides BC and EF are equal.

- (A) I is sufficient, but II and III are not.
- (B) II is sufficient, but I and III are not.
- (C) III is sufficient, but I and II are not.
- (D) II is sufficient and III is sufficient, but I is not.