



First Time Acute MI Incidence: female 25_to_29




First Time Acute MI Incidence: female 30_to_34




First Time Acute MI Incidence: female 35_to_39



First Time Acute MI Incidence: female 40_to_44




First Time Acute MI Incidence: female 45_to_49




First Time Acute MI Incidence: female 50_to_54




First Time Acute MI Incidence: female 55_to_59




First Time Acute MI Incidence: female 60_to_64




First Time Acute MI Incidence: female 65_to_69




First Time Acute MI Incidence: female 70_to_74




First Time Acute MI Incidence: female 75_to_79




First Time Acute MI Incidence: female 80_to_84




First Time Acute MI Incidence: female 85_to_89




First Time Acute MI Incidence: female 90_to_94




First Time Acute MI Incidence: female 95_plus




First Time Acute MI Incidence: male 25_to_29



First Time Acute MI Incidence: male 30_to_34




First Time Acute MI Incidence: male 35_to_39




First Time Acute MI Incidence: male 40_to_44




First Time Acute MI Incidence: male 45_to_49




First Time Acute MI Incidence: male 50_to_54



First Time Acute MI Incidence: male 55_to_59




First Time Acute MI Incidence: male 60_to_64




First Time Acute MI Incidence: male 65_to_69




First Time Acute MI Incidence: male 70_to_74



First Time Acute MI Incidence: male 75_to_79




First Time Acute MI Incidence: male 80_to_84



First Time Acute MI Incidence: male 85_to_89



First Time Acute MI Incidence: male 90_to_94



First Time Acute MI Incidence: male 95_plus

