The ABC of Computational Text Analysis

#5 Basic NLP with Command-line

Alex Flückiger 25 March 2021

Faculty of Humanities and Social Sciences University of Lucerne


Recap last Lecture

- perform shell commands anavigate, create files
- complete assignment 🚣

Outline

- corpus linguistic using the shell counting, finding, comparing
- analyzing programmes of Swiss parties 📊

When politics changes, language changes.



Processing a Text Collection

- each document as individual file (.txt)

 use shell for quick analysis
- a dataset of documents (.csv, .tsv, .xml)

 more effectively using Python?

Counting Things

Frequency Analysis

- frequency ~ measure of relevance
- bag of words approach
- simple
- powerful



text as a bag of words (src)

Key Figures of Texts

wc *.txt # count number of lines, words, characters

Word Occurrences

show in context

```
grep -ir 'data' folder/ # search in all files in folder, ignore case
# other grep options:
# --colour highlight pattern
# --context 2 show 2 lines above/below match
```

count words

```
grep -ic 'data' */*.txt  # count across all txt-files, ignore case
```

Word Frequencies

steps of algorithm

- 1. split text into one word per line (tokenize)
- 2. sort words
- 3. count how often each word appears

```
# piping steps to get word frequencies
cat text.txt | tr ' ' \n' | sort | uniq -c | sort -h > wordfreq.txt

# explanation of individual steps:
tr ' ' ' \n'  # replace spaces with newline
sort -h  # sort lines alphanumerically
uniq -c  # count repeated lines
```

Word Frequencies

- absolute frequency
- relative frequency

```
= occurrences / total_words
independent of size
```

• statistical validation of variation significance tests between corpora

Convert Stats into Dataset

- convert to tsv
- useful for further processing export to Excel

```
# convert word frequencies into tsv-file
# additional step: replace a sequence of spaces with a tabulator
cat text.txt | tr ' ' '\n' | sort | uniq -c | sort -h | \
tr -s ' ' '\t' > test.tsv
```

Preprocessing

Common Preprocessing

Refining results with

- lowercasing
- replace symbols
- join lines
- trimming header + footer
- splitting into multiple files
- using patterns to remove/extract parts 17

Lowercasing

reduce word forms

echo 'ÜBER' | tr "A-ZÄÖÜ" "a-zäöü" *# fold text to lowercase*

Removing and Replacing Symbols

```
echo "3x3" | tr -d [:digit:]  # remove all digits
cat text.txt | tr -d [:punct:]  # remove punctuation like .,:;
tr 'Y' 'Z'  # replace any Y with Z
```

Standard Preprocessing

save a preprocessed document

```
# lowercase, no punctuation, no digits
cat speech.txt | tr A-ZÄÖÜ a-zäöü | \
tr -d [:punct:] | tr -d [:digit:] > speech_clean.txt
```

Join Lines

Trim Lines

```
cat -n text.txt  # show line numbers
sed '1,10d' text.txt  # remove the first 10 lines
```

Splitting Files

```
# splits file at every delimiter into a stand-alone file
csplit huge_text.txt "/delimiter/" {*}
```

Check Differences between Files

sanity check after modification

show differences side-by-side and only differing lines diff -y --suppress-common-lines text_raw.txt text_proc.txt Where there is a shell, there is a way.

Questions

In-class: Getting ready

- 1. Update your local copy of the GitHub repository KED2021 with git pull.
 - You find some party programmes (Grüne, SP, SVP) in <u>materials/data/party_programmes</u>. The programmes are provided in plain text which I have extracted from the official PDFs.
- 2. Fool around with individual commands to get a feeling of them before you proceed with the actual analysis.

In-class: Analyzing Swiss Party Programmes I

1. Compare the absolute frequencies of single terms or multi-word expressions ...

across parties
historically within a party

Use the file names as filter to get various aggregation of the word counts.

2. Pick terms of your interest and look at their contextual use by extracting relevant passages. Does the usage differ across parties or time?

Share your insights with the class using **Etherpad**.

In-class: Analyzing Swiss Party Programmes II

- 1. Convert the word frequencies per party into a two dataset. Compute the relative word frequency from the absolute frequency using any spreadsheet software (e.g. Excel). Are your conclusions still valid after accounting for the size?
- 2. Can you refine the results with further preprocessing of the data?
- 3. Get the number of unique words rather than the total number of words of a document (piping).

Pro Tip : Use gree to look up commands in the course slides

Additional Resources

When you look for useful primers on Bash, consider the following resources:

- Tutorial Basic Text Analysis by W. Turkel
- Tutorial Pattern Matching + KWIC by W. Turkel