Date: _____

Question 3

Input
- sensor
- hourlyReading
- temperature

Output
- Highest, Avg, Lowest Temp
- critical count
- warning
- maxStreak.

Pseudocode :

```
PROCEDURE inputReading (hourlyReading, arr[][],
                        sensor).
    PRINT ("Enter Hourly Reading").
    FOR (j = 0, j < sensor).
        FOR (i = 0, i < hourlyReading)
            INPUT arr[j][i].

ENDPROCEDURE.
```


Scanned with CamScanner

Date:

```
PROCEDURE AnalyzeSensor(hourlyReading, arr[][],
                        sensor)
    total = 0, count = 0
    highest = arr[sensor][0].
    lowest = arr[sensor][0].
    critical = 0, warning = 0
    sbreak = 0, maxSbreak = 0.

    FOR (j = 0, j < hourlyReading)
      IF (arr[sensor][j]) highest

    IF (highest < arr[sensor][j]) higest = arr[sensor]
                                           [j].
    IF (lowest > arr[sensor][j]) lowest = arr[sensor]
                                          [j].
    IF (arr[sensor][j] >= 40) critical++.
    IF (arr[sensor[j] >= 35 AND.
        arr[sensor][j] <= 39) warning++.

    IF (arr[sensor][j] >= 35) sbreak++.
    ELSE.
        IF (maxSbreak < sbreak)
            maxSbreak = sbreak.
            sbreak = 0.
    total += arr[sensor][j], count++
```


DECENT™ PAPER PRODUCT

Teacher's Signature:

Scanned with CamScanner

Date:

```
IF (maxStreak < sbreak) maxStreak = sbreak

PRINT ( "Highest Temperature" highest)
PRINT ( "lowest Temp", lowest)
PRINT ( "Total Temp", total)
PRINT ( "Avg Temp", total / count)
PRINT ( "Critical Count", critical)
PRINT ( "Warning Count", warning)
PRINT ( "Max Streak", maxStreak)

ENDPROCEDURE.

FUNCTION highestAvg (hourlyReading, arr[], sensor) RETURNS INT
    highest_avg = 0, index = 0.

    for ( i = 0, i< sensor)
        total = 0, count = 0.
    FOR ( j = 0, j < hourlyReading)
        total = arr[i][j], count++

        IF (highest_Avg < total / count)
            highest_Avg = total / count
            index = i

    RETURN INDEX
ENDFUNCTION
```


DECENT™ PAPER PRODUCT.

Teacher's Signature:

Scanned with CamScanner

Date:

```
PRINT ( "Number of Sensors") INPUT sensors.
PRINT ( "Number of Hourly Readings") INPUT HourlyReading

temperature [sensor][HourlyReading].

FOR ( i =0, i< sensor)
    analyzeSensor ( hourlyReading, temperature, i).

final = highestAvg ( hourlyReading, temperature, i)
                                              sensor

total =0.
FOR ( i=0, i< HourlyReading)
    total += temperature[final][i].

PRINT ( "Sensor with highest Reading", final, "
    with avg of ", total / hourlyReading ).
```

Scanned with CamScanner

Date:

Question 3

Input
- sensor
- hourlyReading
- temperature

Output
- Highest, Avg, Lowest temp
- critical count
- warning
- maxStreak

Pseudocode:

```
PROCEDURE inputReading (hourlyReading, arr[][],
                        sensor).
    PRINT ("Enter Hourly Reading").
    FOR (j = 0, j < sensor).
        FOR (i = 0, i < hourlyReading)
            INPUT arr[j][i].

ENDPROCEDURE.
```


DECENT™ PAPER PRODUCT.

Teacher's Signature:

Scanned with CamScanner