Phase 4 Study Guide: Comprehensive Review & Practice Exams (Days 34–37)

Actuarial Exam P | Final Review & Execution Strategy

Overview & Exam Strategy for Phase 4

Phase 4 transitions your focus from learning individual topics to mastering full-length exam execution under realistic Computer-Based Testing (CBT) conditions. Exam P consists of **30 multiple-choice questions** to be completed in **3 hours (180 minutes)**, giving an average of **6 minutes per question**.

Phase 4 Objectives:

1. **Master the Three-Pass Triage Strategy:** Maximize your score by prioritizing high-confidence, quick-solve questions first.
2. **Execute Diagnostic Error Analysis:** Systematically log and eliminate recurring errors using a 4-category taxonomy.
3. **Optimize Calculator & Formula Recall:** Harness maximum speed with the TI-30XS MultiView and instant formula retrieval.
4. **Eliminate Guessing Penalties:** Ensure 100% submission completion using strategic elimination principles (there is no penalty for guessing).


Day 34 (Session 4.1): Timed Mock Exam 1 & Three-Pass Triage Strategy

1. CBT Exam Mechanics & Time Budgeting

- **Total Duration:** 180 Minutes (3 Hours)
- **Question Count:** 30 Questions (5 choice options per question: A, B, C, D, E)
- **Average Pace:** 6 minutes per question
- **Scoring Structure:** Score is based strictly on the number of correct answers. **No penalty for incorrect answers.** Unanswered questions are marked incorrect.
- **Pilot Questions:** 5 of the 30 questions may be non-scored pilot questions tested by the SOA for future exams. Treat **every** question as scored, but if a question feels completely unfamiliar or overly convoluted, it may be a pilot question—do not let it ruin your pacing.

2. The Three-Pass Triage Strategy

Do not solve questions strictly in linear order (1 to 30). Use the CBT exam software features (**Flag for Review** and **Next/Previous**) to execute a 3-pass workflow:



```
| Fast & Direct (~12-15 Qs)   Moderate & Calc (~10-12 Qs)  Hard/Guess (~3-5 Qs)|
+-------------------------------------------------------------------------+
```

Pass 1: Quick Wins (Target: Minutes 0–60)

- **Goal:** Solve 12–15 straightforward questions in 2–4 minutes each.
- **Question Types:** Set operations, discrete probability mass functions, basic exponential/uniform properties, simple Bayes' theorem, basic independence/covariance calculations.
- **Action:** If a problem requires more than 2 steps of integration or complex region setup, **Flag it immediately and skip to the next question.**

Pass 2: Core Actuarial & Calculus Problems (Target: Minutes 60–150)

- **Goal:** Solve 10–12 moderate-complexity questions taking 5–7 minutes each.
- **Question Types:** Continuous bivariate integration, insurance policy modifications (deductibles, benefit limits, coinsurance), transformation of variables, EVVE rule, Order Statistics.
- **Action:** Set up integrals carefully. If an integral evaluation gets messy, re-verify the region bounds before continuing.

Pass 3: Complex, Unfamiliar, & Strategic Guessing (Target: Minutes 150–180)

- **Goal:** Address remaining flagged questions, re-check calculations, and ensure **zero unanswered questions remain**.
- **Action:** Spend remaining time on remaining hard problems. In the final 5 minutes, place an educated guess on any unresolved questions.

3. Target Time Checkpoints


Checkpoint	Target Completed Questions	Remaining Time	Status Assessment
60 Minutes Elapsed	10–12 Questions	120 Minutes	On track if Pass 1 is wrapping up.
120 Minutes Elapsed	20–22 Questions	60 Minutes	On track if majority of Pass 2 is complete.
165 Minutes Elapsed	28–30 Questions	15 Minutes	Final review phase; check flagged items.
175 Minutes Elapsed	All 30 Answered	5 Minutes	Verify zero questions are left blank.

Day 35 (Session 4.2): Diagnostic Review & Error Taxonomy

Completing a practice exam is only half the task; the real score improvement comes from a rigorous diagnostic post-mortem.

1. The 4-Category Error Taxonomy

Analyze every incorrect or sluggishly answered question from Mock Exam 1 and assign it to one of four categories:



1. **Category 1: Conceptual / Theoretical Flaw**
   - *Symptom:* Didn't know which formula to apply or misapplied a core probability property (e.g., confusing $E[Y|X]$ with $E[Y]$, or confusing ordinary deductible with franchise deductible).
   - *Remediation:* Re-read corresponding Phase 1–3 daily module, review core formulas, and rewrite concept summary cards.
2. **Category 2: Calculus / Algebraic Slip**
   - *Symptom:* Correct setup, but made an integration error, sign error, or arithmetic blunder.
   - *Remediation:* Practice manual integration steps; utilize TI-30XS numerical integration (`table` or data features) to cross-check arithmetic.
3. **Category 3: Misreading / Interpretation Error**
   - *Symptom:* Solved for loss variable X instead of payment variable Y; missed "at least", "given that", or "per claim" vs. "per policy".
   - *Remediation:* Adopt a double-underline strategy during setup: underline the target variable and key policy terms before writing equations.
4. **Category 4: Time Pressure / Pacing Panic**
   - *Symptom:* Spent 12+ minutes on a single problem, resulting in rushed guesses on later questions.
   - *Remediation:* Enforce a strict **3-minute bail-out rule** during Pass 1.

2. Diagnostic Review Log Template

Use the following structure to log and review missed questions:

Question #	Primary Topic	Error Category	Root Cause Analysis	Corrective Action / Key Insight
Q07	Policy Deductible (Y)	Misread	Solved for $E[X]$ instead of $E[Y = \max(X - d, 0)]$.	Always state target variable explicitly (X vs Y) first.
Q14	EVVE Rule	Concept Flaw	Forgot to square $E[Y	Y]$ when evaluating $Var(E[Y

Question #	Primary Topic	Error Category	Root Cause Analysis	Corrective Action / Key Insight
Q22	Continuous Joint PDF	Calc Slip	Flipped double-integral bounds for $y > x$.	Draw support region on scratch paper before writing bounds.

Day 36 (Session 4.3): Timed Mock Exam 2 & Strategic Adjustments

1. Strategic Guessing & Elimination Workflow

Since there is **no penalty for wrong answers**, a blank response is equivalent to giving away points.

Elimination Algorithm:

1. **Check Boundary Constraints:** If a probability must lie in $[0, 1]$, eliminate choices < 0 or > 1.
2. **Dimension / Scale Check:** If finding an expected cost where losses are scaled by factor k, verify that units match.
3. **Symmetry Arguments:** In uniform or standard normal contexts, eliminate choices that violate domain symmetry.
4. **Educated Guessing:** If down to 2 choices, select and move on. If completely blind, pick a consistent letter choice (e.g., always C) for un-attempted items in the final minute.

2. TI-30XS MultiView Calculator Optimization

Maximize calculation speed with these specific TI-30XS calculator features:

```
+-------------------------------------------------------------------------+
|                      TI-30XS MULTIVIEW KEY STROKES                      |
+-------------------------------------------------------------------------+
|  Feature              | Key Sequence                                    |
+-----------------------+-------------------------------------------------+
|  Combinations         | [n] [math] -> PRB -> 2: nCr -> [r]              |
|  Permutations         | [n] [math] -> PRB -> 1: nPr -> [r]              |
|  Factorials           | [n] [math] -> PRB -> 3: !                       |
|  Data / One-Var Stats| [data] (enter x, freq) -> [2nd] [data] (STAT)   |
|  Table / PDF Values   | [table] -> enter f(x) -> set start & step       |
|  Memory Store         | [sto->] [x n t a b c d]                         |
|  Recall Memory        | [2nd] [recall]                                  |
+-----------------------+-------------------------------------------------+
```

Calculator Tips for Exam Day:

- **Storing Intermediate Results:** Never write down truncated decimals on scratch paper to re-type them. Store intermediate values in variables `x`, `y`, `z`, `a`, `b`, `c`.
- **Discrete Distributions via Table:** Use `[table]` to generate values for discrete PMFs quickly (e.g., $f(x) = \binom{n}{x} p^x (1-p)^{n-x}$) to find cumulative sums $P(X \leq k)$.

Day 37 (Session 4.4): Final Pre-Exam Checklist & Execution Plan

1. Master Formula Recall Verification

Verify rapid recall of these non-negotiable formulas across all 3 exam phases:

General Probability (Phase 1)

- **De Morgan's Laws:** $(A \cup B)^c = A^c \cap B^c$, $(A \cap B)^c = A^c \cup B^c$
- **Inclusion-Exclusion:** $P(A \cup B \cup C) = \sum P(A) - \sum P(A \cap B) + P(A \cap B \cap C)$
- **Bayes' Theorem:** $P(A_i \mid B) = \frac{P(B|A_i)P(A_i)}{\sum_j P(B|A_j)P(A_j)}$

Univariate Random Variables (Phase 2)

- **Poisson PMF:** $P(X = k) = \frac{e^{-\lambda}\lambda^k}{k!}, \quad E[X] = \lambda,\ Var(X) = \lambda$
- **Exponential Memoryless:** $P(X > s + t \mid X > s) = P(X > t) = e^{-\lambda t}$
- **Gamma Distribution:** $E[X] = \alpha\theta,\ Var(X) = \alpha\theta^2$
- **Normal Standardizing:** $Z = \frac{X - \mu}{\sigma}$
- **Insurance Payment Expectations:**
  - Ordinary Deductible d: $E[Y] = \int_d^\infty (x - d) f(x)\, dx = \int_d^\infty S(x)\, dx$
  - Maximum Benefit Limit u: $E[X \wedge u] = \int_0^u S(x)\, dx$

Multivariate Random Variables (Phase 3)

- **Conditional Density:** $f_{Y|X}(y|x) = \frac{f(x,y)}{f_X(x)}$
- **Law of Total Expectation:** $E[Y] = E[E[Y|X]]$
- **Law of Total Variance (EVVE):** $Var(Y) = E[Var(Y|X)] + Var(E[Y|X])$
- **Covariance Shortcut:** $Cov(X, Y) = E[XY] - E[X]E[Y]$
- **Variance of Linear Combination:** $Var(aX + bY) = a^2 Var(X) + b^2 Var(Y) + 2ab\, Cov(X, Y)$
- **Order Statistics:**
  - Maximum: $F_{(n)}(y) = [F(y)]^n, \quad f_{(n)}(y) = n[F(y)]^{n-1} f(y)$
  - Minimum: $S_{(1)}(y) = [S(y)]^n, \quad f_{(1)}(y) = n[S(y)]^{n-1} f(y)$
- **CLT Standardized Sum:** $Z = \frac{\sum X_i - n\mu}{\sigma\sqrt{n}} \sim N(0, 1)$

---

2. Standard Normal (Z) Table Quick Reference

z	0.00	0.50	1.00	1.282	1.645	1.960	2.326	2.576
$\Phi(z)$	0.5000	0.6915	0.8413	0.9000	0.9500	0.9750	0.9900	0.9950

- **Upper-Tail Benchmarks:**
  - $P(Z > 1.282) = 0.10$ (90th percentile)
  - $P(Z > 1.645) = 0.05$ (95th percentile)
  - $P(Z > 1.960) = 0.025$ (97.5th percentile)
  - $P(Z > 2.326) = 0.01$ (99th percentile)

---

3. T-Minus 24-Hour Checklist


Day Before Exam:


- ☐ **No Heavy Problem Solving:** Review summary formula sheets only. Do not attempt full mock exams.
- ☐ **Gather Required Documents:** SOA appointment confirmation, government-issued photo ID (matching registration name exactly).
- ☐ **Approved Calculator Check:** Confirm your calculator is SOA-approved (TI-30XS MultiView recommended). Reset memory and verify battery state.
- ☐ **Test Center Logistics:** Confirm test location, driving/transit route, parking details, and arrive 30 minutes prior to scheduled time.

Exam Day Execution:

- ☐ **Pacing Mindset:** Execute the 3-pass strategy strictly. Do not get trapped by any single question.
- ☐ **Scratch Paper Management:** Divide scratch sheets into clear grid sections labeled with question numbers to prevent copy errors.
- ☐ **Final 5-Minute Sweep:** Verify that **every single question (1 to 30)** has an answer selected before time expires.

Phase 4 Strategy Quick Reference & Decision Tree




YES /
\ NO
Place Educated Guess on all Blank Items immediately
Set up integral / EVVE / Algebra carefully