

Prof. Jeronymo Marcondes Pinto

Tutorial - - Importation of bases in MySQL

1. Access the academic system and download the files referring to databases. They are **sakila-db** and **world-db**. They are two ZIP files.


2. After downloading them, unzip the files.

Starting the import of the sakila database in MySQL


3. Open MySQL Workbench and connect to your local instance.

4. Access the “Schemes” tab on the left, then click on the “Server” menu, and then on “Data Import”.


5. Next, choose the “Import from Self-Contained File” and choose the **sakila-schema.sql** file in the database folder. After this, at the bottom right corner of the screen, click on “Start Import” (in some cases, the Start Import button may be hidden by the other screens, but it is at the bottom right corner).




6. After the import, update the list of Schemes and sakila will appear.




7. Click on the sakila and then “Set as Default Schema”



8. Next, access the “File” and then “Open SQL Script”. The file that must be chosen in the sequence is **sakila-data.sql**




9. The screen below will appear and then click on the following button to execute:




10. The database will be imported and ready to use.

Starting the import of the “world” database in MySQL

11. Click the button shown below to open a SQL script in a new query.



12. Select the **world.sql** file and the screen below will be displayed. Next, click on the execute button (ray icon). After the execution, update the list of Schemes and the word will appear in the list.



13. The database will be imported and ready to use.