Phone 918-317-0401

Fax 918-317-0407



A Commitment To Bring You The Best

Products for Heating, Ventilating and Air Conditioning

Price List

- 1 Triple Duty Valves
- 2 Diffusers/Diverters

Suction Diffusers

Flow Diverters

3 Tanks

ASME Partial Acceptance Bladder Tanks - 125 PSI (WPA)

ASME Full Acceptance Bladder Tanks - 125 PSI (WFA)

ASME Expansion Tanks (WLA)

Expansion Tanks (WNTA)

ASME Bottom Feed Bladder Tanks (WBF)

Bladder Expansion Tank Prices (BET)

Domestic Potable Bladder Tank Prices (BPT)

Diaphragm Tank Prices (DET)

Potable Diaphragm Tank Prices (DPT)

Thermal Absorber Tank Prices (THA)

"Multi-Purpose" Expansion Tank (BDT

ASME Plain Steel Expansion Tanks (WPS)

Chemical Feeder Tanks (BFT, VFT, PFT)

Chilled Water Buffer Tanks

ASME Air Receiver/Chill Water Storage Tanks (HAR, VAR, IAR)

Tank Accessories

Replacement Bladders For WPA / WFA / WBF Tanks

4 Air Separators

Tangential

Sediment Removal

Air Scoops

5 Heat Exchangers

6 Strainers

7 Valves

Check

Butterfly

Balancing

Air Release

Relief

Water Reducing

Dual Control

Ball

8 Flex Pump Connectors



PRICE SHEET 0411 Effective: April 1, 2011 Supersedes: June 1, 2010

American HVAC Triple Service Valve

		Size	Shipping	
Model #	List Price	(Inches)	Weight	End Connection
TSV-15T	\$388	1 1/2"	12	Threaded
TSV-20T	\$388	2"	12	Threaded
TSV-2.5T	\$585	2 1/2"	26	Threaded
TSV-020F	\$508	2"	19	Flanged
TSV-025F	\$571	2 1/2"	40	Flanged
TSV-030F	See TSV N	3"	42	Flanged
TSV-040F	See TSV N	4"	64	Flanged
TSV-050F	See TSV N	5"	95	Flanged
TSV-060F	See TSV N	6"	122	Flanged
TSV-080F	See TSV N	8"	165	Flanged
TSV-100F	See TSV N	10"	270	Flanged
TSV-120F	See TSV N	12"	450	Flanged

Notes:

- (1) Submittal drawings available on request
- (2) Flow Data Cv See Catalog
- (3) Higher working pressures priced on application
- (4) Wrenches Wheatley TDV are POA / Standard on American HVAC TSV
- (5) TDV / TSV Valves to meet Buy American ACT POA

PRICE SHEET 0111 Effective: January 1, 2011

Supersedes: n/a

Wheatley Triple Duty Valve N-Series Flanged

			Shipping	
FIG. #	List Price	Size	Weight	End Connection
TSVN-030	\$938	3"	42	Flanged
TSVN-040	\$1,206	4"	64	Flanged
TSVN-050	\$1,692	5"	95	Flanged
TSVN-060	\$1,964	6"	122	Flanged
TSVN-080	\$2,315	8"	165	Flanged
TSVN-100	\$4,603	10"	270	Flanged
TSVN-120	\$5,360	12"	450	Flanged

Note: Import TSV No longer available in 4" - 12" effective 7/1/11

PRICE SHEET 0411 Global Flow Products LLC 1005 Houston Broken Arrow, OK 74012 Effective: April 1, 2011

Toll Free: 866-204-5229 Phone 918-317-0401 Fax 918-317-0407

Phone 918-317-0401

Fax 918-317-0407



Supersedes: n/a

American Wheatley TDV - A Series - 100% Domestic & ARRA Compliant

			Shipping	·
FIG. #	List Price	Size	Weight	End Connection
TDV-15T-A	\$550	1 1/2"	12	Threaded
TDV-20T-A	\$550	2"	12	Threaded
TDV-2.5T-A	\$818	2 1/2"	26	Threaded
TDV-020F-A	\$625	2"	19	Flanged
TDV-025F-A	\$818	2 1/2"	40	Flanged
TDV-030F-A	\$920	3"	42	Flanged
TDV-040F-A	\$1,252	4"	64	Flanged
TDV-050F-A	\$1,535	5"	95	Flanged
TDV-060F-A	\$2,160	6"	122	Flanged
TDV-080F-A	\$2,725	8"	165	Flanged
TDV-100F-A	\$4,750	10"	270	Flanged
TDV-120F-A	\$5,550	12"	450	Flanged

PRICE SHEET 0612 Effective: June 18, 2012 Supersedes: May 14, 2010

Wheatley Triple Duty Valve - Globe Style

		•	Shipping	
FIG. #	List Price	Size	Weight	Description
TDV-002GL	\$502	2"	34	Flanged Triple Service Valve
TDV-025GL	\$604	2 1/2"	40	Flanged Triple Service Valve
TDV-003GL	\$747	3"	50	Flanged Triple Service Valve
TDV-004GL	\$1,315	4"	100	Flanged Triple Service Valve
TDV-005GL	\$1,704	5"	155	Flanged Triple Service Valve
TDV-006GL	\$2,140	6"	250	Flanged Triple Service Valve
TDV-008GL	\$3,510	8"	350	Flanged Triple Service Valve
TDV-010GL	\$6,217	10"	425	Flanged Triple Service Valve
TDV-012GL	\$10,242	12"	480	Flanged Triple Service Valve



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0510 Effective: May 5, 2010 Supersedes: May 5, 2010

Wheatley Triple Duty Valve (Grooved End)

William I Tiple I	Theatey Triple Buty valve (Stooted Elia)					
FIG. #	List Price	Size	Description			
TDV-002GR	\$448	2"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-025GR	\$568	2-1/2"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-003GR	\$792	3"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-004GR	\$1,040	4"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-005GR	\$1,570	5"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-006GR	\$2,046	6"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-008GR	\$4,305	8"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-010GR	\$5,658	10"	DI Body,SS304 Disc,Grooved,EPDM Seat			
TDV-012GR	\$7,700	12"	DI Body,SS304 Disc,Grooved,EPDM Seat			

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812 Effective: August 1, 2012 Supersedes: July 1, 2011

SUCTION DIFFUSERS - CL. 125

		System	Pump	Shipping
Model #	List Price	Flange	Flange	Weight
SD0215	\$304	2"	1 1/2"	21
SD0202	\$309	2"	2"	23
SD2502	\$314	2 1/2"	2"	32
SD2525	\$347	2 1/2"	2 1/2"	34
SD0302	\$399	3"	2"	37
SD0325	\$417	3"	2 1/2"	49
SD0303	\$507	3"	3"	55
SD0403	\$586	4"	3"	57
SD0404	\$661	4"	4"	92
SD0504	\$711	5"	4"	97
SD0505	\$779	5"	5"	101
SD0604	\$865	6"	4"	104
SD0605	\$890	6"	5"	145
SD0606	\$1,015	6"	6"	182
SD0806	\$1,119	8"	6"	197
SD0808	\$1,930	8"	8"	292
SD1008	\$2,388	10"	8"	312
SD1010	\$3,183	10"	10"	398
SD1208	\$3,555	12"	8"	412
SD1210	\$3,681	12"	10"	491
SD1212	\$4,087	12"	12"	573

NOTES:

- (1) Submittal drawings available upon request
- (2) Flow Data (Cv) see Catalog
- (3) Magnetic plug insert standard
- (4) Body Tap is standard on all sizes 3" x 2" and larger
- (5) Higher Working Pressures available
- (6) 14" & Larger POA
- (7) Suction Diffusers to Meet Buy American Act POA

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812 Effective: August 1, 2012 Supersedes: June 1, 2010

American HVAC Flow Diverters - CL. 125

		System	Pump	Shipping
Model #	List Price	Flange	Flange	Weight
FD-2 X 1-1/2	\$304	2"	1 1/2"	21
FD-2 X 2	\$309	2"	2"	23
FD-2.5 X 2	\$314	2 1/2"	2"	32
FD-2.5 X 2.5	\$347	2 1/2"	2 1/2"	34
FD-3 X 2	\$399	3"	2"	37
FD-3 X 2.5	\$417	3"	2 1/2"	49
FD-3 X 3	\$507	3"	3"	55
FD-4 X 3	\$586	4"	3"	57
FD-4 X 4	\$661	4"	4"	92
FD-5 X 4	\$711	5"	4"	97
FD-5 X 5	\$779	5"	5"	101
FD-6 X 4	\$865	6"	4"	104
FD-6 X 5	\$890	6"	5"	145
FD-6 X 6	\$1,015	6"	6"	182
FD-8 X 6	\$1,119	8"	6"	197
FD-8 X 8	\$1,930	8"	8"	292
FD-10 X 8	\$2,388	10"	8"	312
FD-10 X 10	\$3,183	10"	10"	398
FD-12 X 8	\$3,555	12"	8"	412
FD-12 X 10	\$3,681	12"	10"	491
FD-12 X 12	\$4,087	12"	12"	573

NOTES:

- (1) Submittal drawings available upon request
- (2) Flow Data (Cv) see Catalog
- (3) Higher Working Pressures available
- (4) 14" & Larger POA
- (5) Suction Diffusers to Meet Buy American Act POA
- (6) 300# Submittal Data Fabricated Flow Diverter POA

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0411

Effective: April 15, 2011 Supersedes: March 8, 2010

ASME PARTIAL ACCEPTANCE BLADDER TANKS - 125 PSI

				Dimensio	
		Tank	Accept.	ns	
		Volume	Volume	Dia. X	Shipping
Model #	List Price	Gallons	Gallons	Height	Weight/lbs
WPA030	\$2,225	8	5	14" X 22"	90
WPA042	\$2,492	12	5	14" X 27"	105
WPA084	\$2,700	26	12	16" X 41"	150
WPA130	\$3,098	35	19	16" X 52"	200
WPA170	\$3,295	46	24	16" X 64"	240
WPA215	\$3,613	58	34	20" X 54"	250
WPA254	\$3,733	68	34	20" X 62"	280
WPA300	\$4,408	82	43	24" X 55"	300
WPA350	\$4,527	100	43	24" X 65"	330
WPA425	\$4,687	115	61	24" X 72"	380
WPA500	\$4,845	137	61	24" X 83"	425

^{*}ALL WPA TANKS ARE ASME CONSTRUCTED AND STAMPED

Optional Features:PriceHigher Working Pressures (150# through 300#)POAEpoxy Coated and Stainless Steel CoversPOACalifornia Code "Bulls Eye" Sight Glass\$180.00 ListSeismic Mounting Clips\$700.00 ListEPDM BladdersPOAStainless Steel System Connections\$150.00 List



PRICE SHEET 0812

Effective: August 1, 2012 Supersedes: February 1, 2012

ASME FULL ACCEPTANCE BLADDER TANKS - 125 PSI

			Dimensions	Shipping Weight/Lb	
Model #	Gallons	Liters	Dia. X Height	S	List Price
WFA-140	36	140	20" X 39 1/2"	195	\$3,091
WFA-215	57	215	20" X 54"	290	\$3,526
WFA-300	82	300	24" X 57 1/8"	320	\$3,789
WFA-450	120	450	24" X 78 3/8"	400	\$4,058
WFA-600	165	600	30" X 69 3/4"	460	\$4,676
WFA-800	220	800	30" X 88 1/4"	590	\$5,235
WFA-1000	271	1000	36" X 79 3/4"	790	\$6,128
WFA-1200	324	1200	36" X 91 3/4"	940	\$7,176
WFA-1400	377	1400	36" X 104"	1020	\$7,767
WFA-1600	440	1600	48" X 78 1/8"	1380	\$11,288
WFA-2000	550	2000	48" X 90 1/8"	1650	\$11,718
WFA-2500	660	2500	48"x 102"	1435	\$16,340
WFA-3000L	792	3000	48" x 122"	1550	\$17,953
WFA-3000S	792	3000	60" x 80"	2169	\$18,813

^{*}ALL WFA TANKS ARE ASME CONSTRUCTED AND STAMPED

Larger Size Tanks are POA FOB: Tulsa, Oklahoma

Optional Features:PriceHigher Working Pressures (150# through 300#)POAEpoxy Coated and Stainless Steel CoversPOACalifornia Code "Bulls Eye" Sight Glass\$180.00 ListSeismic Mounting Clips\$700.00 ListEPDM BladdersPOA

PRICE SHEET 0512 Effective: May 17, 2012 Supersedes: New Prices

ASME FULL ACCEPTANCE BLADDER TANKS - 300 PSI

Model #	Gallons	Dimensions Dia. X Height	Shipping Weight/Lbs	List Price
WFA-140	36	20 X 39 1/2	259	POA*
WFA-215	57	20 X 54	385	POA*
WFA-300	82	24 X 57 1/8	425	POA*
WFA-450	120	24 X 78 3/8	532	POA*
WFA-600	165	30 X 69 3/4	610	POA*

Global Flow Products LLC

1005 Houston

Broken Arrow, OK 74012

sales@globalflowproducts.com

Toll Free: 866-204-5229 Phone 918-317-0401



Phone 918-317-0401

Fax 918-317-0407



WFA-800	220	30 X 88 1/4	740	POA*
WFA-1000				POA*
WFA-1200				POA*
WFA-1400	See 3	3.118.2 WFA Large	e Series	POA*
WFA-1600				POA*
WFA-2000				POA*

* POA - Price on Application - Consult Sales Office

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0708 Effective: July 1, 2008

WNTA EXPANSION TANKS

				Dim./Inch	
				es	
		ASME	Tank	Dia X	Shipping
Model #	List Price	Rating	Volume/Gal.	Height	Weight/Lbs.
WNTA15	POA	\$150	7.8	7.8 x 12	44
WNTA20	POA	\$150	10.9	10.9 x 12	47
WNTA40	POA	\$150	25	25 x 14	90
WNTA60	POA	\$150	35	35 x 14	111
WNTA80	POA	\$125	45	45 x 20	147
WNTA100	POA	\$125	60	60 x 20	167
WNTA120	POA	\$125	70	70 x 24	225
WNTA144	POA	\$125	80	80 x 24	245
WNTA180	POA	\$125	90	90 x 24	265
WNTA200	POA	\$125	115	115 x 24	295
WNTA240	POA	\$125	140	140 x 24	425
WNTA260	POA	\$125	158	158 x 30	591
WNTA280	POA	\$125	211	211 x 30	752

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 1202 Effective: February 17, 2012 Supersedes: January 1, 2012

ASME BOTTOM FEED BLADDER TANKS

		Tank		Shipping
		Volume	Dim./Inches	Weight/Lb
Model #	List Price	Gallons	Dia X Height	S.
WBF 140	\$4,175	36	20 X 30	220
WBF 215	\$4,350	57	20 X 46	315
WBF 300	\$4,650	82	24 X 47	350
WBF 450	\$4,740	120	24 X 67	425
WBF 600	\$5,139	165	30 X 59	485
WBF 800	\$5,533	220	30 X 77	615
WBF 1000	\$6,584	271	36 X 67	815
WBF 1200	\$8,423	324	36 X 79	965
WBF 1400	\$8,938	377	36 X 91	1045
WBF 1600	\$11,431	440	48 X 64	1405
WBF 2000	\$12,521	550	48 X 78	1675

- (1) ASME "U" Stamped 125 PSI and National Board Registered
- (2) Removable & Replaceable Heavy Duty Butyl Rubber Bladder
- (3) Ideal for Fresh Water Booster Systems
- (4) Available in 150#, 175#, 200#, 250# & 300# PSI
- (5) Larger capacity tanks available Contact Tulsa Sales Office for pricing



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0708 Effective: July 1, 2008

Diaphragm Tank Prices

		Tank				
		Volume	Dim./Inches	t C	Working	Shipping
Model #	List Price	Gallons	Dia X Height	(inches)	Pressure	Weight/Lbs.
DET-002	POA	2.1	8 x 11.75	1/2	115 PSI	5
DET-005	POA	5	10.5 x 16	1/2	115 PSI	9
DET-006	POA	6.5	12.75 x 14	1/2	115 PSI	10
DET-009	POA	9	15.75 x 15.5	1/2	115 PSI	16
DET-013	POA	13.5	15.75 x 20	1	115 PSI	19
DET-013-STD	POA	13.5	15.75 x 25	1	115 PSI	23
DET-021-STD	POA	21	15.75 x 32	1	90 PSI	35
DET-027-STD	POA	27	20 x 29.5	1	90 PSI	40
DET-040-STD	POA	40	20 x 38	1	90 PSI	61
DET-053-STD	POA	53	24 x 42.33	1	90 PSI	77
DET-066-STD	POA	66	26 x 40.5	1	90 PSI	90
DET-080-STD	POA	80	26 x 45	1	90 PSI	98



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0708 Effective: July 1, 2008

Potable Diaphragm Tank Prices

Fotable Diaphiragin Tank Frices							
		Tank	k Inlet/Outle				
		Volume	Dim./Inches	t C	Working	Shipping	
Model #	List Price	Gallons	Dia X Height	(inches)	Pressure	Weight/Lbs.	
DPT-002	POA	2.1	8.03 x 11.82	1/2	125 PSI	5	
DPT-005	POA	5	10.63 x 16.15	1/2	125 PSI	8	
DPT-006	POA	6.5	12.6 x 13.98	1/2	125 PSI	10	
DPT-009	POA	9	15.75 x 15.36	1/2	125 PSI	19	
DPT-013-STD	POA	13.5	15.75 x 23.25	1	125 PSI	23	
DPT-021-STD	POA	21	15.75 x 33	1	125 PSI	42	
DPT-027-STD	POA	27	19.69 x 31	1 1/4	125 PSI	46	
DPT-040-STD	POA	40	19.69 x 40	1 1/4	125 PSI	64	
DPT-053-STD	POA	53	23.63 x 42.36	1 1/4	125 PSI	90	
DPT-080-STD	POA	80	25.6 x 47.5	1 1/4	125 PSI	119	
DPT-119-STD	POA	119	30.52 x 52	1 1/4	125 PSI	146	

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 1012 Effective: October 31, 2012 Supersedes: August 1, 2012

New Style BDT Tanks - Redesigned for Potable Water @ 150PSI

Part Number	Acceptance Volume	BDT New List	Diam. A - Inches	Length B Inches	System Connection	Working Pressure
BDT-013	13 Gallons	\$1,435	14	30"	3/4"	150 PSI
BDT-016	16 Gallons	\$1,619	14	34"	3/4"	150 PSI
BDT-026	26 Gallons	\$1,730	16	40"	1"	150 PSI
BDT-040	40 Gallons	\$2,095	20	45"	1"	150 PSI
BDT-060	60 Gallons	\$2,460	24	47"	1-1/2"	150 PSI
BDT-080	80 Gallons	\$2,651	24	56"	1-1/2"	150 PSI
BDT-112	112 Gallons	\$2,890	30"	52"	1-12"	150 PSI
BDT-135	135 Gallons	\$2,984	30	58"	1-1/2"	150 PSI
BDT-162	162 Gallons	\$3,937	30	66"	1-1/2"	150 PSI
BDT-185*	185 Gallons	\$4,444	30	74"	1-1/2"	200 PSI
BDT-211	211 Gallons	\$5,750	32	76	1-1/2"	150 PSI

BDT 185 Standard WP is 200 PSI

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812 Effective: August 1, 2012

Supersedes: July 1, 2008

ASME PLAIN STEEL EXPANSION TANKS

		Volume	Dim./Inches	Weight/Lb
Model #	List Price	Gallons	Dia X Height	S.
WPS 015	\$711	15	12 X 33	46
WPS 024	\$803	24	12 X 51	64
WPS 030	\$882	30	14 X 48	67
WPS 040	\$1,005	40	14 X 63	85
WPS 060	\$1,237	60	16 X 72	115
WPS 080	\$1,352	80	20 X 62 1/4	134
WPS 100	\$1,546	100	20 X 78	166
WPS 120	\$1,662	120	24 X 65	199
WPS 135	\$1,855	135	24 X 72	219
WPS 180	\$2,337	180	30 X 62	304
WPS 220	\$2,782	220	30 X 77	364
WPS 240	\$3,130	240	30 X 84	394
WPS 300	\$4,427	300	30 X 105 3/4	489
WPS 400	\$4,869	400	36 X 93 1/2	647
WPS 500	POA	500	36 X 116	900

NOTES:

- (1) See Page 9 for Liquid Level Sight Gauge and Tank Fitting Pricing
- (2) Manufactured to ASME Specifications and "U" Stamped
- (3) Design Pressure: 12" 20" Diameter 150 PSI Test pressure 275 PSI 24" 30" Diameter 125 PSI Test pressure 188 PSI
- (4) Saddles are priced per PAIR
- (5) Galvanized coating quoted on request

PRICE SHEET 0810 Effective: August 1, 2010

Supersedes: July 1, 2008

SADDLES

	List Price -	
TANK SIZE	Pair	SIZE
WPS 015, 024	\$366	12"
WPS 030, 040	\$399	14"
WPS 060	\$466	16"
WPS 080, 100	\$532	20"
WPS 120, 135	\$632	24"
WPS180, 220, 240, 300	\$732	30"
WPS400, WPS500	\$998	36"



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0510

Effective: May 21, 2010 Supersedes: May 15, 2008

CHEMICAL FEEDER TANKS

Model #	List Price	Volume Gallons	Shipping Weight/Lbs.
BFT-002-O	\$559	2	23
BFT-005-O	\$689	5	37
BFT-010-O	\$1,010	10	60
BFT-012-O	\$1,077	12	68
VFT-002-O	\$645	2	23
VFT-005-O	\$783	5	38
VFT-002-F	\$1,130	2	23
VFT-005-F	\$1,389	5	38
BFT-002X4	\$665	2	23
BFT-005X4	\$849	5	37
FC-005	\$60		
FC-020	\$60		

Phone 918-317-0401

Fax 918-317-0407



Price Sheet 0812 Effective: August 1, 2012

Supersedes: January 1, 2012

Chilled Water Buffer Tanks

AWCBT - ASME CHILLED WATER BUFFER TANKS - Vertical with Base Ring

		_	TDAGE FRICE Z		3	
FIGURE #	GALLONS	DIA. X HT.*	4" FLC	ELANCE**	8" FLANGE**	10" FLANGE**
AWCBT-120	120	24" X 60"	\$5,025	\$642	\$1,369	\$1,711
AWCBT-200	200	30" X 72"	\$6,167	\$642	\$1,369	\$1,711
AWCBT-250	250	30" X 90"	\$7,912	\$642	\$1,369	\$1,711
AWCBT-300	300	36" X 72"	\$8,340	\$642	\$1,369	\$1,711
AWCBT-500	500	42" X 90"	\$10,145	\$597	\$1,273	\$1,591
AWCBT-750	750	48" X 108"	\$13,984	\$597	\$1,273	\$1,591
AWCBT-850	850	54" X 96"	\$19,694	\$597	\$1,273	\$1,591
AWCBT- 1040	1040	60" X 96"	\$25,065	\$597	\$1,273	\$1,591

^{*} Actual Dimensions may vary, consult factory for dimensional drawing

NOTE: Shipping Weights will vary due to tank configurations

ASME Section VIII Design & Manufacture, Carbon Steel Construction, 125# PSIG Pressure Rating Top Vent & Bottom Drain Connection, Primer Exterior. Other sizes and pressure ratings upon re

^{**} Price Adder for 2 - Flanged Connections (Lower or Upper Mounted on tank) add to base price, Groove end prices 5% less than Flanged End (.95 Multiplier on above less applicable distributor discount)

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 1108

Effective: November 10, 2008 Supersedes: June 18, 2008

Vertical ASME Air Receiver/Chill Water Storage Tanks

HORIZONTAL

			D: # 1	Shipping
		Tank	Dim./Inches	Weight/Lb
Model #	List Price	Volume/Gal.	Dia X Height	s.
HAR-020	\$930	20	14" X 33"	68
HAR-030	\$1,070	30	16" X 38"	106
HAR-060	\$1,590	60	20" X 48"	211
HAR-080	\$1,875	80	20" X 63"	300
HAR-120	\$2,500	120	24" X 68"	480
HAR-200	\$3,910	200	30" X 72"	630
HAR-240	\$4,175	240	30" X 84"	700

VERTICAL (with deck plate)

Model #	List Price	Tank Volume/Gal.	Dim./Inches Dia X Height	Shipping Weight/Lb s.
VAR-030	\$940	30	16" X 38"	107
VAR-060	\$1,220	60	20" X 48"	187
VAR-080	\$1,800	80	24" X 48"	230
VAR-120	\$2,540	120	30" X 45"	358

VERTICAL (120-400 gallon; less deck plate)

				Shipping	
		Tank	Dim./Inches	Weight/Lb	Working
Model #	List Price	Volume/Gal.	Dia X Height	s.	Pressure
IAR-120	\$2,389	120	24" X 68"	308	200 PSI
IAR-200	\$3,129	200	30" X 72"	526	200 PSI
IAR-240	\$3,178	240	30" X 84"	612	200 PSI
IAR-400	\$4,785	400	36" X 93"	753	137 PSI
IAR-400X	\$6,615	400	36" X 93"	913	200 PSI

VERTICAL (660-1060 gallon; less deck plate)

				Shipping	
		Tank	Dim./Inches	Weight/Lb	Working
Model #	List Price	Volume/Gal.	Dia X Height	s.	Pressure
IAR-660	\$12,152	660	14" X 33"	1180	137 PSI
IAR-660X	\$14,171	660	16" X 38"	1570	200 PSI
IAR-1060	\$17,089	1060	20" X 48"	1802	137 PSI
IAR-1060X	\$21,038	1060	30" X 84"	2450	200 PSI



PRICE SHEET 0411 Effective: April 15, 2011

Supersedes: January 15, 2010

REPLACEMENT BLADDERS FOR WPA / WFA / WBF SERIES TANKS

WPA Bladders

Bladder		Accept.	Bladder Part
Model #	List Price	Volume	#
WPA030RB	\$648	5	091-310143-001
WPA042RB	\$764	5	091-310143-002
WPA084RB	\$723	12	091-310143-003
WPA130RB	\$880	19	091-310143-004
WPA170RB	\$920	24	091-310143-005
WPA215RB	\$1,087	34	091-310143-006
WPA254RB	\$1,087	34	091-310143-007
WPA300RB	\$1,240	43	091-310143-008
WPA350RB	\$1,240	43	091-310143-009
WPA425RB	\$1,288	61	091-310143-010
WPA500RB	\$1,288	61	091-310143-011

WFA Bladders

Bladder		Accept.	Bladder Part
Model #	List Price	Volume	#
			091-310143-
WFA140RB	\$1,108	36	101
WFA215RB	\$1,313	57	091-310143-102
WFA300RB	\$1,295	82	091-310143-103
WFA450RB	\$1,435	120	091-310143-104
WFA600RB	\$1,618	165	091-310143-105
WFA800RB	\$1,832	220	091-310143-106
WFA1000RB	\$2,308	271	091-310143-107
WFA1200RB	\$2,446	324	091-310143-108
WFA1400RB	\$2,872	377	091-310143-109
WFA1600RB	\$3,366	440	091-310143-110
WFA2000RB	\$3,700	550	091-310143-111

WBF Bladders

WDI Blauders			
Bladder		Accept.	Bladder Part
Model #	List Price	Volume	#
			092-310983-
WBF140RB	\$1,648	36	997
WBF215RB	\$1,668	57	092-310983-996
WBF300RB	\$1,768	82	092-310983-998
WBF450RB	\$1,781	120	092-310983-999
WBF600RB	\$1,829	165	092-310983-995
WBF800RB	\$2,112	220	092-310983-994
WBF1000RB	\$2,398	271	092-310983-993
WBF1200RB	\$2,398	324	092-310983-992
WBF1400RB	\$4,091	377	092-310983-991
WBF1600RB	\$4,502	440	092-310983-990

Global Flow Products LLC

1005 Houston

Broken Arrow, OK 74012

sales@globalflowproducts.com

Toll Free: 866-204-5229 Phone 918-317-0401



Phone 918-317-0401



WBF2000RB	\$4,861	550	092-310983-989
-----------	---------	-----	----------------

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812 Effective: August 1, 2012

Supersedes: April 1, 2008

TANK ACCESSORIES

TANK FITTING AND DRAIN COMBINATION

Model #	List Price	Size / Inches	Shipping Weight/Lbs.
TF02X	\$128	1/2"	1
TF04X	\$155	3/4"	2

NOTES:

(1) The TF02X will fit on the 30" Diameter tanks and smaller

(2) The TF04X will fit on the 36" Diameter tanks and larger

LIQUID LEVEL SIGHT GLASS ASSEMBLY

				Shipping Weight/Lb
Model #	List Price	Size / Inches	Tank Model	S.
WSG08	\$122	8"	WPS 015 & 024	1.5
WSG10	\$134	10"	WPS 030 & 040	1.5
WSG12	\$147	12"	WPS 060	1.5
WSG16	\$158	16"	WPS 080 & 100	2
WSG20	\$170	20"	WPS 120 & 135	2
WSG22	\$182	22"	WPS 180 - 300	3
WSG28	\$193	28"	WPS 400	3

NOTE:

(1) Maximum operating temperature 350 Degrees / 125 PSI working pressure



PRICE SHEET 1112 Effective: November 1, 2012

Supersedes: August 1, 2012

AIR SEPARATORS

AIR SEPARATOR - WITHOUT STRAINER - 8" AND UNDER 150PSI / 10" & UP 125PSI

			Shipping
Model #	List Price	Size / Inches	Weight/Lbs.
TAS002	\$795	2"	40
TAS025	\$847	2 1/2"	44
TAS003	\$1,151	3"	52
TAS004	\$1,490	4"	94
TAS005	\$1,762	5"	116
TAS006	\$2,506	6"	201
TAS008	\$3,575	8"	296
TAS010	\$6,197	10"	560
TAS012	\$8,464	12"	665
TAS140	\$11,209	14"	910
TAS160	POA*	16"	2200
TAS180	POA*	18"	2500
TAS200	POA*	20"	3800
TAS240	POA*	24"	7000
TAS300	POA*	30"	7450

AIR SEPARATOR - WITHOUT STRAINER - 300 PSIG

			Shipping
Model #	List Price	Size / Inches	Weight/Lbs.
TAS002	POA*	2"	54
TAS025	POA*	2 1/2"	59
TAS003	POA*	3"	70
TAS004	POA*	4"	127
TAS005	POA*	5"	160
TAS006	POA*	6"	271
TAS008	POA*	8"	400
TAS010	POA*	10"	756
TAS012	POA*	12"	895

AIR SEPARATOR - WITH STRAINER - 8" AND UNDER 150PSI / 10" & UP 125PSI

			Shipping
Model #	List Price	Size / Inches	Weight/Lbs.
TASS002	\$1,029	2"	48
TASS025	\$1,192	2 1/2"	58
TASS003	\$1,613	3"	70
TASS004	\$2,076	4"	108
TASS005	\$2,641	5"	136
TASS006	\$3,319	6"	236
TASS008	\$4,654	8"	356
TASS010	\$8,770	10"	660
TASS012	\$11,410	12"	870

Global Flow Products LLC

1005 Houston

Broken Arrow, OK 74012

sales@globalflowproducts.com

Toll Free: 866-204-5229 Phone 918-317-0401

Phone 918-317-0401



TASS140	\$15,411	14"	1220
TASS160	POA*	16"	2700
TASS180	POA*	18"	3000
TASS200	POA*	20"	4000
TASS240	POA*	24"	Please Call

^{*}ALL AIR SEPARATORS ARE ASME CONSTRUCTED AND STAMPED

Optional Features:	<u>Price</u>
Higher Working Pressures (150# through 300#)	POA*
Larger Sizes Through 30"	POA*
Grooved Connections Available	POA*
Special Materials Available	POA*

^{*} POA - Price on Application - Consult Sales Office



PRICE SHEET 0812 Effective: August 1, 2012

Supersedes: November 1, 2005

SEDIMENT REMOVAL SEPARATORS

Model #	List Price	Size / Inches	Shipping Weight/Lbs.
SRS 030	\$1,895	3"	62
SRS 040	\$2,782	4"	104
SRS 050	\$3,040	5"	130
SRS 060	\$3,796	6"	220
SRS 080	\$5,141	8"	320
SRS 100	\$9,122	10"	590
SRS 120	\$9,180	12"	705
SRS 140	POA	14"	980
SRS 160	POA	16"	1460
SRS 180	POA	18"	1760
SRS 200	POA	20"	2850

^{*}ALL SEDIMENT SEPARATORS ARE ASME CONSTRUCTED AND STAMPED

Optional Features:	<u>Price</u>
Higher Working Pressures (150# through 300#)	POA
Larger Sizes Through 30"	POA
Grooved Connections Available	POA
Special Materials Available	POA

PRICE SHEET 0213

Effective: Februrary 20, 2013 Supersedes: January 26, 2013

AIR & DIRT SEPARATORS - STANDARD & HIGH VELOCITY

Model	HVAD-NR	HVAD-RC	STAD-NR	STAD-RC
SIZE	LIST	LIST	LIST	LIST
FLANGED				
2"	\$3,517	\$5,997	\$2,049	\$3,223
2.5"	\$3,784	\$6,449	\$2,168	\$3,470
3"	\$5,131	\$8,750	\$2,819	\$4,669
4"	\$5,670	\$9,653	\$3,066	\$5,163
5"	\$8,466	\$14,391	\$4,512	\$7,937
6"	\$11,128	\$18,767	\$5,553	\$10,065
8"	\$17,627	\$29,964	\$9,358	\$16,025
10"	\$24,494	\$41,638	\$14,077	\$24,066
12"	\$29,118	\$48,899	\$18,177	\$31,057
14"	\$43,869	\$73,651	\$25,697	\$43,699
16"	\$45,425	\$77,250	\$27,255	\$45,200

NOTES: HVAD - HIGH VELOCITY AIR & DIRT

Global Flow Products LLC

1005 Houston

Broken Arrow, OK 74012

sales@globalflowproducts.com

Toll Free: 866-204-5229 Phone 918-317-0401

Phone 918-317-0401

Fax 918-317-0407



STAD - STANDARD VELOCITY AIR & DIRT NR- Non Removable Cover / RC - Removable Cover

PRICE SHEET 0213

Effective: February 26, 2013 Supersedes: May 15, 2008

AIR SCOOPS

			Shipping
Model #	List Price	Size / Inches	Weight/Lbs.
AS0100-SE	\$44	1'	4
AS0125-SE	\$48	1-1/4"	4
AS0150-SE	\$112	1-1/2"	9
AS0200-SE	\$143	2"	10
AS0250-SE	\$280	2-1/2"	19
AS0300-SE	\$312	3" Threaded	20
AS0300-FLGD	\$1,015	3" (Steel Flanged)	20
AS0400-FLGD -CI	\$712	4" (CI Flanged)	56
AS0400-FLGD - STL	\$1,248	4" (Steel Flanged)	56
AS0500-FLGD - STL	\$1,780	5"	60
AS0600-FLGD - STL	\$1,898	6"	65
AS0800-FLGD - STL	\$2,210	8"	113
AS1000-FLGD - STL	POA*	10"	174
AS1200-FLGD - STL	POA*	12"	330

- (1) Taps provided for Expansion Tank and Air Release Valve
- (2) Maximum operating temperature 275 Degrees, Maximum working pressure 125 PSIG
- (3) Model AS0400 and larger are welded steel construction with ANSI Class 150 Flanges
- * POA Price on Application Consult Sales Office

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0508

Effective: May 9, 2008 Supersedes: March 15, 2007

STEAM-TO-WATER HEAT EXCHANGERS Shell and Tube

<u>Standard Construction:</u> Cast Iron Head 4" - 10". Fabricated Steel Channel Head 12" - 20". Steel tubesheet and baffles. 3/4" 20 gauge copper tubing.

Manufactured in accordance with ASME Code "U" stamped, National Board Registered

Effective May 9, 2008, American Wheatley has suspended all list prices for heat exchangers from our March 15, 2007 Price List. Until further notice, these items will be "Priced on Application" from our Tulsa, OK and or Columbia, SC locations. Please contact a sales associate at either location for current pricing. This change is made necessary due to volatility in the metals market and continued worldwide increases in bronze and brass materials.

			Heating	0
		Length of Tube	Surface	Shipping
Model #	List Price	Bundle in Inches	Square Ft.	Weight/Lbs
4" Diameter	50.		1.0	
WS0424(*)A	POA	24	4.6	65
WS0436(*)A	POA	36	7	75
WS0448(*)A	POA	48	9.3	84
WS0460(*)A	POA	60	11.7	94
WS0472(*)A	POA	72	14.1	104
WS0484(*)A	POA	84	16.4	114
6" Diameter				
WS0624(*)A	POA	24	9.1	120
WS0636(*)A	POA	36	13.8	148
WS0648(*)A	POA	48	18.5	182
WS0660(*)A	POA	60	23.2	207
WS0672(*)A	POA	72	27.9	235
WS0684(*)A	POA	84	32.6	262
WS0696(*)A	POA	96	37.3	290
8" Diameter				
WS0824(*)A	POA	24	16.5	192
WS0836(*)A	POA	36	25.1	234
WS0848(*)A	POA	48	33.7	283
WS0860(*)A	POA	60	42.4	326
WS0872(*)A	POA	72	51	369
WS0884(*)A	POA	84	59.7	390
WS0896(*)A	POA	96	68.3	453
WS08108(*)A	POA	108	76.9	496
		1		

Phone 918-317-0401



10" Diameter				
WS1024(*)A	POA	24	26.8	300
WS1036(*)A	POA	36	40.9	353
WS1048(*)A	POA	48	55	415
WS1060(*)A	POA	60	69.2	476
WS1072(*)A	POA	72	83.3	537
WS1084(*)A	POA	84	97.5	598
WS1096(*)A	POA	96	111.6	660
WS10108(*)A	POA	108	125.7	721
WS10120(*)A	POA	120	139.9	782
12" Diameter				
WS1236(*)A	POA	36	58.6	510
WS1248(*)A	POA	48	79	596
WS1260(*)A	POA	60	99.5	681
WS1272(*)A	POA	72	119.9	772
WS1284(*)A	POA	84	140.3	857
WS1296(*)A	POA	96	160.8	941
WS12108(*)A	POA	108	181.2	1026
WS12120(*)A	POA	120	201.6	1111
14" Diameter				
WS1436(*)A	POA	36	75.7	568
WS1448(*)A	POA	48	102.4	664
WS1460(*)A	POA	60	129.1	756
WS1472(*)A	POA	72	155.8	847
WS1484(*)A	POA	84	182.5	937
WS1496(*)A	POA	96	209.2	1029
WS14108(*)A	POA	108	236	1120
WS14120(*)A	POA	120	262.7	1212
16" Diameter			1	
WS1636(*)A	POA	36	104.5	745
WS1648(*)A	POA	48	141.4	863
WS1660(*)A	POA	60	178.4	981
WS1672(*)A	POA	72	215.3	1105
WS1684(*)A	POA	84	252.2	1187
WS1696(*)A	POA	96	289.1	1305
WS16108(*)A	POA	108	326	1424
WS16120(*)A	POA	120	363	1541
` ′				
		I .		

Phone 918-317-0401



18" Diameter				
WS1836(*)A	POA	36	130.7	902
WS1848(*)A	POA	48	177	1044
WS1860(*)A	POA	60	223.4	1183
WS1872(*)A	POA	72	269.7	1326
WS1884(*)A	POA	84	316.1	1445
WS1896(*)A	POA	96	362.4	1589
WS18108(*)A	POA	108	408.8	1732
WS18120(*)A	POA	120	455.1	1871
20" Diameter				
WS2036(*)A	POA	36	163.9	1060
WS2048(*)A	POA	48	223.6	1226
WS2060(*)A	POA	60	283.3	1386
WS2072(*)A	POA	72	343	1547
WS2084(*)A	POA	84	402.7	1706
WS2096(*)A	POA	96	462.4	1867
WS20108(*)A	POA	108	522.2	2041
WS20120(*)A	POA	120	581.9	2202

^(*) Insert number of Tube Passes

Toll Free: 866-204-5229 Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0508

Effective: May 9, 2008

Supersedes: March 15, 2007

WATER-TO-WATER HEAT EXCHANGERS Shell and Tube

Standard Construction: Cast Iron Head 4" - 10". Fabricated Steel Channel Head 12" - 20". Steel tubesheet and baffles. 3/4" 20 gauge copper tubing.

Manufactured in accordance with ASME Code - National Board Registered

Effective May 9, 2008, American Wheatley has suspended all list prices for heat exchangers from our March 15, 2007 Price List. Until further notice, these items will be "Priced on Application" from our Tulsa, OK and or Columbia, SC locations. Please contact a sales associate at either location for current pricing. This change is made necessary due to volatility in the metals market and continued worldwide increases in bronze and brass materials.

			Heating	
		Length of Tube	Surface	Shipping
Model #	List Price	Bundle in Inches	Square Ft.	Weight/Lbs
4" Diameter				
WW424(*)A	POA	24	4.6	65
WW436(*)A	POA	36	7	75
WW448(*)A	POA	48	9.3	84
WW460(*)A	POA	60	11.7	94
WW472(*)A	POA	72	14.1	104
WW484(*)A	POA	84	16.4	123
6" Diameter				
WW624(*)A	POA	24	9.1	120
WW636(*)A	POA	36	13.8	148
WW648(*)A	POA	48	18.5	182
WW660(*)A	POA	60	23.2	207
WW672(*)A	POA	72	27.9	235
WW684(*)A	POA	84	32.6	262
WW696(*)A	POA	96	37.3	290
8" Diameter				
WW824(*)A	POA	24	16.5	192
WW836(*)A	POA	36	25.1	234
WW848(*)A	POA	48	33.7	283
WW860(*)A	POA	60	42.4	326
WW872(*)A	POA	72	51	369
WW884(*)A	POA	84	59.7	390
WW896(*)A	POA	96	68.3	453
WW8108(*)A	POA	108	76.9	496

Phone 918-317-0401



10" Diameter				
WW1024(*)A	POA	24	26.8	285
WW1036(*)A	POA	36	40.9	353
WW1048(*)A	POA	48	55	415
WW1060(*)A	POA	60	69.2	476
WW1072(*)A	POA	72	83.3	537
WW1084(*)A	POA	84	97.5	598
WW1096(*)A	POA	96	111.6	660
WW10108(*)A	POA	108	125.7	721
WW10120(*)A	POA	120	139.9	782
12" Diameter				
WW1236(*)A	POA	36	58.6	510
WW1248(*)A	POA	48	79	596
WW1260(*)A	POA	60	99.5	681
WW1272(*)A	POA	72	119.9	772
WW1284(*)A	POA	84	140.3	857
WW1296(*)A	POA	96	160.8	941
WW12108(*)A	POA	108	181.2	1026
WW12120(*)A	POA	120	201.6	1111
14" Diameter				
WW1436(*)A	POA	36	75.7	568
WW1448(*)A	POA	48	102.4	664
WW1460(*)A	POA	60	129.1	756
WW1472(*)A	POA	72	155.8	847
WW1484(*)A	POA	84	182.5	937
WW1496(*)A	POA	96	209.2	1029
WW14108(*)A	POA	108	236	1120
WW14120(*)A	POA	120	262.7	1212
16" Diameter				
WW1636(*)A	POA	36	104.5	745
WW1648(*)A	POA	48	141.4	863
WW1660(*)A	POA	60	178.4	981
WW1672(*)A	POA	72	215.3	1105
WW1684(*)A	POA	84	252.2	1187
WW1696(*)A	POA	96	289.1	1305
WW16108(*)A	POA	108	326	1424
WW16120(*)A	POA	120	363	1543

Toll Free: 866-204-5229 Phone 918-317-0401



18" Diameter				
WW1836(*)A	POA	36	130.7	902
WW1848(*)A	POA	48	177	1044
WW1860(*)A	POA	60	223.4	1183
WW1872(*)A	POA	72	269.7	1326
WW1884(*)A	POA	84	316.1	1445
WW1896(*)A	POA	96	362.4	1586
WW18108(*)A	POA	108	408.8	1727
WW18120(*)A	POA	120	455.1	1868
20" Diameter				
WW2048(*)A	POA	48	223.6	1226
WW2060(*)A	POA	60	283.3	1386
WW2072(*)A	POA	72	343	1547
WW2084(*)A	POA	84	402.7	1706
WW2096(*)A	POA	96	462.4	1867
WW20108(*)A	POA	108	522.2	2041
WW20120(*)A	POA	120	581.9	2202

^(*) Insert Number of Tube Passes



PRICE SHEET 0307

Effective: March 15, 2007

Supersedes: November 1, 2005

HEAT EXCHANGER ACCESSORIES & OPTIONS

SADDLES

Model #	List Price	Size
S400	\$465	4"
S600	\$485	6"
S800	\$495	8"
S1000	\$580	10"
S1200	\$620	12"
S1400	\$710	14"
S1600	\$730	16"
S1800	\$765	18"
S2000	\$885	20"

Priced Per Pair for Saddles

HEAT EXCHANGER OPTIONS:

- (1) Optional baffle material quoted per individual unit
- (2) Consult factory for number of baffles and pricing

OPTIONAL TUBING:

Material	List Price (Sq. ft.)	Size / Gauge
Copper	Standard	3/4" X 20 BWG
Copper	\$10.90	3/4" X 18 BWG
90/10 Cu/Ni	\$12.00	3/4" X 20 BWG
90/10 Cu/Ni	\$20.65	3/4" X 18 BWG
304SS	\$27.60	3/4" X 18 BWG
316SS	\$34.30	3/4" X 18 BWG

GASKET KITS FOR HEAT EXCHANGERS:

Model #	List Price
GSKT400	\$95
GSKT600	\$130
GSKT800	\$170
GSKT1000	\$220
GSKT1200	\$300
GSKT1400	\$375
GSKT1600	\$480
GSKT1800	\$525
GSKT2000	\$575

Notes:

- (1) Gasket Kit consists of (1) Head Gasket and (1) Flange Gasket
- (2) When ordering, you must specify if heat exchanger is an ANSI or TEMA unit.
- (3) ANSI Units 1996 or before; TEMA Units After 1996

Global Flow Products LLC 1005 Houston Broken Arrow, OK 74012

sales@globalflowproducts.com

Toll Free: 866-204-5229 Phone 918-317-0401 Fax 918-317-0407

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812

Effective: August 1, 2012 Supersedes: July 1, 2011

Y-TYPE & BASKET STRAINERS

Y-TYPE FLANGED STRAINER - ANSI CLASS 125

			Shipping
Model#	List Price	Size / Inches	Weight
YF0200	\$163	2"	36
YF0250	\$203	2.5"	48
YF0300	\$235	3"	86
YF0400	\$392	4"	106
YF0500	\$488	5"	156
YF0600	\$620	6"	201
YF0800	\$1,070	8"	321
YF1000	\$1,880	10"	370
YF1200	\$2,986	12"	621
YF1400	POA	14"	1084
YF1600	POA	16"	1615

Notes:

- (1) For Maximum operating temperatures and pressures See Catalog
- (2) Stainless Steel Screens standard. Optional screen sizes available
- (3) Higher working pressures priced on application

BASKET TYPE CAST IRON STRAINER- ANSI CLASS 125

Model#	List Price	Size / Inches	Shipping Weight
BS0200	\$369	2"	22
BS0250	\$438	2.5"	31
BS0300	\$523	3"	42
BS0400	\$569	4"	70
BS0500	\$902	5"	90
BS0600	\$1,039	6"	124
BS0800	\$1,712	8"	270
BS1000	\$2,832	10"	384
BS1200	\$4,478	12"	670
BS1400	POA	14"	1010
BS1600	POA	16"	1300

- (1) For Maximum operating temperatures and pressures see catalog
- (2) Stainless Steel Screens standard
- (3) Higher working pressures priced on application

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812

Effective: August 1, 2012 Supersedes: July 1, 2011

THREADED STRAINERS

"Y" TYPE: CAST IRON THREADED STRAINERS

Model#	List Price	Size / Inches	Shipping Weight
CTY 0050	\$30	1/2"	1.5
CTY 0075	\$36	3/4"	2.5
CTY 0100	\$56	1"	4.5
CTY 0125	\$66	1.25"	6.5
CTY 0150	\$87	1.5"	9
CTY 0200	\$127	2"	12.5
CTY 0250	\$266	2.5"	15
CTY 0300	\$339	3"	18

Notes:

- (1) 250 PSI at 400° Fahrenheit (Steam)
- (2) 400 PSI @ 150° Fahrenheit (Liquid)
- (3) 20 Mesh Stainless Steel Screen is standard through 2"

"Y" TYPE: BRONZE THREADED STRAINERS

			Shipping
Model#	List Price	Size / Inches	Weight
BTY 0050	\$42	1/2"	1.5
BTY 0075	\$57	3/4"	2.5
BTY 0100	\$83	1"	3.5
BTY 0125	\$131	1.25"	5
BTY 0150	\$174	1.5"	7.5
BTY 0200	\$277	2"	13
BTY 0250	\$558	2.5"	15
BTY 0300	\$674	3"	18

- (1) 150 PSI at 400° Fahrenheit (Steam)
- (2) 300 PSI at 150° Fahrenheit (Liquid)
- (3) 20 Mesh Stainless Steel Screen is standard

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 1107 Effective: July 1, 2011

Supersedes: October 1, 2010

SILENT CHECK VALVES

GLOBE SILENT CHECK: Bronze / Stainless Steel Trim - ANSI CI. 125

			Shipping
Model #	List Price	Size / Inches	Weight
SGB 0200	\$360	2"	20
SGB 0250	\$432	2.5"	24
SGB 0300	\$476	3"	29
SGB 0400	\$615	4"	42
SGB 0500	\$840	5"	52
SGB 0600	\$1,090	6"	73
SGB 0800	\$1,700	8"	126
SGB 1000	\$2,658	10"	205
SGB 1200	\$4,503	12"	306
SGB 1400	\$7,848	14"	452
SGB 1600	\$9,328	16"	594

NOTES:

(1) 250 psig priced on application

(2) Flanged connections

WAFER SILENT CHECK: Stainless Steel Trim - ANSI CI. 125

			Shipping
Model #	List Price	Size / Inches	Weight
SWB 020	\$193	2"	6
SWB 025	\$231	2.5"	7
SWB 030	\$294	3"	12
SWB 040	\$401	4"	18
SWB 050	\$559	5"	27
SWB 060	\$785	6"	42
SWB 080	\$1,469	8"	85
SWB 100	\$2,537	10"	146
SWB 120	\$4,017	12"	165

Notes:

(1) 250 psig priced on application

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 1105

Effective: November 1, 2005

Supersedes: April 1, 2004

CHECK VALVES DUAL DISC AND THREADED

DUAL DISC SILENT CHECK: CI Body, 316SS Disc - ANSI CI.125

Model #	List Price	Size / Inches	Shipping Weight
Wodel #		Size / Inches	Weight
SDDB 020	\$109	2"	5
SDDB 025	\$130	2.5"	7
SDDB 030	\$141	3"	9
SDDB 040	\$192	4"	13
SDDB 050	\$291	5"	19
SDDB 060	\$298	6"	26
SDDB 080	\$460	8"	49
SDDB 100	\$816	10"	85
SDDB 120	\$1,076	12"	141
SDDB 140	\$2,250	14"	178
SDDB 160	\$3,058	16"	255

THREADED SILENT CHECK: Bronze Body and Trim

Model #	List Price	Size / Inches	Shipping Weight
STB 0050	\$46	1/2"	1
STB 0750	\$54	3/4"	1
STB 0100	\$69	1"	1.5
STB 0125	\$83	1.25"	2
STB 0150	\$114	1.5"	2.5
STB 0200	\$160	2"	4

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711

Effective: July 1, 2011 Supersedes: July 1, 2008

BUTTERFLY VALVES

PLUG STYLE: DI BODY, 316SS DISC, EPDM SEAT, 316SS STEM

				Shipping
Model #	List Price	Size / Inches	Operator	Weight
BFV 020L	\$111	2"	10-Position	12
BFV 025L	\$141	2.5"	10-Position	13
BFV 030L	\$179	3"	10-Position	14
BFV 040L	\$223	4"	10-Position	22
BFV 050L	\$296	5"	10-Position	25
BFV 060L	\$371	6"	10-Position	30
BFV 080L	\$683	8"	10-Position	47
BFV 100L	\$1,026	10"	10-Position	86
BFV 080LG	\$882	8"	Gear	55
BFV 100LG	\$1,247	10"	Gear	86
BFV 120LG	\$1,697	12"	Gear	127
BFV 140LG	POA*	14"	Gear	169
BFV 160LG	POA*	16"	Gear	291

WAFER STYLE: DI BODY, 316SS DISC, EPDM SEAT, 316SS STEM

				Shipping
Model #	List Price	Size / Inches	Operator	Weight
BFV 020	\$101	2"	10-Position	10
BFV 025	\$126	2.5"	10-Position	12
BFV 030	\$172	3"	10-Position	13
BFV 040	\$217	4"	10-Position	16
BFV 050	\$268	5"	10-Position	20
BFV 060	\$343	6"	10-Position	24
BFV 080	\$601	8"	10-Position	39
BFV 100	\$952	10"	10-Position	50
BFV 080G	\$798	8"	Gear	47
BFV 100G	\$1,170	10"	Gear	72
BFV 120G	\$1,646	12"	Gear	107
BFV 140G	POA*	14"	Gear	136
BFV 160G	POA*	16"	Gear	183

- (1) 200 PSI Working Pressure rated ANSI 125/150
- (2) Buna, Teflon, Viton Seats Available
- (3) Consult catalog for temperature ratings
- * POA Price on Application Consult Sales Office

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0812

Effective: August 15, 2012 Supersedes: April 1, 2011

GS CIRCUIT BALANCE VALVES

			End	Shipping
Model #	List Price	Size / Inches	Connection	Weight
GS 050	\$71	1/2"	Threaded	1.5
GS 075	\$77	3/4"	Threaded	1.75
GS 100	\$104	1"	Threaded	2.25
GS 125	\$156	1.25"	Threaded	3
GS 150	\$188	1.5"	Threaded	4
GS 200	\$286	2"	Threaded	6
GS 250	\$734	2.5"	Flanged	31
GS 300	\$1,119	3"	Flanged	44
GS 400	\$1,540	4"	Flanged	57
GS 500	\$2,750	5"	Flanged	88
GS 600	\$3,519	6"	Flanged	110
GS 800	\$6,056	8"	Flanged	282
GS 1000	POA	10"	Flanged	397
GS 1200	POA	12"	Flanged	551

NOTES:

(1) 1/2" Through 2" Valves - Maximum Working Pressure 290 PSI

1/2" Through 2" Valves - Maximum Operating Temperature -22° to 250° F

2" Through 6" Valves - Maximum Working Pressure 225 PSI

2" Through 6" Valves - Maximum Operating Temperature 14° to 250° F

(2) P/T Plugs will be furnished on the valves. Schraders upon request.

ACCESSORIES:

*Model W820 readout meter 2.5" dial, plastic carrying case, two 5' hose, ± 2 to 3% full scale accuracy, dial range 0-60' H20, 12 lb shipping weight. List Price: \$1,475.00

 * Model W821 dual readout meter, two 2.5" dials, plastic carrying case, \pm 2 to3% full scale accuracy, one gauge 0 - 135" and other 0 - 60' complete with two 5" hoses, 14 pound shipping weight.

List Price: \$2,876.00

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0411

Effective: April 15, 2011 Supersedes: July 1, 2010

PSV STYLE BALANCING VALVES

Model #	List Price	Size / Inches	Operator	Shipping Weight
PSV 025	\$733	2.5"	LEVER	30
PSV 030	\$877	3"	LEVER	40
PSV 040	\$1,112	4"	LEVER	70
PSV 050	\$1,873	5"	LEVER	105
PSV 060	\$1,873	6"	LEVER	115
PSV 080	\$2,566	8"	LEVER	190
PSV 080G	\$3,608	8"	GEAR	245
PSV 100G	\$5,676	10"	GEAR	345
PSV 120G	\$6,855	12"	GEAR	440
PSV 140G	\$11,562	14"	GEAR	510
PSV 160G	\$12,383	16"	GEAR	1030

- (1) EPDM Plugs, U-cup seal and O-ring
- (2) EPDM temperature range -35°F to 250°F
- (3) Epoxy Seat
- (4) 1/8" Schrader valve pressure ports
- (5) Flow charts available upon request
- (6) Grooved ends available on 3" and larger. Grooved end valves are all Nickel seated
- (7) Larger sizes available



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711

Effective: July 1, 2011 Supersedes: June 1, 2007

AIR RELEASE VALVES (Single Units)

Model #	List Price	Size / Inches	Shipping Weight
AR050	\$205	1/2"	6
ARO75	\$205	3/4"	6
AR0100	\$215	1"	6

AIR RELEASE VALVES (4 Pack)

Model #	List Price	Size / Inches	Shipping Weight
AR050 (4)	\$700	1/2"	24
ARO75 (4)	\$700	3/4"	24
AR0100 (4)	\$750	1"	24



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 1105 Effective: November 1, 2005

Supersedes: April 1, 2001

ASME RELIEF VALVE

Model #	List Price	Size / Inches	Shipping Weight
RV0075	\$160	3/4" NPTF	1.1
RV0100	\$250	1" NPT	1.1
RV0125	\$500	1-1/4" NPT	2
RV0150	\$650	1-1/2" NPT	2
RV0200	\$1,000	2" NPT	4

- (1) Available pressure settings at 30, 50, 75, 100, 125, 150 psi
- (2) Please specify pressure setting when ordering



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711 Effective: July 1, 2011

Supersedes: November 1, 2005

WATER PRESSURE REDUCING VALVE

Model #	List Price	Size / Inches	Shipping Weight
WPR 050	\$125	1/2" NPT	2.2
WPR 050S	\$125	NPT X 1/2" SWI	2.2
WPR 075	\$135	3/4" NPTF	3.5
WPR 100	\$145	1" NPTF	3.7

- (1) Model WPR 050 & WPR 050S Cast Iron body construction Model WPR 075 Bronze body construction
- (2) Adjustable pressure range 10 25 PSIG: Preset at 12 PSIG
- (3) Maximum working temperature 212 Degrees F. Maximum working pressure 100 PSIG
- (4) In line serviceable



Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711

Effective: July 1, 2011

Supersedes: May 15, 2008

DUAL CONTROL - WPR & RV VALVE COMBINATION

Model #	List Price	Size / Inches	Shipping Weight
DC0050S	\$195	NPT X 1/2" SWI	3.3
DC0050	\$195	1/2" NPT	3.3

- (1) Adjustable pressure range 10 25 PSIG: preset at 12 PSIG
- (2) Maximum working temperature 212 Degrees F
- (3) Maximum operating pressure 30 PSIG for relief valve and 100 PSIG for the reducing valve

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711

Effective: July 1, 2011 Supersedes: July 1, 2008

SINGLE SPHERE FLEX CONNECTORS / CONTROL RODS

SINGLE SPHERE FLEX CONNECTORS - SSP SERIES

			Shipping
Model #	List Price	Size / Inches	Weight
SSP0125	POA	1 1/4"	6
SSP0150	\$90	1 1/2"	7
SSP0200	\$90	2"	9
SSP0250	\$96	2 1/2"	13
SSP0300	\$112	3"	14
SSP0400	\$143	4"	18
SSP0500	\$182	5"	23
SSP0600	\$247	6"	27
SSP0800	\$337	8"	38
SSP1000	\$568	10"	56
SSP1200	\$613	12"	83
SSP1400	POA*	14"	100
SSP1600	POA*	16"	120
SSP1800	POA*	18"	140
SSP2000	POA*	20"	170

CONTROL RODS - SINGLE SPHERE

			Shipping
Model #	List Price	Size / Inches	Weight
CSSP0125	POA	1 1/4"	5
CSSP0150	\$133	1 1/2"	7
CSSP0200	\$133	2"	7
CSSP0250	\$138	2 1/2"	7
CSSP0300	\$148	3"	7
CSSP0400	\$159	4"	7
CSSP0500	\$185	5"	9
CSSP0600	\$224	6"	9
CSSP0800	\$293	8"	16
CSSP1000	\$320	10"	26
CSSP1200	\$345	12"	26
CSSP1400	POA*	14"	26
CSSP1600	POA*	16"	31
CSSP1800	POA*	18"	33
CSSP2000	POA*	20"	35

^{*} POA - Price on Application - Consult Sales Office

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711

Effective: July 1, 2011

Supersedes: July 1, 2008

DOUBLE SPHERE FLEX CONNECTORS / CONTROL RODS

DOUBLE SPHERE FLEX CONNECTORS

Model #	List Price	Size / Inches	Shipping Weight
DSP 0200	\$95	2"	9
DSP 0250	\$115	2 1/2"	13
DSP 0300	\$131	3"	15
DSP 0400	\$184	4"	20
DSP 0500	\$235	5"	26
DSP 0600	\$310	6"	29
DSP 0800	\$458	8"	45
DSP 1000	\$638	10"	63
DSP 1200	\$868	12"	95

CONTROL RODS - DOUBLE SPHERE

			Shipping
Model #	List Price	Size / Inches	Weight
CDSP 0200	\$152	2"	7
CDSP 0250	\$152	2 1/2"	7
CDSP 0300	\$160	3"	7
CDSP 0400	\$180	4"	7
CDSP 0500	\$205	5"	9
CDSP 0600	\$248	6"	9
CDSP 0800	\$340	8"	16
CDSP 1000	\$357	10"	26
CDSP 1200	\$416	12"	26

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0711

Effective: July 1, 2011 Supersedes: May 15, 2008

STAINLESS FLEX CONNECTORS SS / SM SERIES

SS SERIES: MINI LENGTH - FLANGED END

Model #	List Price	Size / Inches Dia. x Length	Shipping Weight
SS 0209	\$104	2" X 9"	13
SS 2509	\$133	2.5" X 9"	14
SS 0309	\$150	3" X 9"	15
SS 0409	\$220	4" X 9"	18
SS 0511	\$291	5" X 11"	35
SS 0611	\$367	6" X 11	38
SS 0812	\$718	8" X 12"	52
SS 1013	\$1,116	10" X 13"	75
SS 1214	POA*	12" X 14"	105
SS 1414	POA*	14" X 14"	115

SM SERIES: LONG LENGTH - FLANGED END

		Size / Inches	Shipping
Model #	List Price	Dia. x Length	Weight
SM 0210	POA*	2" X 10"	14
SM 2510	POA*	2.5" X 10-1/2"	15
SM 0310	POA*	3" X 10-5/8"	18
SM 0411	POA*	4" X 11-3/4"	20
SM 0513	POA*	5" X 13-5/8"	40
SM 0614	POA*	6" X 14-1/8"	40
SM 0815	POA*	8" X 15-3/8"	68
SM 1017	POA*	10" X 17-3/4"	85
SM 1218	POA*	12" X 18-3/8"	110
SM 1420	POA*	14" X 20"	126

^{*} POA - Price on Application - Consult Sales Office

Phone 918-317-0401

Fax 918-317-0407



PRICE SHEET 0508

Effective: May 15, 2008

Supersedes: January 25, 2007

STAINLESS FLEX CONNECTORS SL / ST SERIES

SL SERIES: EXTENDED LENGTH - FLANGED END

	I		
Model #	List Price	Size / Inches Dia. x Length	Shipping Weight
SL 0212	POA*	2" X 12"	15
SL 2512	POA*	2.5" X 12"	18
SL 0314	POA*	3" X 14"	20
SL 0416	POA*	4" X 16"	22
SL 0518	POA*	5" X 18"	32
SL 0620	POA*	6" X 20	40
SL 0822	POA*	8" X 22"	70
SL 1024	POA*	10" X 24"	100
SL 1226	POA*	12" X 26"	155
SL 1428	POA*	14" X 28"	175

ST SERIES: STANDARD LENGTH - THREADED ENDS

Model #	List Price	Size / Inches Dia. x Length	Shipping Weight
ST 0510	\$64	1/2" X 10"	1
ST 7510	\$79	3/4" X 10"	1
ST 0110	\$84	1" X 10"	1
ST 1210	\$92	1.25" X 10"	1.5
ST 1510	\$119	1.5" X 10"	2
ST 0214	\$140	2" X 14"	3
ST 2516	\$240	2.5" X 16"	4
ST0316	\$280	3" X 16"	6

- (1) ANSI Class 150 Flat Face Flanged
- (2) See Catalog for Operating Temperatures and Pressures
- * POA Price on Application Consult Sales Office